



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu
						Updated Date: 2022-11-08		
1	KB	KB KB6160 Black BT halogen-free0.41T T/TOZ 43*49 TG≥230°C	KB 6160	230	0.41	49.00*43.00	1/3oz	N
2	HINNO	HINNO Y-206BSR Black BT halogen-free0.08T H/HOZ 41*49 TG≥230°C	HINNO Y-206BSR	230	0.08	49.00*41.00	Hoz	N
3	HINNO	HINNO Y-206BSR Black BT halogen-free 0.06T T/TOZ 41*49 TG≥230°C	HINNO Y-206BSR	230	0.06	49.00*41.00	1/3oz	N
4	HINNO	HINNO H-850 Yellow FR-4 1.2T 1/1 43*49 TG≥150°C	HINNO H-850	150	1.2	49.00*43.00	1oz	Y
5	Grace	Grace GA-HF-PF5 Yellow halogen-free FR-4 1.5T 41*49 1/1 TG≥150°C 7628*8	Grace GA-HF-PF5	150	1.5	49.00*41.00	1oz	Y
6	Grace	Grace GA-HF-PF5 Yellow halogen-free FR-4 1.2T 37*49 1/1 TG≥150°C 7628*6	Grace GA-HF-PF5	150	1.2	49.00*37.00	1oz	Y
7	ITEQ	ITEQ IT-158 TC FR-4 0.20T 43*49 1/1 TG=150	ITEQ IT158	150	0.2	49.00*43.00	1oz	Y
8	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.25T 41*49 1/1 TG=150	ITEQ IT158	150	0.25	49.00*41.00	1oz	N
9	Ventec	Ventec VT-481 Yellow FR-4 0.9T 37*49 1/1 TG≥150°C 7628*5	Ventec VT-481	180	0.9	49.00*37.00	1oz	Y
10	TUC	TUC High speed TU-883 Yellow VSP CU FR-4 halogen-free1078*1 0.089T 37*49 1/1 TG170°C	TUC TU-883	170	0.089	49.00*37.00	1oz	N
11	EMC	EMC EM-285 Yellow FR-4 halogen-free0.20T 41*49 H/H TG150°C	EMC EM-285	150	0.2	49.00*41.00	Hoz	N
12	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.20T 43*49 H/H TG150°C	EMC EM-370(5)	150	0.2	49.00*43.00	Hoz	N
13	TUC	TUC TU-862HF High speed 材料 halogen-free 0.15T 1/1 41*49 TG170	TUC TU-862HF	170	0.15	49.00*41.00	1oz	N
14	TUC	TUC High speed TU-863+ Yellow RTF 3313*1 FR-4 halogen-free 0.102 41*49 1/1 TG180°C	TUC TU-863+	180	0.102	49.00*41.00	1oz	N
15	TUC	TUC High speed TU-863+ Yellow RTF 3313*1 FR-4 halogen-free 0.102 43*49 H/1 TG180°C	TUC TU-863+	180	0.102	49.00*43.00	Hoz	N
16	TUC	TUC High speed TU-863+ Yellow RTF 3313*1 FR-4 halogen-free 0.102 43*49 1/2 TG180°C	TUC TU-863+	180	0.102	49.00*43.00	1oz	N
17	TUC	TUC High speed TU-863+ Yellow RTF FR-4 halogen-free 3313*1 0.102 37*49 1/1 TG175°C	TUC TU-863+	175	0.102	49.00*37.00	1oz	N
18	TUC	TUC High speed TU-862s Yellow RTF FR-4 halogen-free 0.089T 37*49 1/1 TG175°C	TUC TU-862s	175	0.089	49.00*37.00	1oz	N
19	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.25T43*49 H/H TG150°C	EMC EM-370(5)	150	0.25	49.00*43.00	Hoz	N
20	TUC	TUC TU-872 SLK SP Yellow FR-4 0.076T 43*49 H/H TG≥190°C 1080*1 RTF	TUC TU-872 SLK SP	190	0.076	49.00*43.00	Hoz	N
21	TUC	TUC TU-872 SLK Yellow 1078*1 FR-4 0.076MM H/HOZ 41*49 TG>=190	TUC TU-872 SLK	190	0.076	49.00*41.00	Hoz	N
22	TUC	TUC TU-872 LK Yellow FR-4 0.102MM 41*49 H/1 TG≥220 3313*1 RTF	TUC TU-872 LK	220	0.102	49.00*41.00	Hoz	N
23	TUC	TUC TU-872 LK Yellow FR-4 0.102MM 41*49 1/1 TG≥220 3313*1 RTF	TUC TU-872 LK	220	0.102	49.00*41.00	1oz	N
24	TUC	TUC TU-862HF Yellow FR-4 halogen-free 0.813T 43*49 H/H TG180°C 7628*4 HTE	TUC TU-862HF	180	0.813	49.00*43.00	Hoz	Y
25	TUC	TUC TU-862HF Yellow FR-4 halogen-free 0.813T 41*49 H/H TG180°C 7628*4 HTE	TUC TU-862HF	180	0.813	49.00*41.00	Hoz	Y
26	TUC	TUC TU-862HF Yellow FR-4 halogen-free 0.813T 37*49 H/H TG180°C 7628*4 HTE	TUC TU-862HF	180	0.813	49.00*37.00	Hoz	Y
27	TUC	TUC TU-862HF Yellow FR-4 halogen-free0.40T 43*49 1/1 TG180°C	TUC TU-862HF	180	0.4	49.00*43.00	1oz	N
28	TUC	TUC TU-862HF Yellow FR-4 halogen-free0.40T 41*49 1/1 TG180°C	TUC TU-862HF	180	0.4	49.00*41.00	1oz	N
29	TUC	TUC TU-862HF Yellow FR-4 halogen-free0.114T 41*49 H/H TG180°C High speed 板材 2116*1	TUC TU-862HF	170	0.114	49.00*41.00	Hoz	N
30	TUC	TUC TU-862HF Yellow FR-4 halogen-free0.10T 37*49 1/1 TG180°C	TUC TU-862HF	180	0.1	49.00*37.00	1oz	N
31	TUC	TUC TU-862HF Yellow FR-4 halogen-free RTF 0.102T 43*49 1/1 TG180°C (3313*1)	TUC TU-862HF	180	0.102	49.00*43.00	1oz	N
32	TUC	TUC TU-862HF Yellow FR-4 halogen-free RTF 0.102T 37*49 1/1 TG180°C (3313*1)	TUC TU-862HF	180	0.102	49.00*37.00	1oz	N
33	TUC	TUC TU-862HF Yellow FR-4 halogen-free 0.152T 43*49 2/2 TG180°C 1080*2 RTF	TUC TU-862HF	180	0.152	49.00*43.00	2oz	N
34	TUC	TUC TU-862HF Yellow FR-4 halogen-free 0.13T 43*49 1/1 TG180°C	TUC TU-862HF	180	0.13	49.00*43.00	1oz	N



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
35	TUC	TUC TU-862HF Yellow FR-4 halogen-free 0.102T 43*49 H/H TG180°C 3313*1 RTF	TUC TU-862HF	180	0.102	49.00*43.00	Hoz	N	
36	TUC	TUC TU-862HF Yellow FR-4 halogen-free 0.102T 37*49 1/1 TG180°C 1067*2 RTF	TUC TU-862HF	180	0.102	49.00*37.00	1oz	N	
37	TUC	TUC TU-862HF Yellow FR-4 halogen-free 0.089T 41*49 1/1 TG180°C 1037*2 RTF	TUC TU-862HF	180	0.089	49.00*41.00	1oz	N	
38	TUC	TUC TU-862HF Yellow FR-4 halogen-free 0.076T 43*49 1/1 TG180°C 1080*1 RTF	TUC TU-862HF	180	0.076	49.00*43.00	1oz	N	
39	TUC	TUC TU-862HF Yellow RTF FR-4 halogen-free 0.13T 43*49 2/2 TG180°C 2*1080	TUC TU-862HF	180	0.13	49.00*43.00	2oz	N	
40	TUC	TUC TU-768 Yellow FR-4 1.20T 41*49 1/1 TG170°C 7628*6	TUC TU-768	170	1.2	49.00*41.00	1oz	Y	
41	TUC	TUC TU-768 Yellow FR-4 0.762T 43*49 H/H TG170°C	TUC TU-768	170	0.762	49.00*43.00	Hoz	Y	
42	TUC	TUC TU-768 Yellow FR-4 0.538T 41*49 H/H TG170°C 7628*3	TUC TU-768	170	0.538	49.00*41.00	Hoz	N	
43	TUC	TUC TU-768 Yellow FR-4 1.10T 37*49 H/H TG170°C	TUC TU-768	170	1.1	49.00*37.00	Hoz	Y	
44	TaiWan NAN YA	TaiWan NAN YA NPG-150DTL Yellow 2116*1 FR-4 RTF halogen-free 0.10 43*49 1/1 TG150	TaiWan NAN YA NPG-	150	0.1	49.00*43.00	1oz	N	
45	TaiWan NAN YA	TaiWan NAN YA NP-175FM Yellow FR-4 0.8T 1/1 41*49 TG175+/-5	TaiWan NAN YA NP-175FM	175	0.8	49.00*41.00	1oz	Y	
46	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.076T T/T 37*49 TG175+/-5	TaiWan NAN YA NP-175FM	170	0.076	49.00*37.00	1/3oz	N	
47	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.7 T H/H 43*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.7	49.00*43.00	Hoz	Y	
48	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.7 T H/H 41*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.7	49.00*41.00	Hoz	Y	
49	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.7 T H/H 37*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.7	49.00*37.00	Hoz	Y	
50	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.7 T 1/1 43*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.7	49.00*43.00	1oz	Y	
51	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.7 T 1/1 41*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.7	49.00*41.00	1oz	Y	
52	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.60T H/H 43*49 TG175	TaiWan NAN YA NP-175F	15	1.6	49.00*43.00	Hoz	Y	
53	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.60T H/H 37*49 TG175	TaiWan NAN YA NP-175F	175	1.6	49.00*37.00	Hoz	Y	
54	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.5 T H/H 43*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.5	49.00*43.00	Hoz	Y	
55	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.5 T H/H 41*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.5	49.00*41.00	Hoz	Y	
56	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.5 T 1/1 43*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.5	49.00*43.00	1oz	Y	
57	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.5 T 1/1 41*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.5	49.00*41.00	1oz	Y	
58	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.5 T 1/1 37*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.5	49.00*37.00	1oz	Y	
59	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.3T H/H 43*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.3	49.00*43.00	Hoz	Y	
60	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.3T 1/1 43*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.3	49.00*43.00	1oz	Y	
61	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.3T 1/1 41*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.3	49.00*41.00	1oz	Y	
62	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.3T 1/1 37*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.3	49.00*37.00	1oz	Y	
63	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.2T H/H 37*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.2	49.00*37.00	Hoz	Y	
64	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.1T 1/1 43*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.1	49.00*43.00	1oz	Y	
65	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.1 T H/H 43*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.1	49.00*43.00	Hoz	Y	
66	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.1 T H/H 41*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1.1	49.00*41.00	Hoz	Y	
67	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.0 T 1/1 43*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1	49.00*43.00	1oz	Y	
68	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.0 T 1/1 37*49 TG175+/-5	TaiWan NAN YA NP-175F	175	1	49.00*37.00	1oz	Y	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
69	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.9 T H/H 43*49 TG175+/-5	TaiWan NAN YA NP-175F	TG175	0.9	49.00*43.00	Hoz	Y	
70	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.25T 41*49 H/H TG150°C	EMC EM-370(5)	150	0.25	49.00*41.00	Hoz	N	
71	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.9 T 1/1 41*49 TG150+/-5	TaiWan NAN YA NP-155F	150	0.9	49.00*41.00	1oz	Y	
72	TaiWan NAN YA	TaiWan NAN YA NPG-171 yellow FR-4 halogen-free 0.71T 43*49 1/1 TG≥170	TaiWan NAN YA NPG-171	170	0.71	49.00*43.00	1oz	N	
73	TaiWan NAN YA	TaiWan NAN YA NPG-171 yellow FR-4 halogen-free 0.71T 37*49 H/H TG≥170	TaiWan NAN YA NPG-171	170	0.71	49.00*37.00	Hoz	N	
74	TaiWan NAN YA	TaiWan NAN YA NPG-171 yellow FR-4 halogen-free 0.60T 43*49 H/H TG≥170	TaiWan NAN YA NPG-171	170	0.6	49.00*43.00	Hoz	N	
75	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free1.3T 41*49 1/1 TG≥170	TaiWan NAN YA NPG-171	170	1.3	49.00*41.00	1oz	Y	
76	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.2T 41*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.2	49.00*41.00	Hoz	N	
77	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free0.15T 41*49 1/1 TG≥170	TaiWan NAN YA NPG-171	170	0.15	49.00*41.00	1oz	N	
78	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free0.15T 37*49 1/1 TG≥170	TaiWan NAN YA NPG-171	170	0.15	49.00*37.00	1oz	N	
79	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free0.13T 43*49 1/1 TG≥170 2116*1	TaiWan NAN YA NPG-171	170	0.13	49.00*43.00	1oz	N	
80	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free0.076T 37*49 H/H TG≥170	TaiWan NAN YA NPG-171	170	0.076	49.00*37.00	Hoz	N	
81	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow 3313*1 FR-4 halogen-free0.10T 43*49 1/1 TG≥170	TaiWan NAN YA NPG-171	170	0.1	49.00*43.00	1oz	N	
82	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow 1080*2 FR-4 halogen-free0.13T 43*49 1/1 TG≥170	TaiWan NAN YA NPG-171	170	0.13	49.00*43.00	1oz	N	
83	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free0.60T 37*49 1/1 TG≥170	TaiWan NAN YA NPG-171	170	0.6	49.00*37.00	1oz	N	
84	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free0.38T 43*49 1/1 TG≥170	TaiWan NAN YA NPG-171	170	0.38	49.00*43.00	1oz	N	
85	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free0.30T 43*49 1/1 TG≥170	TaiWan NAN YA NPG-171	170	0.3	49.00*43.00	1oz	N	
86	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free0.30T 41*49 1/1 TG≥170	TaiWan NAN YA NPG-171	170	0.3	49.00*41.00	1oz	N	
87	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free0.30T 37*49 1/1 TG≥170	TaiWan NAN YA NPG-171	170	0.3	49.00*37.00	1oz	N	
88	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free0.10T 41*49 1/1 TG≥170 1080*2	TaiWan NAN YA NPG-171	170	0.1	49.00*41.00	1oz	N	
89	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free 0.38T 37*49 1/1 TG≥170 7628*2	TaiWan NAN YA NPG-171	170	0.38	49.00*37.00	1oz	N	
90	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free 0.38T 37*49 1/1 TG≥170 3313*4	TaiWan NAN YA NPG-171	170	0.38	49.00*37.00	1oz	N	
91	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free1.3T 43*49 1/1 TG≥170	TaiWan NAN YA NPG-171	170	1.3	49.00*43.00	1oz	Y	
92	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free1.3T 37*49 1/1 TG≥170	TaiWan NAN YA NPG-171	170	1.3	49.00*37.00	1oz	Y	
93	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free0.90T 41*49 1/1 TG≥170	TaiWan NAN YA NPG-171	170	0.9	49.00*41.00	1oz	Y	
94	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free0.90T 37*49 1/1 TG≥170	TaiWan NAN YA NPG-171	170	0.9	49.00*37.00	1oz	Y	
95	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free0.80T 43*49 H/H TG≥170	TaiWan NAN YA NPG-171	180	0.8	49.00*43.00	Hoz	Y	
96	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free0.10T 37*49 1/1 TG≥170 1080*2	TaiWan NAN YA NPG-171	170	0.1	49.00*37.00	1oz	N	
97	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free 0.40T 41*49 1/1 TG≥170	TaiWan NAN YA NPG-171	170	0.4	49.00*41.00	1oz	N	
98	TaiWan NAN YA	TaiWan NAN YA NPG-170N yellow不 FR-4 halogen-free 0.60T 41*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	0.6	49.00*41.00	Hoz	N	
99	TaiWan NAN YA	TaiWan NAN YA NPG-170N yellow不 FR-4 halogen-free 0.40T 43*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	0.4	49.00*43.00	Hoz	N	
100	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free0.9T 41*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	0.9	49.00*41.00	Hoz	Y	
101	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 2.40T 37*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	2.4	49.00*37.00	Hoz	Y	
102	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 2.0T 37*49 H/H TG≥170 7628*10	TaiWan NAN YA NPG-170N	170	2	49.00*37.00	Hoz	Y	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
103	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 1.70T 43*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	1.7	49.00*43.00	Hoz	Y	
104	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 1.70T 41*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	1.7	49.00*41.00	Hoz	Y	
105	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 1.70T 41*49 1/1 TG≥170	TaiWan NAN YA NPG-170N	170	1.7	49.00*41.00	1oz	Y	
106	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 1.6T 41*49 1/1 TG≥170	TaiWan NAN YA NPG-170N	170	1.6	49.00*41.00	1oz	Y	
107	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 1.5T 43*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	1.5	49.00*43.00	Hoz	Y	
108	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 1.5T 37*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	1.5	49.00*37.00	Hoz	Y	
109	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 1.5T 28.5*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	1.5	49.00*28.50	Hoz	Y	
110	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 1.3T 43*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	1.3	49.00*43.00	Hoz	Y	
111	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 1.30T 41*49 1/1 TG≥170	TaiWan NAN YA NPG-170N	170	1.3	49.00*41.00	1oz	Y	
112	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 1.30T 37*49 1/1 TG≥170	TaiWan NAN YA NPG-170N	170	1.3	49.00*37.00	1oz	Y	
113	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 1.1T 43*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	1.1	49.00*43.00	Hoz	Y	
114	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 1.1T 43*49 1/1 TG≥170	TaiWan NAN YA NPG-170N	170	1.1	49.00*43.00	1oz	Y	
115	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 1.1T 43*49 1.5/1.5 TG≥170 7628*6	TaiWan NAN YA NPG-170N	170	1.1	49.00*43.00	1.5oz	Y	
116	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.71T 41*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	0.71	49.00*41.00	Hoz	N	
117	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.70T 41*49 1/1 TG≥170	TaiWan NAN YA NPG-170N	170	0.7	49.00*41.00	1oz	N	
118	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.5T 41*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	0.5	49.00*41.00	Hoz	N	
119	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.3T43*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	0.3	49.00*43.00	Hoz	N	
120	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.3T 41*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	0.3	49.00*41.00	Hoz	N	
121	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.2T 37*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.2	49.00*37.00	Hoz	N	
122	ITEQ	ITEQ IT158 TC Yellow FR-4 0.20T 37*49 H/H TG=150	ITEQ IT158	150	0.2	49.00*37.00	Hoz	N	
123	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.15T 43*49 1/1 TG≥170	TaiWan NAN YA NPG-170N	170	0.15	49.00*43.00	1oz	N	
124	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.15T 41*49 1/1 TG≥170	TaiWan NAN YA NPG-170N	170	0.15	49.00*41.00	1oz	N	
125	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.15T 37*49 1/1 TG≥170	TaiWan NAN YA NPG-170N	170	0.15	49.00*37.00	1oz	N	
126	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.13T 43*49 2/2 TG≥170	TaiWan NAN YA NPG-170N	170	0.13	49.00*43.00	2oz	N	
127	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.13T 41*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	0.13	49.00*41.00	Hoz	N	
128	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.13T 37*49 1/1 TG≥170 2116*1	TaiWan NAN YA NPG-170N	170	0.13	49.00*37.00	1oz	N	
129	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.10T 43*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	0.1	49.00*43.00	Hoz	N	
130	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.10T 43*49 1/1 TG≥170 1067*2	TaiWan NAN YA NPG-170N	170	0.1	49.00*43.00	1oz	N	
131	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.10T 41*49 1/1 TG≥170	TaiWan NAN YA NPG-170N	170	0.1	49.00*41.00	1oz	N	
132	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.076T 43*49 1/1 TG≥170	TaiWan NAN YA NPG-170N	170	0.076	49.00*43.00	1oz	N	
133	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.076T 41*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	0.076	49.00*41.00	Hoz	N	
134	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.076T 41*49 1/1 TG≥170	TaiWan NAN YA NPG-170N	170	0.076	49.00*41.00	1oz	N	
135	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.076T 37*49 T/T TG≥170	TaiWan NAN YA NPG-170N	170	0.076	49.00*37.00	1/3oz	N	
136	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.076T 37*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	0.076	49.00*37.00	Hoz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
137	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.064T 41*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	0.064	49.00*41.00	Hoz	N	
138	TaiWan NAN YA	TaiWan NAN YA NPG-170D Yellow FR-4 halogen-free 0.38T 41*49 1/1 TG≥170	TaiWan NAN YA NPG-170D	170	0.38	49.00*41.00	1oz	N	
139	TaiWan NAN YA	TaiWan NAN YA NPG-170D Yellow FR-4 halogen-free 0.30T 37*49 1/1 TG≥170	TaiWan NAN YA NPG-170D	170	0.3	49.00*37.00	1oz	N	
140	TaiWan NAN YA	TaiWan NAN YA NPG-170D Yellow FR-4 halogen-free 0.71T 41*49 H/H TG≥170 2116*7	TaiWan NAN YA NPG-170D	170	0.71	49.00*41.00	Hoz	N	
141	TaiWan NAN YA	TaiWan NAN YA NPG-170D Yellow FR-4 halogen-free 0.6T 41*49 H/H TG≥170	TaiWan NAN YA NPG-170D	170	0.6	49.00*41.00	Hoz	N	
142	TaiWan NAN YA	TaiWan NAN YA NPG-170D Yellow FR-4 halogen-free 0.6T 37*49 H/H TG≥170	TaiWan NAN YA NPG-170D	170	0.6	49.00*37.00	Hoz	N	
143	TaiWan NAN YA	TaiWan NAN YA NPG-170D Yellow FR-4 halogen-free 0.15T 37*49 1/1 TG≥170	TaiWan NAN YA NPG-170D	170	0.15	49.00*37.00	1oz	N	
144	TaiWan NAN YA	TaiWan NAN YA NPG-170D Yellow FR-4 halogen-free 0.13T 41*49 1/1 TG≥170	TaiWan NAN YA NPG-170D	170	0.13	49.00*41.00	1oz	N	
145	TaiWan NAN YA	TaiWan NAN YA NPG-170D Yellow FR-4 halogen-free 0.13T 37*49 1/1 TG≥170	TaiWan NAN YA NPG-170D	170	0.13	49.00*37.00	1oz	N	
146	TaiWan NAN YA	TaiWan NAN YA NPG-170D Yellow FR-4 halogen-free 0.10T 41*49 1/1 TG≥170 2116*1 RTF2	TaiWan NAN YA NPG-170D	170	0.1	49.00*41.00	1oz	N	
147	TaiWan NAN YA	TaiWan NAN YA NPG-170D Yellow FR-4 halogen-free 0.10T 41*49 1/1 TG≥170 1080*2 RTF2	TaiWan NAN YA NPG-170D	170	0.1	49.00*41.00	1oz	N	
148	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 1.3 41*49 H/H TG=150	TaiWan NAN YA NPG-151	150	1.3	49.00*41.00	Hoz	Y	
149	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.8 43*49 1/1 TG=150 7628*4	TaiWan NAN YA NPG-151	150	0.8	49.00*43.00	1oz	Y	
150	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.71 43*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.71	49.00*43.00	Hoz	N	
151	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.71 43*49 1/1 TG=150	TaiWan NAN YA NPG-151	150	0.71	49.00*43.00	1oz	N	
152	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.71 41*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.71	49.00*41.00	Hoz	N	
153	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.7 43*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.7	49.00*43.00	Hoz	N	
154	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.7 37*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.7	49.00*37.00	Hoz	N	
155	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.64 41*49 H/H TG=150 7667*3	TaiWan NAN YA NPG-151	150	0.64	49.00*41.00	Hoz	N	
156	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.6 43*49 1/1 TG=150	TaiWan NAN YA NPG-151	150	0.6	49.00*43.00	1oz	N	
157	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.6 41*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.6	49.00*41.00	Hoz	N	
158	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.5T 43*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.5	49.00*43.00	Hoz	N	
159	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.5T 43*49 1/1 TG=150	TaiWan NAN YA NPG-151	150	0.5	49.00*43.00	1oz	N	
160	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.5T 41*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.5	49.00*41.00	Hoz	N	
161	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.5T 41*49 1/1 TG=150	TaiWan NAN YA NPG-151	150	0.5	49.00*41.00	1oz	N	
162	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.5T 37*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.5	49.00*37.00	Hoz	N	
163	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.4 43*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.4	49.00*43.00	Hoz	N	
164	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.4 41*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.4	49.00*41.00	Hoz	N	
165	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.4 41*49 1/1 TG=150	TaiWan NAN YA NPG-151	150	0.4	49.00*41.00	1oz	N	
166	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.35 41*49 1/1 TG=150	TaiWan NAN YA NPG-151	150	0.35	49.00*41.00	1oz	N	
167	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.3 43*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.3	49.00*43.00	Hoz	N	
168	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.3 41*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.3	49.00*41.00	Hoz	N	
169	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.3 37*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.3	49.00*37.00	Hoz	N	
170	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.3 37*49 1/1 TG=150	TaiWan NAN YA NPG-151	150	0.3	49.00*37.00	1oz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu
						Updated Date: 2022-11-08		
171	EMC	EMC EM-825 Yellow FR-4 0.20T 41*49 H/H TG150°C	EMC EM-825	150	0.2	49.00*41.00	Hoz	N
172		HUA ZHENG H150LF Yellow FR-4 0.20T 43*49 1/1 TG150	HUA ZHENG H150LF	150	0.2	49.00*43.00	1oz	N
173	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.20T 43*49 1/1TG=150	TaiWan NAN YA NP-155F	150	0.2	49.00*43.00	1oz	N
174	ITEQ	ITEQ IT180A TC Yellow FR-4 0.25T 41*49 2/2 TG=180	ITEQ IT180A	180	0.25	49.00*41.00	2oz	N
175	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.15 43*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.15	49.00*43.00	Hoz	N
176	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.13 43*49 1/1 TG=150	TaiWan NAN YA NPG-151	150	0.13	49.00*43.00	1oz	N
177	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.13 41*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.13	49.00*41.00	Hoz	N
178	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.10 43*49 1/1TG=150	TaiWan NAN YA NPG-151	150	0.1	49.00*43.00	1oz	N
179	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.10 41*49 1/1TG=150	TaiWan NAN YA NPG-151	150	0.1	49.00*41.00	1oz	N
180	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.1 43*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.1	49.00*43.00	Hoz	N
181	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.1 37*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.1	49.00*37.00	Hoz	N
182	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.076 43*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.076	49.00*43.00	Hoz	N
183	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.076 43*49 1/1 TG=150	TaiWan NAN YA NPG-151	150	0.076	49.00*43.00	1oz	N
184	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.076 41*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.076	49.00*41.00	Hoz	N
185	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.076 41*49 2/2 TG=150	TaiWan NAN YA NPG-151	150	0.076	49.00*41.00	2oz	N
186	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.076 41*49 1/1 TG=150	TaiWan NAN YA NPG-151	150	0.076	49.00*41.00	1oz	N
187	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.076 37*49 1/1 TG=150	TaiWan NAN YA NPG-151	150	0.076	49.00*37.00	1oz	N
188	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow 1078*1 FR-4 halogen-free 0.06 41*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.06	49.00*41.00	Hoz	N
189	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow 1078*1 FR-4 halogen-free 0.06 37*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.06	49.00*37.00	Hoz	N
190	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 1.7 43*49 H/H TG=150	TaiWan NAN YA NPG-151	150	1.7	49.00*43.00	Hoz	Y
191	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 1.7 41*49 H/H TG=150	TaiWan NAN YA NPG-151	150	1.7	49.00*41.00	Hoz	Y
192	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 1.5 43*49 H/H TG=150	TaiWan NAN YA NPG-151	150	1.5	49.00*43.00	Hoz	Y
193	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 1.3 43*49 1/1 TG=150	TaiWan NAN YA NPG-151	150	1.3	49.00*43.00	1oz	Y
194	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 1.1 43*49 H/H TG=150	TaiWan NAN YA NPG-151	150	1.1	49.00*43.00	Hoz	Y
195	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 1.1 41*49 H/H TG=150	TaiWan NAN YA NPG-151	150	1.1	49.00*41.00	Hoz	Y
196	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.9 43*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.9	49.00*43.00	Hoz	Y
197	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.9 41*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.9	49.00*41.00	Hoz	Y
198	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.9 37*49 1/1 TG=150	TaiWan NAN YA NPG-151	150	0.9	49.00*37.00	1oz	Y
199	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.8 41*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.8	49.00*41.00	Hoz	Y
200	EMC	EMC EM-285 Yellow FR-4 halogen-free 0.20T 43*49 H/H TG150°C	EMC EM-285	150	0.2	49.00*43.00	Hoz	N
201	TaiWan NAN YA	TaiWan NAN YA NPG-150DTL Yellow 1086*1 FR-4 RTF halogen-free 0.076 43*49 1/1 TG150	TaiWan NAN YA NPG-	150	0.076	49.00*43.00	1oz	N
202	TaiWan NAN YA	TaiWan NAN YA NP-175FM Yellow FR-4 1.30T 37*49 1/1 TG=175	TaiWan NAN YA NP-175FM	175	1.3	49.00*37.00	1oz	Y
203	TaiWan NAN YA	TaiWan NAN YA NP-175FM Yellow FR-4 0.46T 37*49 1/1 TG=175	TaiWan NAN YA NP-175FM	175	0.46	49.00*37.00	1oz	N
204	TaiWan NAN YA	TaiWan NAN YA NP-175FM Yellow FR-4 0.30T 41*49 1/1 TG175	TaiWan NAN YA NP-175FM	175	0.3	49.00*41.00	1oz	N



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
205	TaiWan NAN YA	TaiWan NAN YA NP-175FM Yellow FR-4 0.13T 37*49 H/H TG=175	TaiWan NAN YA NP-175FM	175	0.13	49.00*37.00	Hoz	N	
206	TaiWan NAN YA	TaiWan NAN YA NP-175FM Yellow FR-4 0.6T 37*49 H/H TG=175	TaiWan NAN YA NP-175FM	175	0.6	49.00*37.00	Hoz	N	
207	TaiWan NAN YA	TaiWan NAN YA NP-175FM Yellow FR-4 0.10T 41*49 1/1 TG=175	TaiWan NAN YA NP-175FM	175	0.1	49.00*41.00	1oz	N	
208	TaiWan NAN YA	TaiWan NAN YA NP-175FM Yellow FR-4 0.089T 37*49 1/1 TG=175	TaiWan NAN YA NP-175FM	175	0.089	49.00*37.00	1oz	N	
209	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 1.90T 43*49 H/H TG=175	TaiWan NAN YA NP-175F	175	1.9	49.00*43.00	Hoz	Y	
210	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.80T41*49 H/H TG=175	TaiWan NAN YA NP-175F	175	0.8	49.00*41.00	Hoz	Y	
211	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.7 T 43*49 H/H TG=175	TaiWan NAN YA NP-175F	175	0.7	49.00*43.00	Hoz	N	
212	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.7 T 43*49 1/1 TG=175	TaiWan NAN YA NP-175F	175	0.7	49.00*43.00	1oz	N	
213	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.7 T 37*49 1/1 TG=175	TaiWan NAN YA NP-175F	175	0.7	49.00*37.00	1oz	N	
214	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.6 T 43*49 H/H TG=175	TaiWan NAN YA NP-175F	175	0.6	49.00*43.00	Hoz	N	
215	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.6 T 43*49 1/1 TG=175	TaiWan NAN YA NP-175F	175	0.6	49.00*43.00	1oz	N	
216	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.25T 43*49 H/H TG=150	ITEQ IT150G	150	0.25	49.00*43.00	Hoz	N	
217	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.1 T 43*49 1/1 TG=175	TaiWan NAN YA NP-175F	175	0.1	49.00*43.00	1oz	N	
218	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.5T 37*49 H/H TG=175	TaiWan NAN YA NP-175F	175	0.5	49.00*37.00	Hoz	N	
219	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.4T 43*49 H/H TG=175	TaiWan NAN YA NP-175F	175	0.4	49.00*43.00	Hoz	N	
220	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.4T 37*49 H/H TG=175	TaiWan NAN YA NP-175F	175	0.4	49.00*37.00	Hoz	N	
221	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.30T 43*49 H/H TG175	TaiWan NAN YA NP-175F	175	0.3	49.00*43.00	Hoz	N	
222	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.30T 37*49 H/H TG175	TaiWan NAN YA NP-175F	175	0.3	49.00*37.00	Hoz	N	
223	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.30T 37*49 1/1 TG175	TaiWan NAN YA NP-175F	175	0.3	49.00*37.00	1oz	N	
224	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.15T 43*49 1/1 TG=175	TaiWan NAN YA NP-175F	175	0.15	49.00*43.00	1oz	N	
225	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.13T 43*49 H/H TG=175	TaiWan NAN YA NP-175F	175	0.13	49.00*43.00	Hoz	N	
226	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.13T 43*49 1/1 TG=175	TaiWan NAN YA NP-175F	175	0.13	49.00*43.00	1oz	N	
227	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.13T 41*49 1/1 TG=175	TaiWan NAN YA NP-175F	175	0.13	49.00*41.00	1oz	N	
228	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.13T 37*49 H/H TG=175	TaiWan NAN YA NP-175F	175	0.13	49.00*37.00	Hoz	N	
229	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.13T 37*49 1/1 TG=175	TaiWan NAN YA NP-175F	175	0.13	49.00*37.00	1oz	N	
230	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.076T 43*49 H/H TG=175	TaiWan NAN YA NP-175F	175	0.076	49.00*43.00	Hoz	N	
231	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.076T 43*49 1/1 TG=175	TaiWan NAN YA NP-175F	175	0.076	49.00*43.00	1oz	N	
232	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.076T 41*49 H/H TG=175	TaiWan NAN YA NP-175F	175	0.076	49.00*41.00	Hoz	N	
233	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.076T 41*49 1/1 TG=175	TaiWan NAN YA NP-175F	175	0.076	49.00*41.00	1oz	N	
234	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.076T 37*49 1/1 TG=175	TaiWan NAN YA NP-175F	175	0.076	49.00*37.00	1oz	N	
235	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.064T 41*49 H/H TG175	TaiWan NAN YA NP-175F	175	0.064	49.00*41.00	Hoz	N	
236	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.6T 41*49 H/H TG=150	TaiWan NAN YA NP-155F	150	1.6	49.00*41.00	Hoz	Y	
237	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.6T 37*49 H/H TG=150	TaiWan NAN YA NP-155F	150	1.6	49.00*37.00	Hoz	Y	
238	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.80T 43*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	1.8	49.00*43.00	1oz	Y	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
239	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.70T 43*49 H/H TG=150	TaiWan NAN YA NP-155F	150	1.7	49.00*43.00	Hoz	Y	
240	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.70T 43*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	1.7	49.00*43.00	1oz	Y	
241	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.70T 41*49 H/H TG=150	TaiWan NAN YA NP-155F	150	1.7	49.00*41.00	Hoz	Y	
242	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.70T 37*49 H/H TG=150	TaiWan NAN YA NP-155F	150	1.7	49.00*37.00	Hoz	Y	
243	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.50T 43*49 H/H TG=150	TaiWan NAN YA NP-155F	150	1.5	49.00*43.00	Hoz	Y	
244	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.50T 43*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	1.5	49.00*43.00	1oz	Y	
245	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.50T 41*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	1.5	49.00*41.00	1oz	Y	
246	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.40T 41*49 H/H TG=150	TaiWan NAN YA NP-155F	150	1.4	49.00*41.00	Hoz	Y	
247	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.30T 43*49 H/H TG=150	TaiWan NAN YA NP-155F	150	1.3	49.00*43.00	Hoz	Y	
248	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.30T 43*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	1.3	49.00*43.00	1oz	Y	
249	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.30T 41*49.3 1/1 TG=150 7628*7	TaiWan NAN YA NP-155F	150	1.3	49.00*41.00	1oz	Y	
250	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.30T 41*49 H/H TG=150	TaiWan NAN YA NP-155F	150	1.3	49.00*41.00	Hoz	Y	
251	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.30T 41*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	1.3	49.00*41.00	1oz	Y	
252	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.30T 37*49 H/H TG=150	TaiWan NAN YA NP-155F	150	1.3	49.00*37.00	Hoz	Y	
253	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.30T 37*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	1.3	49.00*37.00	1oz	Y	
254	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.20T43*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	1.2	49.00*43.00	1oz	Y	
255	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.20T37*49 H/H TG=150	TaiWan NAN YA NP-155F	150	1.2	49.00*37.00	Hoz	Y	
256	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.20T 41*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	1.2	49.00*41.00	1oz	Y	
257	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.20T 37*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	1.2	49.00*37.00	1oz	Y	
258	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.10T 43*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	1.1	49.00*43.00	1oz	Y	
259	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.10T 41*49 H/H TG=150	TaiWan NAN YA NP-155F	150	1.1	49.00*41.00	Hoz	Y	
260	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.10T 37*49 H/H TG=150	TaiWan NAN YA NP-155F	150	1.1	49.00*37.00	Hoz	Y	
261	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.00T 41*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	1	49.00*41.00	1oz	Y	
262	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 1.00T 37*49 H/H TG=150	TaiWan NAN YA NP-155F	150	1	49.00*37.00	Hoz	Y	
263	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.90T 43*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.9	49.00*43.00	Hoz	Y	
264	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.90T 37*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.9	49.00*37.00	Hoz	Y	
265	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.80T 43*49 H/HTG=150	TaiWan NAN YA NP-155F	150	0.8	49.00*43.00	Hoz	Y	
266	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.80T 41*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	0.8	49.00*41.00	1oz	Y	
267	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.80T 37*49 H/HTG=150	TaiWan NAN YA NP-155F	150	0.8	49.00*37.00	Hoz	Y	
268	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.71T 43*49 T/TTG=150	TaiWan NAN YA NP-155F	150	0.71	49.00*43.00	1/3oz	N	
269	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.71T 43*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.71	49.00*43.00	Hoz	N	
270	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.71T 41*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.71	49.00*41.00	Hoz	N	
271	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.71T 37*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.71	49.00*37.00	Hoz	N	
272	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.70T 43*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	0.7	49.00*43.00	1oz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu
						Updated Date: 2022-11-08		
273	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.70T 41*49 T/TTG=150	TaiWan NAN YA NP-155F	150	0.7	49.00*41.00	1/3oz	N
274	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.70T 37*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.7	49.00*37.00	Hoz	N
275	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.60T43*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.6	49.00*43.00	Hoz	N
276	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.60T41*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.6	49.00*41.00	Hoz	N
277	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.60T37*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.6	49.00*37.00	Hoz	N
278	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.60T37*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	0.6	49.00*37.00	1oz	N
279	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.50T41*49 T/TTG=150	TaiWan NAN YA NP-155F	150	0.5	49.00*41.00	1/3oz	N
280	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.50T 43*49 H/HTG=150	TaiWan NAN YA NP-155F	150	0.5	49.00*43.00	Hoz	N
281	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.50T 43*49 1/1TG=150	TaiWan NAN YA NP-155F	150	0.5	49.00*43.00	1oz	N
282	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.50T 41*49 H/HTG=150	TaiWan NAN YA NP-155F	150	0.5	49.00*41.00	Hoz	N
283	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.50T 37*49 H/HTG=150	TaiWan NAN YA NP-155F	150	0.5	49.00*37.00	Hoz	N
284	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.40T 43*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.4	49.00*43.00	Hoz	N
285	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.40T 41*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.4	49.00*41.00	Hoz	N
286	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.40T 41*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	0.4	49.00*41.00	1oz	N
287	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.30T43*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	0.3	49.00*43.00	1oz	N
288	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.30T 43*49 H/HTG=150	TaiWan NAN YA NP-155F	150	0.3	49.00*43.00	Hoz	N
289	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.30T 41*49 H/HTG=150	TaiWan NAN YA NP-155F	150	0.3	49.00*41.00	Hoz	N
290	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.30T 41*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	0.3	49.00*41.00	1oz	N
291	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.30T 37*49 H/HTG=150	TaiWan NAN YA NP-155F	150	0.3	49.00*37.00	Hoz	N
292	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.30T 37*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	0.3	49.00*37.00	1oz	N
293	ITEQ	ITEQ IT158 TC Yellow FR-4 0.20T 43*49 H/H TG=150	ITEQ IT158	150	0.2	49.00*43.00	Hoz	N
294	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.20T 43*49 1/1 TG=150	ITEQ IT150G	150	0.2	49.00*43.00	1oz	N
295	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free0.25T 37*49 H/H TG≥150	TaiWan NAN YA NPG-151	150	0.25	49.00*37.00	Hoz	N
296	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.25T37*49 H/H TG150°C	EMC EM-370(5)	150	0.25	49.00*37.00	Hoz	N
297	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.254T 41*49 H/1 TG170°C 2116*2	EMC EM-370(Z)	170	0.254	49.00*41.00	Hoz	N
298	EMC	EMC EM-825 Yellow FR-4 0.25T 41*49 1/1 TG150°C	EMC EM-825	150	0.25	49.00*41.00	1oz	N
299	ShengYi	ShengYi S1000H Yellow FR-4 0.25T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	0.25	49.00*41.00	1oz	N
300	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.15T 43*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	0.15	49.00*43.00	1oz	N
301	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.15T 41*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.15	49.00*41.00	Hoz	N
302	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.15T 41*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	0.15	49.00*41.00	1oz	N
303	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.13T 43*49 1/H TG=150	TaiWan NAN YA NP-155F	150	0.13	49.00*43.00	1oz	N
304	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.13T 43*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	0.13	49.00*43.00	1oz	N
305	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.13T 41*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.13	49.00*41.00	Hoz	N
306	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.13T 41*49 1/H TG=150	TaiWan NAN YA NP-155F	180	0.13	49.00*41.00	1oz	N



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
307	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.13T 41*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	0.13	49.00*41.00	1oz	N	
308	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.13T 37*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	0.13	49.00*37.00	1oz	N	
309	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.10T 43*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.1	49.00*43.00	Hoz	N	
310	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.10T 41*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.1	49.00*41.00	Hoz	N	
311	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.10T 41*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	0.1	49.00*41.00	1oz	N	
312	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.10T 37*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.1	49.00*37.00	Hoz	N	
313	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.10T 37*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	0.1	49.00*37.00	1oz	N	
314	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.076T43*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.076	49.00*43.00	Hoz	N	
315	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.076T43*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	0.076	49.00*43.00	1oz	N	
316	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.076T 37*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.076	49.00*37.00	Hoz	N	
317	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.076T 37*49 1/H TG=150	TaiWan NAN YA NP-155F	150	0.076	49.00*37.00	1oz	N	
318	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.06T H/H 43*49 TG=150	TaiWan NAN YA NP-155F	150	0.06	49.00*43.00	Hoz	N	
319	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.0635T H/H 41*49 TG=150	TaiWan NAN YA NP-155F	150	0.0635	49.00*41.00	Hoz	N	
320	EMC	EMC EM-890K Yellow 1035*2 FR-4 halogen-free0.102T 41*49 T/T TG170°C	EMC EM-890K	170	0.102	49.00*41.00	Hoz	N	
321	EMC	EMC EM-888S Yellow RTF High speed 材料 FR-4 halogen-free0.102T 37*49 2/2 TG170°C 106*2	EMC EM-888S	170	0.102	49.00*37.00	2oz	N	
322	EMC	EMC EM-888S Yellow High speed 材料 FR-4 halogen-free 0.127T 37*49 1/1 TG170°C 1078*2 VLP	EMC EM-888S	170	0.127	49.00*37.00	1oz	N	
323	EMC	EMC EM-888S Yellow VLP 1080*1 High speed 材料 FR-4 halogen-free0.076T 37*49 1/1 TG170°C	EMC EM-888S	170	0.076	49.00*37.00	1oz	N	
324	EMC	EMC EM-827 Yellow FR-4 0.711T 41*49 H/H TG170°C	EMC EM-827	170	0.711	49.00*41.00	Hoz	N	
325	EMC	EMC EM-827 Yellow FR-4 0.457T 37*49 1/1 TG170°C	EMC EM-827	170	0.45	49.00*37.00	1oz	N	
326	EMC	EMC EM-827 Yellow FR-4 0.40T 41*49 1/1 TG170°C	EMC EM-827	170	0.4	49.00*41.00	1oz	N	
327	EMC	EMC EM-827 Yellow FR-4 0.40T 37*49 1/1 TG170°C	EMC EM-827	170	0.4	49.00*37.00	1oz	N	
328	EMC	EMC EM-827 Yellow FR-4 0.356T 37*49 H/H TG170°C 7628*2	EMC EM-827	170	0.356	49.00*37.00	Hoz	N	
329	ShengYi	ShengYi S1000-2M Yellow FR-4 0.20T 43*49.3 1/1 TG≥170°C 7628*1	ShengYi S1000-2M	170	0.2	49.30*43.00	1oz	N	
330	EMC	EMC EM-827 Yellow FR-4 0.127T 37*49 H/H TG170°C	EMC EM-827	170	0.127	49.00*37.00	Hoz	N	
331	EMC	EMC EM-827 Yellow FR-4 1.50T 41*49 H/H TG170°C	EMC EM-827	170	1.5	49.00*41.00	Hoz	Y	
332	EMC	EMC EM-825 Yellow FR-4 1.2T 37*49 H/H TG150°C	EMC EM-825	150	1.2	49.00*37.00	Hoz	Y	
333	EMC	EMC EM-825 Yellow FR-4 1.1T 43*49 1/1 TG150°C	EMC EM-825	150	1.1	49.00*43.00	1oz	Y	
334	EMC	EMC EM-825 Yellow FR-4 1.1T 37*49 H/H TG150°C	EMC EM-825	150	1.1	49.00*37.00	Hoz	Y	
335	EMC	EMC EM-825 Yellow FR-4 1.1T 37*49 1/1 TG150°C	EMC EM-825	150	1.1	49.00*37.00	1oz	Y	
336	EMC	EMC EM-825 Yellow FR-4 0.7T 43*49 H/H TG150°C	EMC EM-825	150	0.7	49.00*43.00	Hoz	N	
337	EMC	EMC EM-825 Yellow FR-4 0.7T 41*49 1/1 TG150°C	EMC EM-825	150	0.7	49.00*41.00	1oz	N	
338	EMC	EMC EM-825 Yellow FR-4 0.7T 37*49 H/H TG150°C	EMC EM-825	150	0.7	49.00*37.00	Hoz	N	
339	EMC	EMC EM-825 Yellow FR-4 0.7T 43*49 1/1 TG150°C	EMC EM-825	150	0.7	49.00*43.00	1oz	N	
340	EMC	EMC EM-825 Yellow FR-4 0.6T 43*49 H/H TG150°C	EMC EM-825	150	0.6	49.00*43.00	Hoz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
341	EMC	EMC EM-825 Yellow FR-4 0.6T 41*49 H/H TG150°C	EMC EM-825	150	0.6	49.00*41.00	Hoz	N	
342	EMC	EMC EM-825 Yellow FR-4 0.6T 43*49 1/1 TG150°C	EMC EM-825	150	0.6	49.00*43.00	1oz	N	
343	EMC	EMC EM-825 Yellow FR-4 0.50T 43*49 H/H TG150°C	EMC EM-825	150	0.5	49.00*43.00	Hoz	N	
344	EMC	EMC EM-825 Yellow FR-4 0.50T 43*49 1/1 TG150°C	EMC EM-825	150	0.5	49.00*43.00	1oz	N	
345	EMC	EMC EM-825 Yellow FR-4 0.50T 41*49 H/H TG150°C	EMC EM-825	150	0.5	49.00*41.00	Hoz	N	
346	EMC	EMC EM-825 Yellow FR-4 0.50T 41*49 1/1 TG150°C	EMC EM-825	150	0.5	49.00*41.00	1oz	N	
347	EMC	EMC EM-825 Yellow FR-4 0.50T 37*49 H/H TG150°C	EMC EM-825	150	0.5	49.00*37.00	Hoz	N	
348	EMC	EMC EM-825 Yellow FR-4 0.50T 37*49 1/1 TG150°C	EMC EM-825	150	0.5	49.00*37.00	1oz	N	
349	EMC	EMC EM-825 Yellow FR-4 0.4T 43*49 H/H TG150°C	EMC EM-825	150	0.4	49.00*43.00	Hoz	N	
350	EMC	EMC EM-825 Yellow FR-4 0.4T 43*49 1/1 TG150°C	EMC EM-825	150	0.4	49.00*43.00	1oz	N	
351	EMC	EMC EM-825 Yellow FR-4 0.4T 41*49 H/H TG150°C	EMC EM-825	150	0.4	49.00*41.00	Hoz	N	
352	EMC	EMC EM-825 Yellow FR-4 0.4T 37*49 H/H TG150°C	EMC EM-825	150	0.4	49.00*37.00	Hoz	N	
353	EMC	EMC EM-825 Yellow FR-4 0.3T43*49 H/H TG150°C	EMC EM-825	150	0.3	49.00*43.00	Hoz	N	
354	EMC	EMC EM-825 Yellow FR-4 0.3T41*49 H/H TG150°C	EMC EM-825	150	0.3	49.00*41.00	Hoz	N	
355	EMC	EMC EM-825 Yellow FR-4 0.3T 43*49 1/1 TG150°C	EMC EM-825	150	0.3	49.00*43.00	1oz	N	
356	EMC	EMC EM-825 Yellow FR-4 0.3T 37*49 H/H TG150°C	EMC EM-825	150	0.3	49.00*37.00	Hoz	N	
357	EMC	EMC EM-825 Yellow FR-4 0.381T 43*49 1/1 TG150°C 7628*2	EMC EM-825	150	0.381	49.00*43.00	1oz	N	
358	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.2T 41*49 1/1 TG=150	TaiWan NAN YA NPG-151	150	0.2	49.00*41.00	1oz	N	
359	ShengYi	ShengYi S1000H Yellow FR-4 0.20T 37*49 1/1 TG≥150°C	ShengYi S1000H	150	0.2	49.00*37.00	1oz	N	
360	EMC	EMC EM-825 Yellow FR-4 0.25T 41*49 H/H TG150°C	EMC EM-825	150	0.25	49.00*41.00	Hoz	N	
361	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.2T 43*49 H/H TG=150	TaiWan NAN YA NPG-151	150	0.2	49.00*43.00	Hoz	N	
362	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.25T 37*49 H/H TG≥150°C	ShengYi S1150G	150	0.25	49.00*37.00	Hoz	N	
363	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.20T 37*49 1/1 TG≥150°C	ShengYi S1150G	150	0.2	49.00*37.00	1oz	N	
364	EMC	EMC EM-825 Yellow FR-4 0.15T 43*49 H/H TG150°C	EMC EM-825	150	0.15	49.00*43.00	Hoz	N	
365	EMC	EMC EM-825 Yellow FR-4 0.15T 41*49 H/H TG150°C	EMC EM-825	150	0.15	49.00*41.00	Hoz	N	
366	EMC	EMC EM-825 Yellow FR-4 0.127T 43*49 H/H TG150°C	EMC EM-825	150	0.127	49.00*43.00	Hoz	N	
367	EMC	EMC EM-825 Yellow FR-4 0.127T 41*49 H/H TG150°C	EMC EM-825	150	0.127	49.00*41.00	Hoz	N	
368	EMC	EMC EM-825 Yellow FR-4 0.127T 41*49 1/1 TG150°C	EMC EM-825	150	0.127	49.00*41.00	1oz	N	
369	EMC	EMC EM-825 Yellow FR-4 0.127T 37*49 1/1 TG150°C	EMC EM-825	150	0.127	49.00*37.00	1oz	N	
370	EMC	EMC EM-825 Yellow FR-4 0.10T43*49 H/H TG150°C	EMC EM-825	150	0.1	49.00*43.00	Hoz	N	
371	EMC	EMC EM-825 Yellow FR-4 0.10T41*49 H/H TG150°C	EMC EM-825	150	0.1	49.00*41.00	Hoz	N	
372	EMC	EMC EM-825 Yellow FR-4 0.10T 43*49 1/1 TG150°C	EMC EM-825	150	0.1	49.00*43.00	1oz	N	
373	EMC	EMC EM-825 Yellow FR-4 0.107T 43*49 1/1 TG150°C 2116*1	EMC EM-825	150	0.107	49.00*43.00	1oz	N	
374	EMC	EMC EM-825 Yellow FR-4 0.076T 43*49 H/H TG150°C	EMC EM-825	150	0.076	49.00*43.00	Hoz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
375	EMC	EMC EM-825 Yellow FR-4 0.076T 41*49 H/H TG150°C	EMC EM-825	150	0.076	49.00*41.00	Hoz	N	
376	EMC	EMC EM-825 Yellow FR-4 0.076T 37*49 H/H TG150°C	EMC EM-825	150	0.076	49.00*37.00	Hoz	N	
377	EMC	EMC EM-825 Yellow FR-4 0.064T 43*49 H/H TG150°C	EMC EM-825	150	0.064	49.00*43.00	Hoz	N	
378	EMC	EMC EM-825 Yellow FR-4 0.064T 41*49 H/H TG150°C	EMC EM-825	150	0.064	49.00*41.00	Hoz	N	
379	EMC	EMC EM-825 Yellow FR-4 0.10T 43*49 2/2 TG150°C	EMC EM-825	150	0.1	49.00*43.00	2oz	N	
380	EMC	EMC EM-825 Yellow FR-4 1.0T 43*49 H/H TG150°C	EMC EM-825	150	1	49.00*43.00	Hoz	Y	
381	EMC	EMC EM-825 Yellow FR-4 1.0T 43*49 1/1 TG150°C	EMC EM-825	150	1	49.00*43.00	1oz	Y	
382	EMC	EMC EM-825 Yellow FR-4 1.0T 41*49 H/H TG150°C	EMC EM-825	150	1	49.00*41.00	Hoz	Y	
383	EMC	EMC EM-825 Yellow FR-4 0.8T 37*49 H/H TG150°C	EMC EM-825	150	0.8	49.00*37.00	Hoz	Y	
384	EMC	EMC EM-528 Yellow FR-4 halogen-free 0.711T 41*49 H/H TG220°C 7628*4 RTF	EMC EM-528	220	0.711	49.00*41.00	Hoz	N	
385	EMC	EMC EM-528 Yellow FR-4 halogen-free 0.102T 41*49 1/1 TG220°C 3313*1 HVLP	EMC EM-528	220	0.102	49.00*41.00	1oz	N	
386	EMC	EMC EM-528 Yellow HVLP 2116*4 FR-4 halogen-free 0.508T 41*49 H/H TG220°C	EMC EM-528	220	0.508	49.00*41.00	Hoz	N	
387	EMC	EMC EM-390 Yellow FR-4 halogen-free 0.053T 43*49 1/H TG190°C 1067*1 RTF	EMC EM-390	190	0.053	49.00*43.00	1oz	N	
388	EMC	EMC EM-390 Yellow FR-4 halogen-free 0.152T 41*49 1/1 TG190°C 1086*2 RTF	EMC EM-390	190	0.152	49.00*41.00	1oz	N	
389	EMC	EMC EM-390 Yellow FR-4 halogen-free 0.127T 41*49 H/H TG190°C 1078*2	EMC EM-390	190	0.127	49.00*41.00	Hoz	N	
390	EMC	EMC EM-390 Yellow FR-4 halogen-free 0.102T 37*49 2/2 TG190°C 3313*1 RTF	EMC EM-390	190	0.102	49.00*37.00	2oz	N	
391	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 1.7T 43*49 H/H TG170°C (2116结构)	EMC EM-370(Z)	170	1.7	49.00*43.00	Hoz	Y	
392	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 1.4T 41*49 H/H TG170°C	EMC EM-370(Z)	170	1.4	49.00*41.00	Hoz	Y	
393	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 1.32T 43*49 H/H TG170°C	EMC EM-370(Z)	170	1.32	49.00*43.00	Hoz	Y	
394	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 1.295T 37*49 1/1 TG170°C	EMC EM-370(Z)	170	1.295	49.00*37.00	1oz	Y	
395	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 1.27T 43*49 H/H TG170°C	EMC EM-370(Z)	170	1.27	49.00*43.00	Hoz	Y	
396	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 1.00T 41*49 1/1 TG170°C	EMC EM-370(Z)	170	1	49.00*41.00	1oz	Y	
397	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 1.00T 43*49 H/H TG170°C 7629*5	EMC EM-370(Z)	170	1	49.00*43.00	Hoz	Y	
398	EMC	EMC EM-370(Z) Yellow FR-4 2116结构 halogen-free 1.3T 43*49 H/H TG170°C	EMC EM-370(Z)	170	1.3	49.00*43.00	Hoz	Y	
399	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 1.575T 37*49 1/1 TG170°C 7629*8	EMC EM-370(Z)	170	1.575	49.00*37.00	1oz	Y	
400	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.792T 41*49 H/H TG170°C	EMC EM-370(Z)	170	0.792	49.00*43.00	Hoz	Y	
401	EMC	EMC EM-370(Z) Yellow 1080*2 FR-4 halogen-free 0.152T 41*49 H/H TG170°C	EMC EM-370(Z)	170	0.15	49.00*41.00	Hoz	N	
402	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 1.031T 41*49 1/1 TG170°C 7628*5+1080*2	EMC EM-370(Z)	170	1.031	49.00*41.00	1oz	N	
403	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.7T 37*49 H/H TG170°C	EMC EM-370(Z)	170	0.7	49.00*37.00	Hoz	N	
404	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.711T 41*49 H/H TG170°C	EMC EM-370(Z)	170	0.711	49.00*41.00	Hoz	N	
405	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.6T 41*49 H/H TG170°C	EMC EM-370(Z)	170	0.6	49.00*41.00	Hoz	N	
406	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.406T 37*49 H/H TG170°C	EMC EM-370(Z)	170	0.406	49.00*37.00	Hoz	N	
407	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.3T 41*49 H/H TG170°C	EMC EM-370(Z)	170	0.3	49.00*41.00	Hoz	N	
408	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.318T 37*49 H/H TG170°C	EMC EM-370(Z)	170	0.318	49.00*37.00	Hoz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
409	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free0.305T 41*49 1/1 TG170°C	EMC EM-370(Z)	170	0.305	49.00*41.00	1oz	N	
410	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free0.305T 37*49 H/HTG170°C	EMC EM-370(Z)	170	0.305	49.00*37.00	Hoz	N	
411	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free0.1T 41*49 H/H TG170°C	EMC EM-370(Z)	170	0.1	49.00*41.00	Hoz	N	
412	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free0.127T 41*49 1/1 TG170°C	EMC EM-370(Z)	170	0.127	49.00*41.00	1oz	N	
413	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free0.107T 41*49 1/1 TG170°C	EMC EM-370(Z)	170	0.107	49.00*41.00	1oz	N	
414	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free0.102T 41*49 1/1 TG170°C	EMC EM-370(Z)	170	0.102	49.00*41.00	1oz	N	
415	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free0.076T 41*49 H/H TG170°C 1086*1	EMC EM-370(Z)	170	0.076	49.00*41.00	Hoz	N	
416	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free0.064T 43*49 H/H TG170°C	EMC EM-370(Z)	170	0.064	49.00*43.00	Hoz	N	
417	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free0.064T 41*49 T/T TG170°C	EMC EM-370(Z)	170	0.064	49.00*41.00	1/3oz	N	
418	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free0.05T 43*49 1/2 TG170°C	EMC EM-370(Z)	170	0.05	49.00*43.00	1oz	N	
419	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.787T 37*49 H/H TG170°C 7629*4	EMC EM-370(Z)	170	0.787	49.00*37.00	Hoz	N	
420	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.61T 41*49 H/H TG170°C 2116*6	EMC EM-370(Z)	170	0.61	49.00*41.00	Hoz	N	
421	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.508T 43*49 H/H TG170°C 2116*5	EMC EM-370(Z)	170	0.508	49.00*43.00	Hoz	N	
422	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.457T 43*49 H/H TG170°C 7629*2+1080*1	EMC EM-370(Z)	170	0.457	49.00*43.00	Hoz	N	
423	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.457T 41*49 H/H TG170°C 7629*2+1080*1	EMC EM-370(Z)	170	0.457	49.00*41.00	Hoz	N	
424	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.406T 43*49 H/H TG170°C 7629*2	EMC EM-370(Z)	170	0.406	49.00*43.00	Hoz	N	
425	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.356T 41*49 2/2 TG170°C 2116*3	EMC EM-370(Z)	170	0.356	49.00*41.00	2oz	N	
426	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.305T 43*49 1/1 TG170°C 2116*3	EMC EM-370(Z)	170	0.305	49.00*43.00	1oz	N	
427	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.305T 41*49 1/1 TG170°C 2116*3	EMC EM-370(Z)	170	0.305	49.00*41.00	1oz	N	
428	EMC	EMC EM-825 Yellow FR-4 0.20T41*49 1/1 TG150°C	EMC EM-825	150	0.2	49.00*41.00	1oz	N	
429	EMC	EMC EM-825 Yellow FR-4 0.20T43*49 1/1 TG150°C	EMC EM-825	150	0.2	49.00*43.00	1oz	N	
430	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.127T 43*49 1/1 TG170°C 2116*1 RTF	EMC EM-370(Z)	170	0.127	49.00*43.00	1oz	N	
431	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.127T 41*49 H/H TG170°C 2116*1	EMC EM-370(Z)	170	0.127	49.00*41.00	Hoz	N	
432	EMC	EMC EM-370(D) Yellow FR-4 halogen-free0.711T 41*49 1/1 TG170°C 7628*4 RTF	EMC EM-370(D)	170	0.711	49.00*41.00	1oz	N	
433	EMC	EMC EM-370(D) Yellow FR-4 halogen-free 0.508T 41*49 H/1 TG170°C 2116*1+7629*2 RTF	EMC EM-370(D)	170	0.508	49.00*41.00	1oz	N	
434	EMC	EMC EM-370(D) Yellow FR-4 halogen-free 0.508T 41*49 1/1 TG170°C	EMC EM-370(D)	170	0.508	49.00*41.00	1oz	N	
435		HUA ZHENG H150LF Yellow FR-4 0.20T1/1 37*49 TG=150±5	HUA ZHENG H150LF	150	0.2	49.00*37.00	1oz	N	
436	EMC	EMC EM-370(D) Yellow FR-4 halogen-free 0.1T 41*49 H/1 TG170°C	EMC EM-370(D)	170	0.1	49.00*41.00	Hoz	N	
437	EMC	EMC EM-370(D) Yellow FR-4 halogen-free 0.10T 41*49 1/1 TG170°C	EMC EM-370(D)	170	0.1	49.00*41.00	1oz	N	
438	EMC	EMC EM-370(D) Yellow FR-4 halogen-free 0.100T 41*49 H/H TG170°C	EMC EM-370(D)	170	0.1	49.00*41.00	Hoz	N	
439	EMC	EMC EM-370(D) Yellow FR-4 halogen-free 0.089T 41*49 H/H TG170°C RTF 2113*1	EMC EM-370(D)	170	0.089	49.00*41.00	Hoz	N	
440	EMC	EMC EM-370(D) Yellow RTF FR-4 halogen-free0.089T 37*49 H/H TG170°C	EMC EM-370(D)	170	0.089	49.00*37.00	Hoz	N	
441	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.20T 43*49 H/H TG=150	ITEQ IT150G	150	0.2	49.00*43.00	Hoz	N	
442	EMC	EMC EM-370(D) Yellow RTF FR-4 halogen-free 0.15T 41*49 H/H TG170°C	EMC EM-370(D)	170	0.15	49.00*41.00	Hoz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
443	EMC	EMC EM-370(D) Yellow HTE FR-4 halogen-free 0.076T 41*49 1/2 TG170°C	EMC EM-370(D)	170	0.076	49.00*41.00	2oz	N	
444	EMC	EMC EM-370(D) Yellow FR-4 halogen-free 1.575T 41*49 H/H TG170°C	EMC EM-370(D)	170	1.5	49.00*41.00	Hoz	Y	
445	EMC	EMC EM-370(D) Yellow FR-4 halogen-free 0.107T (2116*1) 37*49 1/1 TG170°C	EMC EM-370(D)	170	0.107	49.00*37.00	1oz	N	
446	EMC	EMC EM-370(D) Yellow FR-4 halogen-free 0.127T T 41*49 H/H TG170°C	EMC EM-370(D)	170	0.127	49.00*41.00	Hoz	N	
447	EMC	EMC EM-370(D) Yellow FR-4 halogen-free 0.127T T 37*49 H/H TG170°C	EMC EM-370(D)	170	0.127	49.00*37.00	Hoz	N	
448	EMC	EMC EM-370(D) Yellow FR-4 halogen-free 0.05 T 41*49 H/1 TG170°C	EMC EM-370(D)	170	0.05	49.00*41.00	Hoz	N	
449	EMC	EMC EM-370(D) Yellow FR-4 halogen-free 0.40 T 41*49 H/H TG170°C	EMC EM-370(D)	170	0.4	49.00*41.00	Hoz	N	
450	EMC	EMC EM-370(D) Yellow FR-4 halogen-free 0.178T T 41*49 1/1 TG170°C 7628*1 RTF	EMC EM-370(D)	170	0.178	49.00*41.00	1oz	N	
451	EMC	EMC EM-370(D) Yellow FR-4 halogen-free 0.058T 41*49 H/2 TG170°C 106*1 RTF	EMC EM-370(D)	170	0.058	49.00*41.00	Hoz	N	
452	EMC	EMC EM-370(D) Yellow FR-4 halogen-free 0.058 T 41*49 H/H TG170°C	EMC EM-370(D)	170	0.058	49.00*41.00	Hoz	N	
453	EMC	EMC EM-370(D) Yellow FR-4 halogen-free 0.05 T 41*49 H/H TG170°C	EMC EM-370(D)	170	0.05	49.00*41.00	Hoz	N	
454	EMC	EMC EM-370(D) Yellow RTF FR-4 halogen-free 0.076 T 41*49 1/1 TG170°C	EMC EM-370(D)	170	0.076	49.00*41.00	1oz	N	
455	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 1.10T 43*49 H/H TG150°C	EM-370(5)	150	1.1	49.00*43.00	Hoz	Y	
456	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.991T 41*49 1/1 TG150°C	EMC EM-370(5)	150	0.991	49.00*41.00	1oz	Y	
457	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.7T 41*49 1/1 TG150°C	EM-370(5)	150	0.7	49.00*41.00	1oz	N	
458	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.7T 37*49 H/H TG150°C	EM-370(5)	150	0.7	49.00*37.00	Hoz	N	
459	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.61T 43*49 H/H TG150°C	EM-370(5)	150	0.61	49.00*43.00	Hoz	N	
460	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.61T 43*49 1/1 TG150°C	EMC EM-370(5)	150	0.61	49.00*43.00	1oz	N	
461	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.61T 37*49 H/H TG150°C	EM-370(5)	150	0.6	49.00*37.00	Hoz	N	
462	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.61T 37*49 1/1 TG150°C	EMC EM-370(5)	150	0.61	49.00*37.00	1oz	N	
463	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.5T 43*49 H/H TG150°C	EMC EM-370(5)	150	0.5	49.00*43.00	Hoz	N	
464	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.5T 41*49 H/H TG150°C	EMC EM-370(5)	150	0.5	49.00*41.00	Hoz	N	
465	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.5T 41*49 1/1 TG150°C	EM-370(5)	150	0.5	49.00*41.00	1oz	N	
466	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.5T 37*49 H/H TG150°C	EM-370(5)	150	0.5	49.00*37.00	Hoz	N	
467	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.40T 41*49 1/1 TG150°C	EMC EM-370(5)	150	0.4	49.00*41.00	1oz	N	
468	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.406T 43*49 H/H TG150°C	EMC EM-370(5)	150	0.4	49.00*43.00	Hoz	N	
469	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.406T 41*49 H/H TG150°C	EMC EM-370(5)	150	0.4	49.00*41.00	Hoz	N	
470	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.406T 37*49 H/H TG150°C	EMC EM-370(5)	150	0.4	49.00*37.00	Hoz	N	
471	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.356T 43*49 H/H TG150°C	EMC EM-370(5)	150	0.356	49.00*43.00	Hoz	N	
472	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.356T 41*49 H/H TG150°C	EMC EM-370(5)	150	0.356	49.00*41.00	Hoz	N	
473	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.30T 43*49 H/H TG150°C	EMC EM-370(5)	150	0.3	49.00*43.00	Hoz	N	
474	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.30T 41*49 H/H TG150°C	EMC EM-370(5)	150	0.3	49.00*41.00	Hoz	N	
475	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.30T 37*49 H/H TG150°C	EMC EM-370(5)	150	0.3	49.00*37.00	Hoz	N	
476	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.305T 41*49 1/1 TG150°C	EMC EM-370(5)	150	0.305	49.00*41.00	1oz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
477	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.25T 37*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	0.25	49.00*37.00	Hoz	N	
478	ShengYi	ShengYi S1141 Yellow FR-4 0.20T 41*49 H/H TG≥130°C	ShengYi S1141	130	0.2	49.00*41.00	Hoz	Y	
479	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.20T 37*49 H/H TG150°C	EMC EM-370(5)	150	0.2	49.00*37.00	Hoz	N	
480	ITEQ	ITEQ IT170GT TC Yellow RTF 3313*2 FR-4 halogen-free 0.203T 37*49 1/1 TG=185 °C	ITEQ IT-170GT	185	0.203	49.00*37.00	1oz	N	
481	ITEQ	ITEQ IT180A TC Yellow FR-4 0.20T 43*49 H/H TG=180(7628*1)	ITEQ IT180A	180	0.2	49.00*43.00	Hoz	N	
482	EMC	EMC EM-370(D) Yellow FR-4 halogen-free 0.20T 41*49 H/H TG170°C	EMC EM-370(D)	170	0.2	49.00*41.00	Hoz	N	
483	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.20T 37*49 H/HTG=150	TaiWan NAN YA NP-155F	150	0.2	49.00*37.00	Hoz	N	
484	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.1T 43*49 1/1 TG150°C	EMC EM-370(5)	150	0.1	49.00*43.00	1oz	N	
485	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.1T 41*49 1/1 TG150°C	EMC EM-370(5)	150	0.1	49.00*41.00	1oz	N	
486	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.15 43*49 H/H TG150°C	EMC EM-370(5)	150	0.15	49.00*43.00	Hoz	N	
487	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.15 41*49 H/H TG150°C	EMC EM-370(5)	150	0.15	49.00*41.00	Hoz	N	
488	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.15 37*49 H/H TG150°C	EMC EM-370(5)	150	0.15	49.00*37.00	Hoz	N	
489	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.13T 41*49 1/1 TG150°C	EMC EM-370(5)	150	0.13	49.00*41.00	1oz	N	
490	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.13T 37*49 1/1 TG150°C	EMC EM-370(5)	150	0.13	49.00*37.00	1oz	N	
491	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.127T 43*49 H/H TG150°C	EMC EM-370(5)	150	0.127	49.00*43.00	Hoz	N	
492	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.127T 41*49 H/H TG150°C	EMC EM-370(5)	150	0.127	49.00*41.00	Hoz	N	
493	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.127T 37*49 H/H TG150°C	EMC EM-370(5)	150	0.127	49.00*37.00	Hoz	N	
494	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.127 T 43*49 1/1 TG150°C	EMC EM-370(5)	150	0.127	49.00*43.00	1oz	N	
495	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.10T 43*49 H/H TG150°C	EMC EM-370(5)	150	0.1	49.00*43.00	Hoz	N	
496	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.10T 41*49 T/T TG150°C	EMC EM-370(5)	150	0.1	49.00*43.00	1/3oz	N	
497	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.10T 41*49 H/H TG150°C	EMC EM-370(5)	150	0.1	49.00*41.00	Hoz	N	
498	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.10T 41*49 1/H TG150°C	EMC EM-370(5)	150	0.1	49.00*41.00	1oz	N	
499	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.1 37*49 H/H TG150°C	EMC EM-370(5)	150	0.1	49.00*37.00	Hoz	N	
500	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.076T 43*49 H/H TG150°C	EMC EM-370(5)	150	0.076	49.00*43.00	Hoz	N	
501	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.076T 43*49 1/1 TG150°C	EMC EM-370(5)	150	0.076	49.00*43.00	1oz	N	
502	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.076T 41*49 H/H TG150°C	EMC EM-370(5)	150	0.076	49.00*41.00	Hoz	N	
503	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.076T 41*49 1/1 TG150°C	EMC EM-370(5)	150	0.076	49.00*41.00	1oz	N	
504	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.064T 43*49 H/H TG150°C	EMC EM-370(5)	150	0.064	49.00*43.00	Hoz	N	
505	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.064T 41*49 H/H TG150°C	EMC EM-370(5)	150	0.064	49.00*41.00	Hoz	N	
506	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.058T37*49 H/H TG150°C	EMC EM-370(5)	150	0.058	49.00*37.00	Hoz	N	
507	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.058T 43*49 H/H TG150°C	EMC EM-370(5)	150	0.058	49.00*43.00	Hoz	N	
508	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.356T 43*49 1/1 TG150°C 7628*2	EMC EM-370(5)	150	0.356	49.00*43.00	1oz	N	
509	EMC	EMC EM-370(5) Yellow FR-4 halogen-free1.295T 43*49 H/H TG150°C	EM-370(5)	150	1.295	49.00*43.00	Hoz	Y	
510	EMC	EMC EM-370(5) Yellow FR-4 halogen-free1.10T 41*49 H/H TG150°C	EM-370(5)	150	1.1	49.00*41.00	Hoz	Y	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
511	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.9T 43*49 H/H TG150°C	EM-370(5)	150	0.9	49.00*43.00	Hoz	Y	
512	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.9T 41*49 H/H TG150°C	EM-370(5)	150	0.9	49.00*41.00	Hoz	Y	
513	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.8T 43*49 H/H TG150°C	EM-370(5)	150	0.8	49.00*43.00	Hoz	Y	
514	EMC	EMC EM-355(D) Yellow FR-4 halogen-free0.381T 43*49 H/H TG150°C	EMC EM-355(D)	150	0.381	49.00*43.00	Hoz	N	
515	EMC	EMC EM-355(D) Yellow FR-4 halogen-free0.381T 41*49 H/H TG150°C	EMC EM-355(D)	150	0.381	49.00*41.00	Hoz	N	
516	EMC	EMC EM-355(D) Yellow FR-4 halogen-free0.318T 43*49 H/H TG150°C	EMC EM-355(D)	150	0.318	49.00*43.00	Hoz	N	
517	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.20T 37*49 1/1TG=150	TaiWan NAN YA NP-155F	150	0.2	49.00*37.00	1oz	N	
518	ITEQ	ITEQ IT170GRA1 Yellow RTF 2116*2 FR-4 halogen-free0.229T 41*49 1/1TG175	ITEQ IT170GRA1	175	0.229	49.00*41.00	1oz	N	
519	EMC	EMC EM-355(D) Yellow FR-4 halogen-free0.1T 43*49 H/H TG150°C	EMC EM-355(D)	150	0.1	49.00*43.00	Hoz	N	
520	EMC	EMC EM-355(D) Yellow FR-4 halogen-free0.1T 37*49 H/H TG150°C	EMC EM-355(D)	150	0.1	49.00*37.00	Hoz	N	
521	EMC	EMC EM-355(D) Yellow FR-4 halogen-free0.15T 37*49 H/H TG150°C	EMC EM-355(D)	150	0.15	49.00*37.00	Hoz	N	
522	EMC	EMC EM-355(D) Yellow FR-4 halogen-free0.102T 37*49 1/1 TG150°C	EMC EM-355(D)	150	0.102	49.00*37.00	1oz	N	
523	EMC	EMC EM-355(D) Yellow FR-4 halogen-free0.076T 37*49 H/H TG150°C	EMC EM-355(D)	150	0.076	49.00*37.00	Hoz	N	
524	EMC	EMC EM-355(D) Yellow FR-4 halogen-free0.05T 43*49 H/H TG150°C	EMC EM-355(D)	150	0.05	49.00*43.00	Hoz	N	
525	EMC	EMC EM-355(D) Yellow FR-4 halogen-free0.058T 43*49 T/T TG150°C	EMC EM-355(D)	150	0.058	49.00*43.00	1/3oz	N	
526	EMC	EMC EM-355(D) Yellow FR-4 halogen-free0.058T 43*49 H/H TG150°C	EMC EM-355(D)	150	0.058	49.00*43.00	Hoz	N	
527	EMC	EMC EM-355(D) Yellow FR-4 halogen-free0.058T 37*49 H/H TG150°C	EMC EM-355(D)	150	0.058	49.00*37.00	Hoz	N	
528	EMC	EMC EM-355(D) Yellow FR-4 halogen-free0.508T 43*49 H/H TG150°C	EMC EM-355(D)	150	0.508	49.00*43.00	Hoz	N	
529	EMC	EMC EM-355(D) Yellow FR-4 halogen-free 0.508T 43*49 H/H TG150°C 7629*2+2116*1 RTF	EMC EM-355(D)	150	0.508	49.00*43.00	Hoz	N	
530	EMC	EMC EM-285 Yellow FR-4 halogen-free0.10T 43*49 H/H TG150°C	EMC EM-285	150	0.1	49.00*43.00	Hoz	N	
531	EMC	EMC EM-285 Yellow FR-4 halogen-free0.10T 41*49 H/H TG150°C	EMC EM-285	150	0.1	49.00*41.00	Hoz	N	
532	EMC	EMC EM-285 Yellow FR-4 halogen-free0.10T 37*49 H/H TG150°C	EMC EM-285	150	0.1	49.00*37.00	Hoz	N	
533	EMC	EMC EM-285 Yellow FR-4 halogen-free0.10T 43*49 1/1 TG150°C	EMC EM-285	150	0.1	49.00*43.00	1oz	N	
534	EMC	EMC EM-285 Yellow FR-4 halogen-free 0.076 43*49 H/H TG150°C	EMC EM-285	150	0.076	49.00*43.00	Hoz	N	
535	EMC	EMC EM-285 Yellow FR-4 halogen-free 0.076 41*49 H/H TG150°C	EMC EM-285	150	0.076	49.00*41.00	Hoz	N	
536	EMC	EMC EM-285 Yellow FR-4 halogen-free 0.076 37*49 H/H TG150°C	EMC EM-285	150	0.076	49.00*37.00	Hoz	N	
537	EMC	EMC EM-285 Yellow FR-4 halogen-free 0.058 43*49 H/H TG150°C 106*1	EMC EM-285	150	0.058	49.00*43.00	Hoz	N	
538	EMC	EMC EM-285 Yellow FR-4 halogen-free 0.058 41*49 H/H TG150°C 106*1	EMC EM-285	150	0.058	49.00*41.00	Hoz	N	
539	EMC	EMC EM-285 Yellow FR-4 halogen-free 0.0508 37*49 H/H TG150°C	EMC EM-285	150	0.0508	49.00*37.00	Hoz	N	
540	EMC	EMC EM-285 Yellow FR-4 halogen-free0.71T37*49 H/H TG150°C	EMC EM-285	150	0.71	49.00*37.00	Hoz	N	
541	EMC	EMC EM-285 Yellow FR-4 halogen-free0.318T 41*49 1/1 TG150°C	EMC EM-285	150	0.318	49.00*41.00	1oz	N	
542	EMC	EMC EM-285 Yellow FR-4 halogen-free0.318T 37*49 2/2 TG150°C	EMC EM-285	150	0.318	49.00*37.00	2oz	N	
543	ITEQ	ITEQ IT180A TC Yellow FR-4 0.20T 41*49 H/H TG=180(2116*2)	ITEQ IT180A	180	0.2	49.00*41.00	Hoz	N	
544	EMC	EMC EM-355(D) Yellow FR-4 halogen-free0.203T 41*49 T/T TG150°C	EMC EM-355(D)	150	0.203	49.00*41.00	1/3oz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
545	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.25T 37*49 1/1 TG=150	TaiWan NAN YA NP-155F	150	0.25	49.00*37.00	1oz	N	
546	EMC	EMC EM-285 Yellow FR-4 halogen-free0.064T 43*49 H/H TG150°C	EMC EM-285	150	0.064	49.00*43.00	Hoz	N	
547	EMC	EMC EM-285 Yellow FR-4 halogen-free0.064T 41*49 H/H TG150°C	EMC EM-285	150	0.064	49.00*41.00	Hoz	N	
548	EMC	EMC EM-285 Yellow FR-4 halogen-free0.064T 37*49 H/H TG150°C	EMC EM-285	150	0.064	49.00*37.00	Hoz	N	
549	EMC	EMC EM-285 Yellow FR-4 halogen-free 0.076T 41*49 T/T TG150°C 1086*1	EMC EM-285	150	0.076	49.00*41.00	1/3oz	N	
550	EMC	EMC EM-285 \ Yellow FR-4 halogen-free 0.076T 43*49 1/H TG150°C	EMC EM-285	150	0.076	49.00*43.00	1oz	N	
551	EMC	EMC EM-285 Yellow FR-4 halogen-free1.0T 43*49 H/H TG150°C	EMC EM-285	150	1	49.00*43.00	Hoz	Y	
552	EMC	EMC EM-285 Yellow FR-4 halogen-free0.711T 43*49 1/1 TG150°C	EMC EM-285	150	0.711	49.00*43.00	1oz	N	
553	EMC	EMC EM-285 Yellow FR-4 halogen-free0.6T 43*49 H/H TG150°C	EMC EM-285	150	0.6	49.00*43.00	Hoz	N	
554	EMC	EMC EM-285 Yellow FR-4 halogen-free0.5T 41*49 H/H TG150°C	EMC EM-285	150	0.5	49.00*41.00	Hoz	N	
555	EMC	EMC EM-285 Yellow FR-4 halogen-free0.40T 43*49 H/H TG150°C	EMC EM-285	150	0.4	49.00*43.00	Hoz	N	
556	EMC	EMC EM-285 Yellow FR-4 halogen-free0.40T 41*49 H/H TG150°C	EMC EM-285	150	0.4	49.00*41.00	Hoz	N	
557	EMC	EMC EM-285 Yellow FR-4 halogen-free0.40T 37*49 H/H TG150°C	EMC EM-285	150	0.4	49.00*37.00	Hoz	N	
558	EMC	EMC EM-285 Yellow FR-4 halogen-free0.40T 37*49 1/1 TG150°C	EMC EM-285	150	0.4	49.00*37.00	1oz	N	
559	EMC	EMC EM-285 Yellow FR-4 halogen-free0.30T 43*49 H/H TG150°C	EMC EM-285	150	0.3	49.00*43.00	Hoz	N	
560	EMC	EMC EM-285 Yellow FR-4 halogen-free0.30T 41*49 H/H TG150°C	EMC EM-285	150	0.3	49.00*41.00	Hoz	N	
561	EMC	EMC EM-285 Yellow FR-4 halogen-free1.0T 41*49 H/H TG150°C	EMC EM-285	150	1	49.00*41.00	Hoz	Y	
562	EMC	EMC EM-827 Yellow FR-4 0.20T 41*49 1/1 TG170°C	EMC EM-827	170	0.2	49.00*41.00	1oz	N	
563	Panasonic	Panasonic M6G R-5775G Yellow FR-4 0.50T 41*49 H/H TG≥210°C 2116*4 HVLP Cu	Panasonic M6G R-5775G	210	0.5	49.00*41.00	Hoz	N	
564	Panasonic	Panasonic M6G R-5775G Yellow FR-4 0.40T 42.5*49 H/H TG≥210°C	Panasonic M6G R-5775G	210	0.4	49.00*42.50	Hoz	N	
565	ShengYi	ShengYi S1000H Yellow FR-4 0.2T 37*49 3/3 TG≥150°C	ShengYi S1000-H	150	0.2	49.00*37.00	3oz	N	
566	Panasonic	Panasonic M6G R-5775G Yellow HVLP FR-4 0.1T 41*49 H/1 TG≥210°C 3313*1	Panasonic M6G R-5775G	210	0.1	49.00*41.00	Hoz	N	
567	Panasonic	Panasonic M6G R-5375E Yellow FR-4 halogen-free 0.10T 42.5*49 H/H TG≥210°C 1035*2	Panasonic M6G R-5375E	210	0.1	49.00*42.50	Hoz	N	
568	Panasonic	Panasonic M4 R-5725S Yellow 7628*5 RTF FR-4 1.0T 37*49 1/1 TG≥210°C	Panasonic M4 R-5725S	210	1	49.00*37.00	1oz	N	
569	Panasonic	Panasonic R-1766GH Yellow FR-4 1.04T 41*49 1/1 TG140°C (结构 7628*6)	Panasonic R-1766GH	140	1.04	49.00*41.00	1oz	N	
570	Panasonic	Panasonic R-1766GH Yellow FR-4 0.51T 41*49 1/1 TG140°C (结构 7628*2+2116*1)	Panasonic R-1766GH	140	0.51	49.00*41.00	1oz	N	
571	Panasonic	Panasonic R-1766GH Yellow FR-4 0.45T 41*49 1/1 TG140°C (结构 7628*2+2116*1)	Panasonic R-1766GH	140	0.45	49.00*41.00	1oz	N	
572	Panasonic	Panasonic R-1766GH Yellow FR-4 0.1T 41*49 1/1 TG140°C (结构 2116*1)	Panasonic R-1766GH	140	0.1	49.00*41.00	1oz	N	
573	ShengYi	ShengYi Synamic-6 Yellow FR-4 0.635T 41*49 1/1 TG≥190°C 2116*5 HVLP	ShengYi Synamic-6	190	0.635	49.00*41.00	1oz	N	
574	ShengYi	ShengYi Synamic-6 Yellow FR-4 0.127T 41*49 1/1 TG≥190°C 2116*1 HVLP	ShengYi Synamic-6	190	0.127	49.00*41.00	1oz	N	
575	ShengYi	ShengYi Synamic-6 Yellow FR-4 0.076T 41*49 1/1 TG≥190°C 1080*1 HVLP	ShengYi Synamic-6	190	0.076	49.00*41.00	1oz	N	
576	ShengYi	ShengYi Synamic-6 Yellow HVLP FR-4 0.889T 41*49 H/H TG≥190°C 2116*7	ShengYi Synamic-6	190	0.889	49.00*41.00	Hoz	N	
577	ShengYi	ShengYi Synamic-6 Yellow RTF FR-4 0.306T 41*49 H/H TG≥190°C 3313*3	ShengYi Synamic-6	190	0.306	49.00*41.00	Hoz	N	
578	ShengYi	ShengYi ST110 Yellow FR-4 1.50T 37*49 H/H TG≥170°C 2116*12	ShengYi ST110	170	1.5	49.00*37.00	Hoz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
579	ShengYi	ShengYi ST110 Yellow FR-4 0.11T 18*24 2/2 TG≥170°C 1027*2	ShengYi ST110	170	0.11	24.00*18.00	Hoz	N	
580	ShengYi	ShengYi SCGA-500 GF300 NO ANSI Yellow FR-4 0.762T 41*49 1/1 TG≥170°C	ShengYi SCGA-500	170	0.762	49.00*41.00	1oz	N	
581	ShengYi	ShengYi S7439 Yellow FR-4 High speed 材料 0.13T 43*49 1/1 TG200°C	ShengYi S7439	200	0.13	49.00*43.00	1oz	N	
582	ShengYi	ShengYi S1170G Yellow FR-4 halogen-free 1.2T 43*49 1/1 TG≥170°C 7628*6	ShengYi S1170G	170	1.2	49.00*43.00	1oz	Y	
583	ShengYi	ShengYi S1170G Yellow FR-4 halogen-free 0.40T 37*49 1/1 TG≥170°C	ShengYi S1170G	170	0.4	49.00*37.00	1oz	N	
584	ShengYi	ShengYi S1170G Yellow FR-4 halogen-free 0.30T 41*49 T/T TG≥170°C 1506*2	ShengYi S1170G	170	0.3	49.00*41.00	1/3oz	N	
585	ShengYi	ShengYi S1170G Yellow FR-4 halogen-free 0.30T 41*49 1/1 TG≥170°C	ShengYi S1170G	170	0.3	49.00*41.00	1oz	N	
586	ShengYi	ShengYi S1170G Yellow FR-4 halogen-free 0.25T 41*49 1/1 TG≥170°C 2116*2	ShengYi S1170G	170	0.25	49.00*41.00	1oz	N	
587	ShengYi	ShengYi S1170G Yellow FR-4 halogen-free 0.10T 43*49 T/T TG≥170°C	ShengYi S1170G	170	0.1	49.00*43.00	1/3oz	N	
588	ShengYi	ShengYi S1170G Yellow FR-4 halogen-free 0.10T 41*49 H/H TG≥170°C	ShengYi S1170G	170	0.1	49.00*41.00	Hoz	N	
589	ShengYi	ShengYi S1000H Yellow FR-4 1.60 2/2 43*49 TG150	ShengYi S1000H	150	1.6	49.00*43.00	2oz	Y	
590	ShengYi	ShengYi S1000H Yellow FR-4 1.5 1/1 43*49.3 TG150	ShengYi S1000H	150	1.5	49.30*43.00	1oz	Y	
591	ShengYi	ShengYi S1000H Yellow FR-4 1.40T 1/1 43*49 TG150	ShengYi S1000H	150	1.4	49.00*43.00	1oz	Y	
592	ShengYi	ShengYi S1000H Yellow FR-4 1.6T 37*49 2/0 TG150	ShengYi S1000H	150	1.6	49.00*37.00	2oz	Y	
593	ShengYi	ShengYi S1000H Yellow FR-4 1.6 1/1 41*49.3 TG150	ShengYi S1000H	150	1.6	49.30*41.00	1oz	Y	
594	ShengYi	ShengYi S1000H Yellow FR-4 1.5 H/H 41*49 TG150	ShengYi S1000H	150	1.5	49.00*41.00	Hoz	Y	
595	ShengYi	ShengYi S1000H Yellow FR-4 1.5 H/H 37*49 TG150	ShengYi S1000H	150	1.5	49.00*37.00	Hoz	Y	
596	ShengYi	ShengYi S1000H Yellow FR-4 1.40T 1/1 41*49 TG150	ShengYi S1000H	150	1.4	49.00*41.00	1oz	Y	
597	ShengYi	ShengYi S1000H Yellow 2116 FR-4 1.1H/H 37*49 TG150	ShengYi S1000H	150	1.1	49.00*37.00	Hoz	Y	
598	ShengYi	ShengYi S1000H Yellow 2116 FR-4 1.10T T/T 37*49 TG150	ShengYi S1000H	150	1.1	49.00*37.00	1/3oz	Y	
599	ShengYi	ShengYi S1000H Yellow FR-4 2.0T 41*49 1/1 TG≥150°C 7628*10	ShengYi S1000H	150	2	49.00*41.00	1oz	Y	
600	ShengYi	ShengYi S1000H Yellow FR-4 1.60T 43*49 H/H TG≥150	ShengYi S1000H	150	1.6	49.00*43.00	Hoz	Y	
601	ShengYi	ShengYi S1000H Yellow FR-4 1.60T 37*49 H/H TG≥150	ShengYi S1000H	150	1.6	49.00*37.00	Hoz	Y	
602	ShengYi	ShengYi S1000H Yellow FR-4 1.5 H/H 41*49.3 TG150 2116*14	ShengYi S1000H	150	1.5	49.30*41.00	Hoz	Y	
603	ShengYi	ShengYi S1000H Yellow FR-4 0.076T 43*49 1/H TG≥150°C	ShengYi S1000H	150	0.076	49.00*43.00	Hoz	N	
604	ShengYi	ShengYi S1000-2 Yellow FR-4 1.5 H/H 43*49 TG170	ShengYi S1000-2	170	1.5	49.00*43.00	Hoz	Y	
605	ShengYi	ShengYi S1000-2 Yellow FR-4 1.0H/H 41*49 TG170	ShengYi S1000-2	170	1	49.00*41.00	Hoz	N	
606	ShengYi	ShengYi S1000-2M Yellow FR-4 1.60T 1/1 43*49 TG170	ShengYi S1000-2M	170	1.6	49.00*43.00	1oz	Y	
607	ShengYi	ShengYi S1000-2M Yellow FR-4 1.50 H/H 43*49 TG170 2116*14	ShengYi S1000-2M	170	1.5	49.00*43.00	Hoz	Y	
608	ShengYi	ShengYi S1000-2M Yellow FR-4 1.50 H/H 37*49 TG170 14*2116	ShengYi S1000-2M	170	1.5	49.00*37.00	Hoz	Y	
609	ShengYi	ShengYi S1000H Yellow FR-4 0.20T 43*49 H/H TG≥150°C	ShengYi S1000H	150	0.2	49.00*43.00	Hoz	Y	
610	ShengYi	ShengYi S1000H Yellow FR-4 0.20T 41*49 H/H TG≥150°C	ShengYi S1000H	150	0.2	49.00*41.00	Hoz	N	
611	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.20T 41*49 1/1 TG180 2116*2 RTF	ITEQ IT170GRA1	180	0.2	49.00*41.00	1oz	N	
612	ShengYi	ShengYi S1000-2M Yellow FR-4 1.1T 43*49 2/2 TG170 7628*5	ShengYi S1000-2M	170	1.1	49.00*43.00	2oz	Y	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
613	ShengYi	ShengYi S1000-2M Yellow FR-4 1.0T 41*49 2/2 TG170 2116*1+7628*4	ShengYi S1000-2M	170	1	49.00*41.00	2oz	Y	
614	ShengYi	ShengYi S1000-2 Yellow 有水印 FR-4 1.50 1/1 37*49 TG≥170	ShengYi S1000-2	170	1.5	49.00*37.00	1oz	Y	
615	ShengYi	ShengYi S1000-2 Yellow FR-4 1.7 1/1 41*49 TG170	ShengYi S1000-2	170	1.7	49.00*41.00	1oz	Y	
616	ShengYi	ShengYi S1000-2 Yellow FR-4 1.60T H/H 43*49 TG170	ShengYi S1000-2	170	1.6	49.00*43.00	Hoz	Y	
617	ShengYi	ShengYi S1000-2 Yellow FR-4 1.60T H/H 41*49 TG170	ShengYi S1000-2	170	1.6	49.00*41.00	Hoz	Y	
618	ShengYi	ShengYi S1000-2 Yellow FR-4 1.60T H/H 37*49 TG170	ShengYi S1000-2	170	1.6	49.00*37.00	Hoz	Y	
619	ShengYi	ShengYi S1000-2 Yellow FR-4 1.60T 1/1 41*49 TG170	ShengYi S1000-2	170	1.6	49.00*41.00	1oz	Y	
620	ShengYi	ShengYi S1000-2 Yellow FR-4 1.60T 1/1 37*49 TG170	ShengYi S1000-2	170	1.6	49.00*37.00	1oz	Y	
621	ShengYi	ShengYi S1000-2 Yellow FR-4 1.50 1/1 37*49 TG≥170	ShengYi S1000-2	170	1.5	49.00*37.00	1oz	Y	
622	ShengYi	ShengYi S1000-2 Yellow FR-4 1.5 H/H 41*49 TG170	ShengYi S1000-2	170	1.5	49.00*41.00	Hoz	Y	
623	ShengYi	ShengYi S1000-2 Yellow FR-4 1.5 1/1 41*49 TG170	ShengYi S1000-2	170	1.5	49.00*41.00	1oz	Y	
624	ShengYi	ShengYi S1000-2 TC Yellow FR-4 1.2T 43*49 H/H TG 170	ShengYi S1000-2	170	1.2	49.00*43.00	Hoz	N	
625	ShengYi	ShengYi ST115G Yellow FR-4 halogen-free 0.11T 18*24 2/2 TG≥175°C 106*1	ShengYi ST115G	175	0.11	609.60*457.20	2oz	N	
626	ShengYi	ShengYi SI10U(S) Black FR-4 halogen-free 0.15T 41*49 T/T TG≥270 °C	ShengYi SI10U(S)	270	0.15	49.00*41.00	1/3oz	N	
627	ShengYi	ShengYi SI10U Black FR-4 halogen-free 0.15T 41*49 T/T TG≥170°C	ShengYi SI10U	170	0.15	49.00*41.00	1/3oz	N	
628	ShengYi	ShengYi SI10NK LD Yellow FR-4 halogen-free 0.064T 37*49 H/H TG≥250°C	ShengYi SI10NK LD	250	0.064	49.00*37.00	Hoz	N	
629	ShengYi	ShengYi S7439C Yellow FR-4 0.508T 43*49 1/1 TG≥190°C 2116*4 RTF	ShengYi S7439C	190	0.508	49.00*43.00	1oz	N	
630	ShengYi	ShengYi S7439C Yellow FR-4 0.635T 37*49 1/1 TG≥190°C 2116*5 RTF	ShengYi S7439C	190	0.635	49.00*37.00	1oz	N	
631	ShengYi	ShengYi S7439C 3313*1 Yellow HVLP FR-4 0.089T 37*49 1/1 TG≥190 °C	ShengYi S7439C	190	0.089	49.00*37.00	1oz	N	
632	ShengYi	ShengYi S7439C 2116*1 Yellow RTF FR-4 0.114T 37*49 1/1 TG≥200 °C	ShengYi S7439C	200	0.114	49.00*37.00	1oz	N	
633	ShengYi	ShengYi S7439C Yellow FR-4 0.102T 37*49 H/1 TG≥200°C 3313*1 RTF	ShengYi S7439C	200	0.102	49.00*37.00	Hoz	N	
634	ShengYi	ShengYi S7439C Yellow 2116*1 RTF FR-4 0.127T 37*49 H/H TG≥190 °C	ShengYi S7439C	190	0.127	49.00*37.00	Hoz	N	
635	ShengYi	ShengYi S7439 Yellow RTF High speed 材料 FR-4 0.10T 3313*1 37*49 1/1 TG≥200°C	ShengYi S7439	200	0.1	49.00*37.00	1oz	N	
636	ShengYi	ShengYi S7439 Yellow RTF High speed 材料 FR-4 1.016T 2116*8 37*49 1/1 TG≥200°C	ShengYi S7439	200	1.016	49.00*37.00	1oz	N	
637	ShengYi	ShengYi S7136H Yellow 高频 FR-4 0.51T 43*49 1/1TG≥280°C	ShengYi S7136H	280	0.51	49.00*43.00	1oz	N	
638	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.2 T 1/1 37*49 TG175+/-5	TaiWan NAN YA NP-175F	175	0.2	49.00*37.00	1oz	N	
639	ShengYi	ShengYi S1600L Yellow FR-4 1.70T 37*49 3/3 TG≥150°C 7628*8	ShengYi S1600L	150	1.7	49.00*37.00	3oz	Y	
640	ShengYi	ShengYi S1600L Yellow FR-4 1.90T 41*49 2/2 TG≥150°C 7628*10	ShengYi S1600L	150	1.9	49.00*41.00	2oz	Y	
641	ShengYi	ShengYi S1170G Yellow FR-4 0.5T 41*49 H/H TG≥170°C	ShengYi S1170G	170	0.5	49.00*41.00	Hoz	N	
642	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 2.9T 43*49 H/H TG≥150°C	ShengYi S1150G	150	2.9	49.00*43.00	Hoz	Y	
643	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.70T 43*49 H/H TG≥150°C	ShengYi S1150G	150	1.7	49.00*43.00	Hoz	Y	
644	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.70T 41*49 H/H TG≥150°C	ShengYi S1150G	150	1.7	49.00*41.00	Hoz	Y	
645	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.60T 43*49 1/1 TG≥150°C	ShengYi S1150G	150	1.6	49.00*43.00	1oz	Y	
646	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.60T 41*49 H/H TG≥150°C	ShengYi S1150G	150	1.6	49.00*41.00	Hoz	Y	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
647	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.60T 37*49.3 1/1 TG≥150 °C 7628*8	ShengYi S1150G	150	1.6	49.30*37.00	1oz	Y	
648	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.50T 41*49 H/HTG≥150°C	ShengYi S1150G	150	1.5	49.00*41.00	Hoz	Y	
649	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.40T 43*49 H/H TG≥150°C	ShengYi S1150G	150	1.4	49.00*43.00	Hoz	Y	
650	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.40T 41*49 H/H TG≥150°C	ShengYi S1150G	150	1.4	49.00*41.00	Hoz	Y	
651	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.40T 41*49 1/1 TG≥150°C	ShengYi S1150G	150	1.4	49.00*41.00	1oz	Y	
652	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.30T 41*49 H/HTG≥150°C	ShengYi S1150G	150	1.3	49.00*41.00	Hoz	Y	
653	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.20T 41*49 H/H TG≥150°C 7628*6	ShengYi S1150G	150	1.2	49.00*41.00	Hoz	Y	
654	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.20T 41*49 1/1 TG≥150°C	ShengYi S1150G	150	1.2	49.00*41.00	1oz	Y	
655	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.20T 37*49.3 1/1 TG≥150 °C 7628*6	ShengYi S1150G	150	1.2	49.30*37.00	1oz	Y	
656	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.20T 37*49 2/2 TG≥150°C	ShengYi S1150G	150	1.2	49.00*37.00	2oz	Y	
657	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.10T 41*49 H/H TG≥150°C	ShengYi S1150G	150	1.1	49.00*41.00	Hoz	Y	
658	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.00T 43*49 1/1 TG≥150°C	ShengYi S1150G	150	1	49.00*43.00	1oz	Y	
659	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.00T 41*49 1/1 TG≥150°C	ShengYi S1150G	150	1	49.00*41.00	1oz	Y	
660	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.90T 43*49 H/H TG≥150°C	ShengYi S1150G	150	0.9	49.00*43.00	Hoz	Y	
661	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.90T 43*49 1/1 TG≥150°C	ShengYi S1150G	150	0.9	49.00*43.00	1oz	Y	
662	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.90T 41*49 H/H TG≥150°C	ShengYi S1150G	150	0.9	49.00*41.00	Hoz	Y	
663	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.90T 41*49 2/2 TG≥150°C	ShengYi S1150G	150	0.9	49.00*41.00	2oz	Y	
664	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.80T 43*49 H/H TG≥150°C	ShengYi S1150G	150	0.8	49.00*43.00	Hoz	Y	
665	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.80T 41*49 H/H TG≥150°C	ShengYi S1150G	150	0.8	49.00*41.00	Hoz	Y	
666	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.80T 37*49 H/H TG≥150°C	ShengYi S1150G	150	0.8	49.00*37.00	Hoz	Y	
667	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.70T 43*49 H/H TG≥150°C	ShengYi S1150G	150	0.7	49.00*43.00	Hoz	Y	
668	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.70T 41*49 H/H TG≥150°C	ShengYi S1150G	150	0.7	49.00*41.00	Hoz	Y	
669	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.60T 41*49 2/2TG≥150°C	ShengYi S1150G	150	0.6	49.00*41.00	2oz	Y	
670	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.60T 41*49 1/1 TG≥150°C	ShengYi S1150G	150	0.6	49.00*41.00	1oz	Y	
671	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.60T 37*49 2/2TG≥150°C	ShengYi S1150G	150	0.6	49.00*37.00	2oz	Y	
672	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.50T 43*49 H/H TG≥150°C	ShengYi S1150G	150	0.5	49.00*43.00	Hoz	Y	
673	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.40T 43*49 2/2 TG≥150°C	ShengYi S1150G	150	0.4	49.00*43.00	2oz	Y	
674	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.40T 43*49 1/1 TG≥150°C	ShengYi S1150G	150	0.4	49.00*43.00	1oz	Y	
675	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.30T 43*49 H/H TG≥150°C	ShengYi S1150G	150	0.3	49.00*43.00	Hoz	Y	
676	ShengYi	ShengYi S1150G Yellow 2116结构 FR-4 halogen-free 1.30T 41*49 H/H TG≥150°C	ShengYi S1150G	150	1.3	49.00*41.00	Hoz	Y	
677	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.20T 37*49 2/2 TG≥150°C	ShengYi S1150G	150	0.2	49.00*37.00	2oz	N	
678	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.20T 43*49.3 1/1 TG≥150 °C	ShengYi S1150G	150	1.2	49.30*43.00	1oz	N	
679	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 1.00T 41*49 1/1 TG≥150°C	ShengYi S1150G	150	1	49.00*41.00	1oz	N	
680	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.78T 43*49 1/1 TG≥150°C	ShengYi S1150G	150	0.78	49.00*43.00	1oz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
681	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.71T 43*49 H/H TG≥150°C	ShengYi S1150G	150	0.71	49.00*43.00	Hoz	N	
682	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.71T 43*49 2/2 TG≥150°C	ShengYi S1150G	150	0.71	49.00*43.00	2oz	N	
683	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.71T 41*49 H/H TG≥150°C	ShengYi S1150G	150	0.71	49.00*41.00	Hoz	N	
684	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.60T41*49 H/H TG≥150°C	ShengYi S1150G	150	0.6	49.00*41.00	Hoz	N	
685	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.60T 37*49 1/1 TG≥150°C	ShengYi S1150G	150	0.6	49.00*37.00	1oz	N	
686	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.50T 43*49 3/3 TG≥150°C	ShengYi S1150G	150	0.5	49.00*43.00	3oz	N	
687	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.50T 43*49 1/H TG≥150°C 7628*2+2116*1	ShengYi S1150G	150	0.5	49.00*43.00	1oz	N	
688	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.50T 41*49 H/H TG≥150°C	ShengYi S1150G	150	0.5	49.00*41.00	Hoz	N	
689	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.50T 41*49 2/2 TG≥150°C	ShengYi S1150G	150	0.5	49.00*41.00	2oz	N	
690	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.50T 37*49 1/H TG≥150°C 7628*2+2116*1	ShengYi S1150G	150	0.5	49.00*37.00	1oz	N	
691	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.50T 37*49 1/1 TG≥150°C	ShengYi S1150G	150	0.5	49.00*37.00	1oz	N	
692	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.47T 41*49 1/1 TG≥150°C	ShengYi S1150G	150	0.47	49.00*41.00	1oz	N	
693	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.46T 43*49 2/2 TG≥150°C 1080*1+7628*2	ShengYi S1150G	150	0.46	49.00*43.00	2oz	N	
694	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.40T 43*49 H/H TG≥150°C	ShengYi S1150G	150	0.4	49.00*43.00	Hoz	N	
695	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.40T 43*49 2/2 TG≥150°C	ShengYi S1150G	150	0.4	49.00*43.00	2oz	N	
696	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.40T 43*49 1/1 TG≥150°C	ShengYi S1150G	150	0.4	49.00*43.00	1oz	N	
697	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.40T 41*49 H/H TG≥150°C	ShengYi S1150G	150	0.4	49.00*41.00	Hoz	N	
698	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.40T 41*49 1/1 TG≥150°C	ShengYi S1150G	150	0.4	49.00*41.00	1oz	N	
699	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.40T 37*49 1/1 TG≥150°C	ShengYi S1150G	150	0.4	49.00*37.00	1oz	N	
700	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.35T43*49 H/H TG≥150°C	ShengYi S1150G	150	0.35	49.00*43.00	Hoz	N	
701	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.30T 43*49 1/1 TG≥150°C	ShengYi S1150G	150	0.3	49.00*43.00	1oz	N	
702	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.30T 41*49 H/1 TG≥150°C 2116*2+1080*1	ShengYi S1150G	150	0.3	49.00*41.00	Hoz	N	
703	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.30T 37*49 1/1 TG≥150°C	ShengYi S1150G	150	0.3	49.00*37.00	1oz	N	
704	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.30T 43*49 2/2 TG≥150°C	ShengYi S1150G	150	0.3	49.00*43.00	2oz	N	
705	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.30T 41*49 2/2 TG≥150°C	ShengYi S1150G	150	0.3	49.00*41.00	2oz	N	
706	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.25T41*49 H/H TG=150	TaiWan NAN YA NP-155F	150	0.25	49.00*41.00	Hoz	N	
707	ShengYi	ShengYi S1000H Yellow FR-4 0.25T 37*49 2/2 TG≥150°C	ShengYi S1000H	150	0.25	49.00*37.00	2oz	N	
708	Grace	Grace GA-HF-PF5 Yellow halogen-free FR-4 0.20T 41*49 H/H TG≥150°C 7628*1	Grace GA-HF-PF5	150	0.2	49.00*41.00	Hoz	N	
709	Panasonic	Panasonic R-1755V Yellow FR-4 0.20T 41*49 H/H TG170°C	Panasonic R-1755V	170	0.2	49.00*41.00	Hoz	N	
710	Mitsubishi	Mitsubishi CCL BT halogen-free HL832NXA 0.20T T/T 415*515MM TG200	Mitsubishi HL832NXA	200	0.2	515.00*415.00	1/3oz	N	
711	EMC	EMC EM-825 Yellow FR-4 0.25T 43*49 H/H TG150°C	EMC EM-825	150	0.25	49.00*43.00	Hoz	N	
712	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.20T 41*49 H/H TG180 7628*1 RTF	ITEQ IT170GRA1	180	0.2	49.00*41.00	Hoz	N	
713	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.15T 43*49 2/2 TG≥150°C	ShengYi S1150G	150	0.15	49.00*43.00	2oz	N	
714	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.15T 41*49 T/T TG≥150°C	ShengYi S1150G	150	0.15	49.00*41.00	1/3oz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
715	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.15T 41*49 1/1 TG≥150°C	ShengYi S1150G	150	0.15	49.00*41.00	1oz	N	
716	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.10T37*49 3/3 TG≥150°C	ShengYi S1150G	150	0.1	49.00*37.00	3oz	N	
717	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.10T37*49 2/2 TG≥150°C	ShengYi S1150G	150	0.1	49.00*37.00	2oz	N	
718	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.10T 43*49.3 1/1 TG≥150°C	ShengYi S1150G	150	0.1	49.30*43.00	1oz	N	
719	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.10T 43*49 H/H TG≥150°C	ShengYi S1150G	150	0.1	49.00*43.00	Hoz	N	
720	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.10T 43*49 2/2 TG≥150°C	ShengYi S1150G	150	0.1	49.00*43.00	2oz	N	
721	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.10T 43*49 1/1 TG≥150°C	ShengYi S1150G	150	0.1	49.00*43.00	1oz	N	
722	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.10T 41*49 H/H TG≥150°C	ShengYi S1150G	150	0.1	49.00*41.00	Hoz	N	
723	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.10T 41*49 2/2 TG≥150°C	ShengYi S1150G	150	0.1	49.00*41.00	2oz	N	
724	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.10T 41*49 1/1 TG≥150°C	ShengYi S1150G	150	0.1	49.00*41.00	1oz	N	
725	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.09T 41*49 1/1 TG≥150°C	ShengYi S1150G	150	0.09	49.00*41.00	1oz	N	
726	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.076T 43*49 2/2 TG≥150°C	ShengYi S1150G	150	0.076	49.00*43.00	2oz	N	
727	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.076T 41*49 H/H TG≥150°C	ShengYi S1150G	150	0.076	49.00*41.00	Hoz	N	
728	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.076T 41*49 2/2 TG≥150°C	ShengYi S1150G	150	0.076	49.00*41.00	2oz	N	
729	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.076T 41*49 1/1TG≥150°C	ShengYi S1150G	150	0.076	49.00*41.00	1oz	N	
730	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.076T 37*49 1/1 TG≥150°C	ShengYi S1150G	150	0.076	49.00*37.00	1oz	N	
731	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.06T 41*49 T/T TG≥150°C	ShengYi S1150G	150	0.06	49.00*41.00	1/3oz	N	
732	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.05T 43*49 H/H TG≥150°C	ShengYi S1150G	150	0.05	49.00*43.00	Hoz	N	
733	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 2.10T 41*49.3 3/3 TG≥150°C 7628*10	ShengYi S1150G	150	2.1	49.30*41.00	3oz	Y	
734	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 2.0T 37*49 H/H TG≥150°C 7628*10	ShengYi S1150G	150	2	49.00*37.00	Hoz	Y	
735	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.13T 41*49 1/1 TG≥150°C	ShengYi S1150G	150	0.13	49.00*41.00	1oz	N	
736	ShengYi	ShengYi S1141 Yellow 有水印 FR-4 1.5T 43*49 H/H TG≥135°C	ShengYi S1141	135	1.5	49.00*43.00	Hoz	Y	
737	ShengYi	ShengYi S1141 Yellow FR-4 2.4T 37*49 1/1 TG≥130°C	ShengYi S1141	130	2.4	49.00*37.00	1oz	Y	
738	ShengYi	ShengYi S1141 Yellow FR-4 1.30T 37*49 H/H TG≥130°C	ShengYi S1141	130	1.3	49.00*37.00	Hoz	Y	
739	ShengYi	ShengYi S1141 Yellow FR-4 1.10T 41*49 1/1 TG≥130°C	ShengYi S1141	130	1.1	49.00*41.00	1oz	Y	
740	ShengYi	ShengYi S1141 Yellow FR-4 1.00T 37*49.3 1/1 TG≥130°C	ShengYi S1141	130	1	49.30*37.00	1oz	Y	
741	ShengYi	ShengYi S1141 Yellow FR-4 0.9T 41*49 1/1 TG≥130°C (Motor vehicle material)	ShengYi S1141	130	0.9	49.00*41.00	1oz	Y	
742	ShengYi	ShengYi S1141 Yellow FR-4 0.9T 41*49 1/1 TG≥130°C	ShengYi S1141	130	0.9	49.00*41.00	1oz	Y	
743	ShengYi	ShengYi S1141 Yellow FR-4 0.9T 37*49 1/1 TG≥130°C	ShengYi S1141	130	0.9	49.00*37.00	1oz	Y	
744	ShengYi	ShengYi S1141 Yellow FR-4 0.80T 41*49 H/H TG≥130°C	ShengYi S1141	130	0.8	49.00*41.00	Hoz	Y	
745	ShengYi	ShengYi S1141 Yellow FR-4 0.80T 41*49 1/1 TG≥130°C	ShengYi S1141	130	0.8	49.00*41.00	1oz	Y	
746	ShengYi	ShengYi S1141 Yellow FR-4 0.70T 37*49 H/H TG≥130°C	ShengYi S1141	130	0.7	49.00*37.00	Hoz	Y	
747	ShengYi	ShengYi S1141 Yellow FR-4 0.70T 37*49 2/2 TG≥130°C	ShengYi S1141	130	0.7	49.00*37.00	2oz	Y	
748	ShengYi	ShengYi S1141 Yellow FR-4 0.70T 37*49 1/1 TG≥130°C	ShengYi S1141	130	0.7	49.00*37.00	1oz	Y	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
749	ShengYi	ShengYi S1141 Yellow FR-4 0.60T 37*49 1/1 TG≥130°C	ShengYi S1141	130	0.6	49.00*37.00	1oz	Y	
750	ShengYi	ShengYi S1141 Yellow FR-4 0.50T 43*49.3 1/1 TG≥130°C	ShengYi S1141	130	0.5	49.30*43.00	1oz	Y	
751	ShengYi	ShengYi S1141 Yellow FR-4 0.50T 43*49 1/1 TG≥130°C	ShengYi S1141	130	0.5	49.00*43.00	1oz	Y	
752	ShengYi	ShengYi S1141 Yellow FR-4 0.40T 41*49 H/H TG≥130°C	ShengYi S1141	130	0.4	49.00*41.00	Hoz	Y	
753	TaiWan NAN YA	TaiWan NAN YA NPG-151 Yellow FR-4 halogen-free 0.2T 43*49 1/1 TG=150	TaiWan NAN YA NPG-151	150	0.2	49.00*43.00	1oz	N	
754	EMC	EMC EM-355(D) Yellow FR-4 halogen-free 0.254T 43*49 H/H TG150°C	EMC EM-355(D)	150	0.254	49.00*43.00	Hoz	N	
755	ShengYi	ShengYi S1141 Yellow FR-4 1.60T 43*49 1/1 TG≥130°C	ShengYi S1141	130	1.6	49.00*43.00	1oz	N	
756	ShengYi	ShengYi S1141 Yellow FR-4 1.20T 43*49 1/1 TG≥130°C	ShengYi S1141	130	1.2	49.00*43.00	1oz	N	
757	ShengYi	ShengYi S1141 Yellow FR-4 1.20T 41*49 H/H TG≥130°C	ShengYi S1141	130	1.2	49.00*41.00	Hoz	N	
758	ShengYi	ShengYi S1141 Yellow FR-4 1.00T 41*49.3 1/1 TG≥130°C	ShengYi S1141	130	1	49.30*41.00	1oz	N	
759	ShengYi	ShengYi S1141 Yellow FR-4 1.00T 41*49 1/1 TG≥130°C	ShengYi S1141	130	1	49.00*41.00	1oz	N	
760	ShengYi	ShengYi S1141 Yellow FR-4 0.8T 41*49 H/H TG≥130°C	ShengYi S1141	130	0.8	49.00*41.00	Hoz	N	
761	ShengYi	ShengYi S1141 Yellow FR-4 0.8T 37*49 1/1 TG≥130°C	ShengYi S1141	130	0.8	49.00*37.00	1oz	N	
762	ShengYi	ShengYi S1141 Yellow FR-4 0.6T 41*49 1/1 TG≥130°C	ShengYi S1141	130	0.6	49.00*41.00	1oz	N	
763	ShengYi	ShengYi S1141 Yellow FR-4 0.6T 37*49 H/H TG≥130°C	ShengYi S1141	130	0.6	49.00*37.00	Hoz	N	
764	ShengYi	ShengYi S1141 Yellow FR-4 0.5T 41*49 H/H TG≥130°C	ShengYi S1141	130	0.5	49.00*41.00	Hoz	N	
765	ShengYi	ShengYi S1141 Yellow FR-4 0.4T 43*49 1/1 TG≥130°C	ShengYi S1141	130	0.4	49.00*43.00	1oz	N	
766	ShengYi	ShengYi S1141 Yellow FR-4 0.4T 41*49 2/2 TG≥130°C	ShengYi S1141	130	0.4	49.00*41.00	2oz	N	
767	ShengYi	ShengYi S1141 Yellow FR-4 0.30T 41*49 H/H TG≥130°C	ShengYi S1141	130	0.3	49.00*41.00	Hoz	N	
768	ShengYi	ShengYi S1141 Yellow FR-4 0.30T 41*49 1/1 TG≥130°C	ShengYi S1141	130	0.3	49.00*41.00	1oz	N	
769	ShengYi	ShengYi S1141 Yellow FR-4 0.15T 43*49 1/1 TG≥130°C	ShengYi S1141	130	0.15	49.00*43.00	1oz	N	
770	ShengYi	ShengYi S1141 Yellow FR-4 0.15T 37*49 1/1 TG≥130°C	ShengYi S1141	130	0.15	49.00*37.00	1oz	N	
771	ShengYi	ShengYi S1141 Yellow FR-4 0.10T 41*49 1/1 TG≥130°C	ShengYi S1141	130	0.1	49.00*41.00	1oz	N	
772	ShengYi	ShengYi S1141 Yellow FR-4 0.10T 37*49 1/1 TG≥130°C	ShengYi S1141	130	0.1	49.00*37.00	1oz	N	
773	ShengYi	ShengYi S1141 Yellow FR-4 0.076T 43*49 1/1 TG≥130°C	ShengYi S1141	130	0.076	49.00*43.00	1oz	N	
774	ShengYi	ShengYi S1000H Yellow FR-4 1.20T 37*49 2/2 TG≥150°C	ShengYi S1000-H	150	1.2	49.00*37.00	2oz	Y	
775	ShengYi	ShengYi S1000H Yellow FR-4 0.80T 86*49 H/H TG≥150°C 7628*4	ShengYi S1000-H	150	0.8	49.00*86.00	Hoz	Y	
776	ShengYi	ShengYi S1000H Yellow FR-4 0.80T 43*49 H/H TG≥150°C	ShengYi S1000-H	150	0.8	49.00*43.00	Hoz	Y	
777	ShengYi	ShengYi S1000H Yellow FR-4 0.3T 41*49 H/H TG≥150°C	ShengYi S1000-H	150	0.3	49.00*41.00	Hoz	N	
778	ShengYi	ShengYi S1000H Yellow FR-4 0.3T 37*49 H/H TG≥150°C 2116	ShengYi S1000-H	150	0.3	49.00*37.00	Hoz	N	
779	ShengYi	ShengYi S1000H Yellow FR-4 0.3T 37*49 3/3 TG≥150°C	ShengYi S1000-H	150	0.3	49.00*37.00	3oz	N	
780	ShengYi	ShengYi S1000H Yellow FR-4 0.3T 37*49 2/2 TG≥150°C	ShengYi S1000-H	150	0.3	49.00*37.00	2oz	N	
781	ShengYi	ShengYi S1000H Yellow FR-4 0.30T 43*49 2/2 TG≥150°C	ShengYi S1000H	150	0.3	49.00*43.00	2oz	N	
782	ShengYi	ShengYi S1000H Yellow FR-4 0.30T 43*49 2/2 TG≥150°C	ShengYi S1000H	150	0.3	49.00*43.00	2oz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
783	ShengYi	ShengYi S1000H Yellow FR-4 0.30T 41*49 2/2 TG≥150°C	ShengYi S1000H	150	0.3	49.00*41.00	2oz	N	
784	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.20T 41*49 1/1 TG≥150°C	ShengYi S1150G	150	0.2	49.00*41.00	1oz	N	
785	ShengYi	ShengYi S1000H Yellow FR-4 0.10T 37*49.3 1/1 TG≥150°C	ShengYi S1000-H	150	0.1	49.30*37.00	1oz	N	
786	ShengYi	ShengYi S1000H Yellow FR-4 14*2116结构 1.50T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	1.5	49.00*43.00	1oz	Y	
787	ShengYi	ShengYi S1000H Yellow FR-4 3.0T 41*49 H/H TG≥150°C 7628*16	ShengYi S1000H	150	3	49.00*41.00	Hoz	Y	
788	ShengYi	ShengYi S1000H Yellow FR-4 2.40T 37*49.3 1/1 TG≥150°C	ShengYi S1000H	150	2.4	49.30*37.00	1oz	Y	
789	ShengYi	ShengYi S1000H Yellow FR-4 2.40T 37*49 H/H TG≥150°C	ShengYi S1000H	150	2.4	49.00*37.00	Hoz	Y	
790	ShengYi	ShengYi S1000H Yellow FR-4 2.30T 41*49 3/3 TG≥150°C	ShengYi S1000H	150	2.3	49.00*41.00	3oz	Y	
791	ShengYi	ShengYi S1000H Yellow FR-4 2.30T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	2.3	49.00*41.00	1oz	Y	
792	ShengYi	ShengYi S1000H Yellow FR-4 2.30T 37*49 H/H TG≥150°C	ShengYi S1000H	150	2.3	49.00*37.00	Hoz	Y	
793	ShengYi	ShengYi S1000H Yellow FR-4 1.90T 43*49 2/2 TG≥150°C	ShengYi S1000H	150	1.9	49.00*43.00	2oz	Y	
794	ShengYi	ShengYi S1000H Yellow FR-4 1.90T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	1.9	49.00*43.00	1oz	Y	
795	ShengYi	ShengYi S1000H Yellow FR-4 1.90T 41*49 H/H TG≥150°C	ShengYi S1000H	150	1.9	49.00*41.00	Hoz	Y	
796	ShengYi	ShengYi S1000H Yellow FR-4 1.90T 41*49 2/2 TG≥150°C	ShengYi S1000H	150	1.9	49.00*41.00	2oz	Y	
797	ShengYi	ShengYi S1000H Yellow FR-4 1.90T 41*49 1.5/1.5 TG≥150°C 7628*10	ShengYi S1000H	150	1.9	49.00*41.00	1.5oz	Y	
798	ShengYi	ShengYi S1000H Yellow FR-4 1.70T 43*49 H/HTG≥150°C	ShengYi S1000H	150	1.7	49.00*43.00	Hoz	Y	
799	ShengYi	ShengYi S1000H Yellow FR-4 1.70T 43*49 3/3 TG≥150°C 7628*8	ShengYi S1000H	150	1.7	49.00*43.00	3oz	Y	
800	ShengYi	ShengYi S1000H Yellow FR-4 1.70T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	1.7	49.00*43.00	1oz	Y	
801	ShengYi	ShengYi S1000H Yellow FR-4 1.70T 41*49.3 H/H TG≥150°C	ShengYi S1000H	150	1.7	49.30*41.00	Hoz	Y	
802	ShengYi	ShengYi S1000H Yellow FR-4 1.70T 41*49 H/H TG≥150°C	ShengYi S1000H	150	1.7	49.00*41.00	Hoz	Y	
803	ShengYi	ShengYi S1000H Yellow FR-4 1.60T 37*49 4/4 TG≥150°C 7628*7	ShengYi S1000H	150	1.6	49.00*37.00	4oz	Y	
804	ShengYi	ShengYi S1000H Yellow FR-4 1.50T 43*49 2/2 TG≥150°C	ShengYi S1000H	150	1.5	49.00*43.00	2oz	Y	
805	ShengYi	ShengYi S1000H Yellow FR-4 1.50T 41*49 3/3 TG≥150°C	ShengYi S1000H	150	1.5	49.00*41.00	3oz	Y	
806	ShengYi	ShengYi S1000H Yellow FR-4 1.50T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	1.5	49.00*41.00	1oz	Y	
807	ShengYi	ShengYi S1000H Yellow FR-4 1.50T 37*49 1/1 TG≥150°C	ShengYi S1000H	150	1.5	49.00*37.00	1oz	Y	
808	ShengYi	ShengYi S1000H Yellow FR-4 1.30T 43*49 H/H TG≥150°C	ShengYi S1000H	150	1.3	49.00*43.00	Hoz	Y	
809	ShengYi	ShengYi S1000H Yellow FR-4 1.30T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	1.3	49.00*43.00	1oz	Y	
810	ShengYi	ShengYi S1000H Yellow FR-4 1.30T 41*49 H/H TG≥150°C	ShengYi S1000H	150	1.3	49.00*41.00	Hoz	Y	
811	ShengYi	ShengYi S1000H Yellow FR-4 1.30T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	1.3	49.00*41.00	1oz	Y	
812	ShengYi	ShengYi S1000H Yellow FR-4 1.30T 37*49 1/1 TG≥150°C	ShengYi S1000H	150	1.3	49.00*37.00	1oz	Y	
813	ShengYi	ShengYi S1000H Yellow FR-4 1.20T 43*49.3 1/1 TG≥150°C 2116*11	ShengYi S1000H	150	1.2	49.30*43.00	1oz	Y	
814	ShengYi	ShengYi S1000H Yellow FR-4 1.20T 43*49.3 1/1 TG≥150°C	ShengYi S1000H	150	1.2	49.30*43.00	1oz	Y	
815	ShengYi	ShengYi S1000H Yellow FR-4 1.20T 43*49 H/H TG≥150°C	ShengYi S1000H	150	1.2	49.00*43.00	Hoz	Y	
816	ShengYi	ShengYi S1000H Yellow FR-4 1.20T 43*49 3/3 TG≥150°C	ShengYi S1000H	150	1.2	49.00*43.00	3oz	Y	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
817	ShengYi	ShengYi S1000H Yellow FR-4 1.20T 43*49 2/2 TG≥150°C 7628*6	ShengYi S1000H	150	1.2	49.00*43.00	2oz	Y	
818	ShengYi	ShengYi S1000H Yellow FR-4 1.20T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	1.2	49.00*43.00	1oz	Y	
819	ShengYi	ShengYi S1000H Yellow FR-4 1.20T 43*49 1.5/1.5 TG≥150°C 7628*6	ShengYi S1000H	150	1.2	49.00*43.00	1.5oz	Y	
820	ShengYi	ShengYi S1000H Yellow FR-4 1.20T 41*49.3 1/1 TG≥150°C	ShengYi S1000H	150	1.2	49.30*41.00	1oz	Y	
821	ShengYi	ShengYi S1000H Yellow FR-4 1.20T 41*49 H/H TG≥150°C	ShengYi S1000H	150	1.2	49.00*41.00	Hoz	Y	
822	ShengYi	ShengYi S1000H Yellow FR-4 1.20T 37*49.3 1/1 TG≥150°C	ShengYi S1000H	150	1.2	49.30*37.00	1oz	Y	
823	ShengYi	ShengYi S1000H Yellow FR-4 1.10T 43*49.3 1/1 TG≥150°C	ShengYi S1000H	150	1.1	49.30*43.00	1oz	Y	
824	ShengYi	ShengYi S1000H Yellow FR-4 1.10T 43*49 2/2 TG≥150°C	ShengYi S1000H	150	1.1	49.00*43.00	2oz	Y	
825	ShengYi	ShengYi S1000H Yellow FR-4 1.10T 41*49 H/H TG≥150°C	ShengYi S1000H	150	1.1	49.00*41.00	Hoz	Y	
826	ShengYi	ShengYi S1000H Yellow FR-4 1.10T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	1.1	49.00*41.00	1oz	Y	
827	ShengYi	ShengYi S1000H Yellow FR-4 1.10T 37*49 H/H TG≥150°C	ShengYi S1000H	150	1.1	49.00*37.00	Hoz	Y	
828	ShengYi	ShengYi S1000H Yellow FR-4 1.00T 43*49.3 1/1 TG≥150°C	ShengYi S1000H	150	1	49.30*43.00	1oz	Y	
829	ShengYi	ShengYi S1000H Yellow FR-4 1.00T 43*49 H/H TG≥150°C	ShengYi S1000H	150	1	49.00*43.00	Hoz	Y	
830	ShengYi	ShengYi S1000H Yellow FR-4 1.00T 43*49 2/2 TG≥150°C	ShengYi S1000H	150	1	49.00*43.00	2oz	Y	
831	ShengYi	ShengYi S1000H Yellow FR-4 1.00T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	1	49.00*43.00	1oz	Y	
832	ShengYi	ShengYi S1000H Yellow FR-4 1.00T 41*49.3 1/1 TG≥150°C 7628*5	ShengYi S1000H	150	1	49.30*41.00	1oz	Y	
833	ShengYi	ShengYi S1000H Yellow FR-4 1.00T 41*49 H/H TG≥150°C	ShengYi S1000H	150	1	49.00*41.00	Hoz	Y	
834	ShengYi	ShengYi S1000H Yellow FR-4 1.00T 41*49 2/2 TG≥150°C	ShengYi S1000H	150	1	49.00*41.00	2oz	Y	
835	ShengYi	ShengYi S1000H Yellow FR-4 1.00T 37*49 H/H TG≥150°C	ShengYi S1000H	150	1	49.00*37.00	Hoz	Y	
836	ShengYi	ShengYi S1000H Yellow FR-4 1.00T 37*49 1/1 TG≥150°C	ShengYi S1000H	150	1	49.00*37.00	1oz	Y	
837	ShengYi	ShengYi S1000H Yellow FR-4 0.9T 41*49 2/2 TG=150±5	ShengYi S1000H	150	0.9	49.00*41.00	2oz	Y	
838	ShengYi	ShengYi S1000H Yellow FR-4 0.90T 43*49.3 H/H TG≥150°C	ShengYi S1000H	150	0.9	49.30*43.00	Hoz	Y	
839	ShengYi	ShengYi S1000H Yellow FR-4 0.90T 43*49 H/H TG≥150°C	ShengYi S1000H	150	0.9	49.00*43.00	Hoz	Y	
840	ShengYi	ShengYi S1000H Yellow FR-4 0.90T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.9	49.00*43.00	1oz	Y	
841	ShengYi	ShengYi S1000H Yellow FR-4 0.90T 41*49 H/H TG≥150°C	ShengYi S1000H	150	0.9	49.00*41.00	Hoz	Y	
842	ShengYi	ShengYi S1000H Yellow FR-4 0.90T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	0.9	49.00*41.00	1oz	Y	
843	ShengYi	ShengYi S1000H Yellow FR-4 0.90T 37*49 H/H TG≥150°C	ShengYi S1000H	150	0.9	49.00*37.00	Hoz	Y	
844	ShengYi	ShengYi S1000H Yellow FR-4 0.90T 37*49 1/1 TG≥150°C	ShengYi S1000H	150	0.9	49.00*37.00	1oz	Y	
845	ShengYi	ShengYi S1000H Yellow FR-4 0.80T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.8	49.00*43.00	1oz	Y	
846	ShengYi	ShengYi S1000H Yellow FR-4 0.80T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	0.8	49.00*41.00	1oz	Y	
847	ShengYi	ShengYi S1000H Yellow FR-4 0.80T 37*49 1/1 TG≥150°C	ShengYi S1000H	150	0.8	49.00*37.00	1oz	Y	
848	ShengYi	ShengYi S1000H Yellow FR-4 0.70T 43*49 H/H TG≥150°C	ShengYi S1000H	150	0.7	49.00*43.00	Hoz	Y	
849	ShengYi	ShengYi S1000H Yellow FR-4 0.70T 41*49 H/H TG≥150°C (Motor vehicle material)	ShengYi S1000H	150	0.7	49.00*41.00	Hoz	Y	
850	ShengYi	ShengYi S1000H Yellow FR-4 0.70T 41*49 H/H TG≥150°C	ShengYi S1000H	150	0.7	49.00*41.00	Hoz	Y	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
851	ShengYi	ShengYi S1000H Yellow FR-4 0.70T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	0.7	49.00*41.00	1oz	Y	
852	ShengYi	ShengYi S1000H Yellow FR-4 0.60T 41*49 3/3 TG≥150°C	ShengYi S1000H	150	0.6	49.00*41.00	3oz	Y	
853	ShengYi	ShengYi S1000H Yellow FR-4 0.60T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	0.6	49.00*41.00	1oz	Y	
854	ShengYi	ShengYi S1000H Yellow FR-4 0.60T 37*49 2/2 TG≥150°C	ShengYi S1000H	150	0.6	49.00*37.00	2oz	Y	
855	ShengYi	ShengYi S1000H Yellow FR-4 0.60T 37*49 1/1 TG≥150°C	ShengYi S1000H	150	0.6	49.00*37.00	1oz	Y	
856	ShengYi	ShengYi S1000H Yellow FR-4 0.50T 43*49 H/H TG≥150°C	ShengYi S1000H	150	0.5	49.00*43.00	Hoz	Y	
857	ShengYi	ShengYi S1000H Yellow FR-4 0.50T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.5	49.00*43.00	1oz	Y	
858	ShengYi	ShengYi S1000H Yellow FR-4 0.50T 41*49 2/2 TG≥150°C	ShengYi S1000H	150	0.5	49.00*41.00	2oz	Y	
859	ShengYi	ShengYi S1000H Yellow FR-4 0.50T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	0.5	49.00*41.00	1oz	Y	
860	ShengYi	ShengYi S1000H Yellow FR-4 0.40T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.4	49.00*43.00	1oz	Y	
861	ShengYi	ShengYi S1000H Yellow FR-4 0.40T 41*49 2/2 TG≥150°C	ShengYi S1000H	150	0.4	49.00*41.00	2oz	Y	
862	ShengYi	ShengYi S1000H Yellow FR-4 0.40T 37*49 1/1 TG≥150°C	ShengYi S1000H	150	0.4	49.00*37.00	1oz	Y	
863	ShengYi	ShengYi S1000H Yellow FR-4 0.30T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.3	49.00*43.00	1oz	Y	
864	ShengYi	ShengYi S1000H Yellow FR-4 0.25T 41*49 H/H TG≥150°C	ShengYi S1000H	150	0.25	49.00*41.00	Hoz	N	
865	ShengYi	ShengYi S1000-2 Yellow FR-4 0.20T 41*49 H/H TG≥170°C	ShengYi S1000-2	170	0.2	49.00*41.00	Hoz	Y	
866	ShengYi	ShengYi S1000H Yellow FR-4 2.00T 37*49 H/H TG≥150°C	ShengYi S1000H	150	2	49.00*37.00	Hoz	Y	
867	ShengYi	ShengYi S1000H Yellow FR-4 1.60T 41*49.3 1/1 TG≥150°C	ShengYi S1000H	150	1.6	49.30*41.00	1oz	N	
868	ShengYi	ShengYi S1000H Yellow FR-4 1.20T 43*49.3 1/1 TG≥150°C	ShengYi S1000H	150	1.2	49.30*43.00	1oz	N	
869	ShengYi	ShengYi S1000H Yellow FR-4 1.20T 41*49.3 1/1 TG≥150°C	ShengYi S1000H	150	1.2	49.30*41.00	1oz	N	
870	ShengYi	ShengYi S1000H Yellow FR-4 1.20T 41*49 2/2 TG≥150°C	ShengYi S1000H	150	1.2	49.00*41.00	2oz	N	
871	ShengYi	ShengYi S1000H Yellow FR-4 1.20T 37*49.3 1/1 TG≥150°C	ShengYi S1000H	150	1.2	49.30*37.00	1oz	N	
872	ShengYi	ShengYi S1000H Yellow FR-4 1.20T 37*49 H/H TG≥150°C	ShengYi S1000H	150	1.2	49.00*37.00	Hoz	N	
873	ShengYi	ShengYi S1000H Yellow FR-4 1.10T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	1.1	49.00*43.00	1oz	N	
874	ShengYi	ShengYi S1000H Yellow FR-4 1.00T 86*49 1/1 TG≥150°C 7628*5	ShengYi S1000H	150	1	49.00*41.00	1oz	N	
875	ShengYi	ShengYi S1000H Yellow FR-4 1.00T 43*49 H/HTG≥150°C	ShengYi S1000H	150	1	49.00*43.00	Hoz	N	
876	ShengYi	ShengYi S1000H Yellow FR-4 1.00T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	1	49.00*43.00	1oz	N	
877	ShengYi	ShengYi S1000H Yellow FR-4 1.00T 41*49 H/H TG≥150°C	ShengYi S1000H	150	1	49.00*41.00	Hoz	N	
878	ShengYi	ShengYi S1000H Yellow FR-4 1.00T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	1	49.00*41.00	1oz	N	
879	ShengYi	ShengYi S1000H Yellow FR-4 0.80T 43*49 H/H TG≥150°C	ShengYi S1000H	150	0.8	49.00*43.00	Hoz	N	
880	ShengYi	ShengYi S1000H Yellow FR-4 0.80T 43*49 2/2 TG≥150°C	ShengYi S1000H	150	0.8	49.00*43.00	2oz	N	
881	ShengYi	ShengYi S1000H Yellow FR-4 0.80T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.8	49.00*43.00	1oz	N	
882	ShengYi	ShengYi S1000H Yellow FR-4 0.80T 41*49 H/H TG≥150°C	ShengYi S1000H	150	0.8	49.00*41.00	Hoz	N	
883	ShengYi	ShengYi S1000H Yellow FR-4 0.80T 41*49 2/2 TG≥150°C	ShengYi S1000H	150	0.8	49.00*41.00	2oz	N	
884	ShengYi	ShengYi S1000H Yellow FR-4 0.80T 37*49.3 1/1 TG≥150°C	ShengYi S1000H	150	0.8	49.30*37.00	1oz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
885	ShengYi	ShengYi S1000H Yellow FR-4 0.80T 37*49 2/2 TG≥150°C	ShengYi S1000H	150	0.8	49.00*37.00	2oz	N	
886	ShengYi	ShengYi S1000H Yellow FR-4 0.80T 37*49 1/1 TG≥150°C	ShengYi S1000H	150	0.8	49.00*37.00	1oz	N	
887	ShengYi	ShengYi S1000H Yellow FR-4 0.71T 43*49 H/H TG≥150°C	ShengYi S1000H	150	0.71	49.00*43.00	Hoz	N	
888	ShengYi	ShengYi S1000H Yellow FR-4 0.71T 43*49 2/2 TG≥150°C	ShengYi S1000H	150	0.71	49.00*43.00	2oz	N	
889	ShengYi	ShengYi S1000H Yellow FR-4 0.71T 43*49 2/2 TG≥150°C	ShengYi S1000H	150	0.71	49.00*43.00	2oz	N	
890	ShengYi	ShengYi S1000H Yellow FR-4 0.71T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.71	49.00*43.00	1oz	N	
891	ShengYi	ShengYi S1000H Yellow FR-4 0.71T 41*49.3 1/1 TG≥150°C	ShengYi S1000H	150	0.71	49.30*41.00	1oz	N	
892	ShengYi	ShengYi S1000H Yellow FR-4 0.71T 41*49 H/H TG≥150°C	ShengYi S1000H	150	0.71	49.00*41.00	Hoz	N	
893	ShengYi	ShengYi S1000H Yellow FR-4 0.71T 41*49 2/2 TG≥150°C	ShengYi S1000H	150	0.71	49.00*41.00	2oz	N	
894	ShengYi	ShengYi S1000H Yellow FR-4 0.71T 37*49 H/H TG≥150°C	ShengYi S1000H	150	0.71	49.00*37.00	Hoz	N	
895	ShengYi	ShengYi S1000H Yellow FR-4 0.71T 37*49 2/2 TG≥150°C	ShengYi S1000H	150	0.71	49.00*37.00	2oz	N	
896	ShengYi	ShengYi S1000H Yellow FR-4 0.71T 37*49 1/1 TG≥150°C	ShengYi S1000H	150	0.71	49.00*37.00	1oz	N	
897	ShengYi	ShengYi S1000H Yellow FR-4 0.70T 37*49 H/H TG≥150°C	ShengYi S1000H	150	0.7	49.00*37.00	Hoz	N	
898	ShengYi	ShengYi S1000H Yellow FR-4 0.60T 43*49 H/H TG≥150°C	ShengYi S1000H	150	0.6	49.00*43.00	Hoz	N	
899	ShengYi	ShengYi S1000H Yellow FR-4 0.60T 43*49 2/2 TG≥150°C	ShengYi S1000H	150	0.6	49.00*43.00	2oz	N	
900	ShengYi	ShengYi S1000H Yellow FR-4 0.60T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.6	49.00*43.00	1oz	N	
901	ShengYi	ShengYi S1000H Yellow FR-4 0.60T 41*49 H/H TG≥150°C	ShengYi S1000H	150	0.6	49.00*41.00	Hoz	N	
902	ShengYi	ShengYi S1000H Yellow FR-4 0.60T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	0.6	49.00*41.00	1oz	N	
903	ShengYi	ShengYi S1000H Yellow FR-4 0.55T 41*49 1/H TG≥150°C 7628*3	ShengYi S1000H	150	0.55	43.00*41.00	1oz	N	
904	ShengYi	ShengYi S1000H Yellow FR-4 0.50T 43*49.3 1/1 TG≥150°C	ShengYi S1000H	150	0.5	49.30*43.00	1oz	N	
905	ShengYi	ShengYi S1000H Yellow FR-4 0.50T 43*49 1/1 TG≥150°C 1*2116+2*7628	ShengYi S1000H	150	0.5	49.00*43.00	1oz	N	
906	ShengYi	ShengYi S1000H Yellow FR-4 0.50T 41*49.3 1/1 TG≥150°C 1*2116+2*7628	ShengYi S1000H	150	0.5	49.30*41.00	1oz	N	
907	ShengYi	ShengYi S1000H Yellow FR-4 0.50T 41*49 3/3 TG≥150°C	ShengYi S1000H	150	0.5	49.00*41.00	3oz	N	
908	ShengYi	ShengYi S1000H Yellow FR-4 0.50T 41*49 1/1 TG≥150°C 1*2116+2*7628	ShengYi S1000H	150	0.5	49.00*41.00	1oz	N	
909	ShengYi	ShengYi S1000H Yellow FR-4 0.50T 37*49 H/H TG≥150°C	ShengYi S1000H	150	0.5	49.00*37.00	Hoz	N	
910	ShengYi	ShengYi S1000H Yellow FR-4 0.50T 37*49 1/1 TG≥150°C 1*2116+2*7628	ShengYi S1000H	150	0.5	49.00*37.00	1oz	N	
911	ShengYi	ShengYi S1000H Yellow FR-4 0.50T 2/2 41*49 TG≥150°C	ShengYi S1000H	150	0.5	49.00*41.00	2oz	N	
912	ShengYi	ShengYi S1000H Yellow FR-4 0.46T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.46	49.00*43.00	1oz	N	
913	ShengYi	ShengYi S1000H Yellow FR-4 0.46T 41*49 H/H TG≥150°C	ShengYi S1000H	150	0.46	49.00*41.00	Hoz	N	
914	ShengYi	ShengYi S1000H Yellow FR-4 0.46T 41*49 3/3 TG≥150°C 7628*2+1080*1	ShengYi S1000H	150	0.46	49.00*41.00	3oz	N	
915	ShengYi	ShengYi S1000H Yellow FR-4 0.46T 41*49 2/2 TG≥150°C 7628*2+1080*1	ShengYi S1000H	150	0.46	49.00*41.00	2oz	N	
916	ShengYi	ShengYi S1000H Yellow FR-4 0.46T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	0.46	49.00*41.00	1oz	N	
917	ShengYi	ShengYi S1000H Yellow FR-4 0.40T 43*49 H/H TG≥150°C	ShengYi S1000H	150	0.4	49.00*43.00	Hoz	N	
918	ShengYi	ShengYi S1000H Yellow FR-4 0.40T 43*49 2/2 TG≥150°C	ShengYi S1000H	150	0.4	49.00*43.00	2oz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
919	ShengYi	ShengYi S1000H Yellow FR-4 0.40T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.4	49.00*43.00	1oz	N	
920	ShengYi	ShengYi S1000H Yellow FR-4 0.40T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	0.4	49.00*41.00	1oz	N	
921	ShengYi	ShengYi S1000H Yellow FR-4 0.40T 37*49 H/H TG≥150°C	ShengYi S1000H	150	0.4	49.00*37.00	Hoz	N	
922	ShengYi	ShengYi S1000H Yellow FR-4 0.40T 37*49 2/2 TG≥150°C	ShengYi S1000H	150	0.4	49.00*37.00	2oz	N	
923	ShengYi	ShengYi S1000H Yellow FR-4 0.40T 37*49 1/1 TG≥150°C	ShengYi S1000H	150	0.4	49.00*37.00	1oz	N	
924	ShengYi	ShengYi S1000H Yellow FR-4 0.35T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.35	49.00*43.00	1oz	N	
925	ShengYi	ShengYi S1000H Yellow FR-4 0.35T 37*49 H/H TG≥150°C 7628*2	ShengYi S1000H	150	0.35	49.00*37.00	Hoz	N	
926	ShengYi	ShengYi S1000H Yellow FR-4 0.35T 37*49 1/1 TG≥150°C	ShengYi S1000H	150	0.35	49.00*37.00	1oz	N	
927	ShengYi	ShengYi S1000H Yellow FR-4 0.33T 41*49 2/2 TG≥150°C	ShengYi S1000H	150	0.33	49.00*41.00	2oz	N	
928	ShengYi	ShengYi S1000H Yellow FR-4 0.30T 82*49 1/1 TG≥150°C 1506*2	ShengYi S1000H	150	0.3	49.00*82.00	1oz	N	
929	ShengYi	ShengYi S1000H Yellow FR-4 0.30T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.3	49.00*43.00	1oz	N	
930	ShengYi	ShengYi S1000H Yellow FR-4 0.30T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	0.3	49.00*41.00	1oz	N	
931	ShengYi	ShengYi S1000H Yellow FR-4 0.30T 37*49.3 1/1 TG≥150°C	ShengYi S1000H	150	0.3	49.30*37.00	1oz	N	
932	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.25T 37*49 1/1 TG=150	ITEQ IT158	150	0.25	49.00*37.00	1oz	N	
933	EMC	EMC EM-370(5) Yellow FR-4 halogen-free 0.20T 43*49 1/1 TG150°C	EMC EM-370(5)	150	0.2	49.00*43.00	1oz	N	
934	Panasonic	Panasonic M6G R-5775G Yellow FR-4 0.20T 41*49 H/H TG≥210°C 3313*2 RTF	Panasonic M6G R-5775G	210	0.2	49.00*41.00	Hoz	N	
935	Rogers	Rogers RO4350B Hydrocarbon compound 0.254mm H/H OZ 18*24 TG≥280°C (Using RTF copper foil requires +0.0177)	Rogers RO4350B	280	0.254	24.00*18.00	Hoz	N	
936	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.20T 41*49 H/H TG≥170	TaiWan NAN YA NPG-170N	170	0.2	49.00*41.00	Hoz	N	
937	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.20T 41*49 H/H TG=150	ITEQ IT150G	150	0.2	49.00*41.00	Hoz	N	
938	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.20T 41*49 1/1 TG150	HUA ZHENG H150LF	150	0.2	49.00*41.00	1oz	N	
939	TUC	TUC High speed TU-863+ Yellow RTF 2116*2 FR-4 halogen-free 0.25T 37*49 H/H TG180°C	TUC TU-863+	180	0.25	49.00*37.00	Hoz	N	
940	ShengYi	ShengYi S1000-2 Yellow FR-4 0.20T 41*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.2	49.00*41.00	1oz	Y	
941	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.20T 41*49 1/1 TG=150	ITEQ IT158	150	0.2	49.00*41.00	1oz	N	
942	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.20T 41*49 H/HTG=150	TaiWan NAN YA NP-155F	150	0.2	49.00*41.00	Hoz	N	
943	ShengYi	ShengYi S1000H Yellow FR-4 0.15T 43*49.3 1/1 TG≥150°C	ShengYi S1000H	150	0.15	49.30*43.00	1oz	N	
944	ShengYi	ShengYi S1000H Yellow FR-4 0.15T 43*49 2/2 TG≥150°C	ShengYi S1000H	150	0.15	49.00*43.00	2oz	N	
945	ShengYi	ShengYi S1000H Yellow FR-4 0.15T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.15	49.00*43.00	1oz	N	
946	ShengYi	ShengYi S1000H Yellow FR-4 0.15T 41*49 H/H TG≥150°C	ShengYi S1000H	150	0.15	49.00*41.00	Hoz	N	
947	ShengYi	ShengYi S1000H Yellow FR-4 0.15T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	0.15	49.00*41.00	1oz	N	
948	ShengYi	ShengYi S1000H Yellow FR-4 0.15T 37*49 1/1 TG≥150°C	ShengYi S1000H	150	0.15	49.00*37.00	1oz	N	
949	ShengYi	ShengYi S1000H Yellow FR-4 0.15T 37*49 1/1 TG≥150°C	ShengYi S1000H	150	0.15	49.00*37.00	1oz	N	
950	ShengYi	ShengYi S1000H Yellow FR-4 0.13T 43*49 H/H TG≥150°C	ShengYi S1000H	150	0.13	49.00*43.00	Hoz	N	
951	ShengYi	ShengYi S1000H Yellow FR-4 0.13T 43*49 1/H TG≥150°C	ShengYi S1000H	150	0.13	49.00*43.00	1oz	N	
952	ShengYi	ShengYi S1000H Yellow FR-4 0.13T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.13	49.00*43.00	1oz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
953	ShengYi	ShengYi S1000H Yellow FR-4 0.13T 41*49.3 1/1 TG≥150°C	ShengYi S1000H	150	0.13	49.30*41.00	1oz	N	
954	ShengYi	ShengYi S1000H Yellow FR-4 0.13T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	0.13	49.00*41.00	1oz	N	
955	ShengYi	ShengYi S1000H Yellow FR-4 0.12T 41*49 H/H TG≥150°C	ShengYi S1000H	150	0.12	49.00*41.00	Hoz	N	
956	ShengYi	ShengYi S1000H Yellow FR-4 0.10T 43*49.3 1/1 TG≥150°C	ShengYi S1000H	150	0.1	49.30*43.00	1oz	N	
957	ShengYi	ShengYi S1000H Yellow FR-4 0.10T 43*49 H/H TG≥150°C	ShengYi S1000H	150	0.1	49.00*43.00	Hoz	N	
958	ShengYi	ShengYi S1000H Yellow FR-4 0.10T 43*49 2/2 TG≥150°C	ShengYi S1000H	150	0.1	49.00*43.00	2oz	N	
959	ShengYi	ShengYi S1000H Yellow FR-4 0.10T 41*49.3 1/1 TG≥150°C	ShengYi S1000H	150	0.1	49.30*41.00	1oz	N	
960	ShengYi	ShengYi S1000H Yellow FR-4 0.10T 41*49 H/H TG≥150°C	ShengYi S1000H	150	0.1	49.00*41.00	Hoz	N	
961	ShengYi	ShengYi S1000H Yellow FR-4 0.10T 41*49 2/2 TG≥150°C	ShengYi S1000H	150	0.1	49.00*41.00	2oz	N	
962	ShengYi	ShengYi S1000H Yellow FR-4 0.10T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	0.1	49.00*41.00	1oz	N	
963	ShengYi	ShengYi S1000H Yellow FR-4 0.10T 37*49 2/2 TG≥150°C	ShengYi S1000H	150	0.1	49.00*37.00	2oz	N	
964	ShengYi	ShengYi S1000H Yellow FR-4 0.09T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.09	49.00*43.00	1oz	N	
965	ShengYi	ShengYi S1000H Yellow FR-4 0.09T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	0.09	49.00*41.00	1oz	N	
966	ShengYi	ShengYi S1000H Yellow FR-4 0.076T 43*49 H/H TG≥150°C	ShengYi S1000H	150	0.076	49.00*43.00	Hoz	N	
967	ShengYi	ShengYi S1000H Yellow FR-4 0.076T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.076	49.00*43.00	1oz	N	
968	ShengYi	ShengYi S1000H Yellow FR-4 0.076T 41*49.3 H/H TG≥150°C	ShengYi S1000H	150	0.076	49.30*41.00	Hoz	N	
969	ShengYi	ShengYi S1000H Yellow FR-4 0.076T 41*49 H/H TG≥150°C	ShengYi S1000H	150	0.076	49.00*41.00	Hoz	N	
970	ShengYi	ShengYi S1000H Yellow FR-4 0.076T 41*49 1/1 TG≥150°C	ShengYi S1000H	150	0.076	49.00*41.00	1oz	N	
971	ShengYi	ShengYi S1000H Yellow FR-4 0.076T 37*49 1/1 TG≥150°C	ShengYi S1000H	150	0.076	49.00*37.00	1oz	N	
972	ShengYi	ShengYi S1000H Yellow FR-4 0.076T 37*49 H/H TG≥150°C	ShengYi S1000H	150	0.076	49.00*37.00	Hoz	N	
973	ShengYi	ShengYi S1000H Yellow FR-4 0.6T 37*49.3 H/H TG≥150°C	ShengYi S1000H	150	0.6	49.30*37.00	Hoz	N	
974	ShengYi	ShengYi S1000H Yellow FR-4 0.6T 37*49 H/H TG≥150°C	ShengYi S1000H	150	0.6	49.00*37.00	Hoz	N	
975	ShengYi	ShengYi S1000H Yellow FR-4 0.6T 37*49 1/1 TG≥150°C	ShengYi S1000H	150	0.6	49.00*37.00	1oz	N	
976	ShengYi	ShengYi S1000H Yellow FR-4 0.60T 41*49.3 H/H TG≥150°C	ShengYi S1000H	150	0.6	49.30*41.00	Hoz	N	
977	ShengYi	ShengYi S1000H Yellow FR-4 0.13T 37*49 H/H TG≥150°C 2116	ShengYi S1000H	150	0.13	49.00*37.00	Hoz	N	
978	ShengYi	ShengYi S1000H Yellow FR-4 0.13T 37*49 1/1 TG≥150°C	ShengYi S1000H	150	0.13	49.00*37.00	1oz	N	
979	ShengYi	ShengYi S1000-2M Yellow FR-4 1.00T 37*49 1/1 TG≥170°C 7628*5	ShengYi S1000-2M	170	1	49.00*37.00	1oz	Y	
980	ShengYi	ShengYi S1000-2M Yellow FR-4 1.70T 43*49 H/H TG≥170°C 7628*9	ShengYi S1000-2M	170	1.7	49.00*43.00	Hoz	Y	
981	ShengYi	ShengYi S1000-2M Yellow FR-4 1.70T 43*49 H/H TG≥170°C 2116*16	ShengYi S1000-2M	170	1.7	49.00*43.00	Hoz	Y	
982	ShengYi	ShengYi S1000-2M Yellow FR-4 1.30T 43*49 1/1 TG≥170°C 2116*12	ShengYi S1000-2M	170	1.3	49.00*43.00	1oz	Y	
983	ShengYi	ShengYi S1000-2M Yellow FR-4 1.30T 37*49 1/1 TG≥170°C 2116*12	ShengYi S1000-2M	170	1.3	49.00*37.00	1oz	Y	
984	ShengYi	ShengYi S1000-2M Yellow FR-4 1.30T 37*49 1/1 TG≥170°C	ShengYi S1000-2M	170	1.3	49.00*37.00	1oz	Y	
985	ShengYi	ShengYi S1000-2M Yellow FR-4 2.2T 43*49 3/3 TG≥170°C 7628*11	ShengYi S1000-2M	170	2.2	49.00*43.00	3oz	Y	
986	ShengYi	ShengYi S1000-2M Yellow FR-4 2.2T 41*49 3/3 TG≥170°C 7628*11	ShengYi S1000-2M	170	2.2	49.00*41.00	3oz	Y	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
987	ShengYi	ShengYi S1000-2M Yellow FR-4 1.65T 43*49 3/3 TG≥170°C 7628*8	ShengYi S1000-2M	170	1.65	49.00*43.00	3oz	Y	
988	ShengYi	ShengYi S1000-2M Yellow FR-4 1.40T 41*49 1/1 TG≥170°C 7628*7	ShengYi S1000-2M	170	1.4	49.00*41.00	1oz	Y	
989	ShengYi	ShengYi S1000-2M Yellow FR-4 1.20T 37*49 H/H TG≥170°C	ShengYi S1000-2M	170	1.2	49.00*37.00	Hoz	Y	
990	ShengYi	ShengYi S1000-2M Yellow FR-4 1.20T 37*49 1/1 TG≥170°C	ShengYi S1000-2M	170	1.2	49.00*37.00	1oz	Y	
991	ShengYi	ShengYi S1000-2M Yellow FR-4 0.90T 43*49 H/H TG≥170°C 7628*4+2116*1	ShengYi S1000-2M	170	0.9	49.00*43.00	Hoz	Y	
992	ShengYi	ShengYi S1000-2M Yellow FR-4 0.90T 43*49 1/1 TG≥170°C 7628*4+1080*1	ShengYi S1000-2M	170	0.9	49.00*43.00	1oz	Y	
993	ShengYi	ShengYi S1000-2M Yellow FR-4 0.90T 37*49 H/H TG≥170°C	ShengYi S1000-2M	170	0.9	49.00*37.00	Hoz	Y	
994	ShengYi	ShengYi S1000-2M Yellow FR-4 (2116结构) 1.10T 37*49 H/H TG≥170°C	ShengYi S1000-2M	170	1.1	49.00*37.00	Hoz	Y	
995	ShengYi	ShengYi S1000-2M Yellow FR-4 2116结构 1.30T 43*49 H/H TG≥170°C	ShengYi S1000-2M	170	1.3	49.00*43.00	Hoz	Y	
996	ShengYi	ShengYi S1000-2M Yellow FR-4 2116结构 1.30T 37*49 H/H TG≥170°C	ShengYi S1000-2M	170	1.3	49.00*37.00	Hoz	Y	
997	ShengYi	ShengYi S1000-2M Yellow FR-4 0.60T 43*49 2/2 TG≥170°C 7628*3	ShengYi S1000-2M	170	0.6	49.00*43.00	2oz	N	
998	ShengYi	ShengYi S1000-2M Yellow FR-4 0.60T 37*49 2/2 TG≥170°C 7628*3	ShengYi S1000-2M	170	0.6	49.00*37.00	2oz	N	
999	ShengYi	ShengYi S1000-2M Yellow FR-4 0.56T 43*49 1/H TG≥170°C 7628*3	ShengYi S1000-2M	170	0.56	49.00*43.00	1oz	N	
1000	ShengYi	ShengYi S1000-2M Yellow FR-4 0.55T 37*49 H/H TG≥170°C 7628*3 RTF	ShengYi S1000-2M	170	0.55	49.00*37.00	Hoz	N	
1001	ShengYi	ShengYi S1000-2M Yellow FR-4 0.55T 37*49 H/H TG≥170°C 7628*3	ShengYi S1000-2M	170	0.55	49.00*37.00	Hoz	N	
1002	ShengYi	ShengYi S1000-2M Yellow FR-4 0.50T 37*49 1/1 TG≥170°C	ShengYi S1000-2M	170	0.5	49.00*37.00	1oz	N	
1003	ShengYi	ShengYi S1000-2M Yellow FR-4 0.46T 43*49 H/H TG≥170°C 1080*1+7628*2	ShengYi S1000-2M	170	0.46	49.00*43.00	Hoz	N	
1004	ShengYi	ShengYi S1000-2M Yellow FR-4 0.40T 43*49 1/1 TG≥170°C	ShengYi S1000-2M	170	0.4	49.00*43.00	1oz	N	
1005	ShengYi	ShengYi S1000-2M Yellow FR-4 0.40T 37*49 1/1 TG≥170°C	ShengYi S1000-2M	170	0.4	49.00*37.00	1oz	N	
1006	ShengYi	ShengYi S1000-2M Yellow FR-4 0.3T 37*49 1/1 TG≥170°C	ShengYi S1000-2M	170	0.3	49.00*37.00	1oz	N	
1007	ShengYi	ShengYi S1000-2M Yellow FR-4 0.33T 43*49 1/1 TG≥170°C 1506*2	ShengYi S1000-2	170	0.33	49.00*43.00	1oz	N	
1008	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.20T 41*49 1/1TG=150	TaiWan NAN YA NP-155F	150	0.2	49.00*41.00	1oz	N	
1009	EMC	EMC EM-825 Yellow FR-4 0.20T 37*49 H/H TG150°C	EMC EM-825	150	0.2	49.00*37.00	Hoz	N	
1010	ShengYi	ShengYi S7136H Yellow High frequency FR-4 0.254T 41*49 1/1 TG≥280°C	ShengYi S7136H	280	0.254	49.00*41.00	1oz	N	
1011	ShengYi	ShengYi S1000-2M Yellow FR-4 0.15T 41*49 4/4 TG≥170°C	ShengYi S1000-2M	170	0.15	49.00*41.00	4oz	N	
1012	ShengYi	ShengYi S1000-2M Yellow FR-4 0.15T 41*49 2/2 TG≥170°C	ShengYi S1000-2M	170	0.15	49.00*41.00	2oz	N	
1013	ShengYi	ShengYi S1000-2M Yellow FR-4 0.15T 37*49 4/4 TG≥170°C	ShengYi S1000-2M	170	0.15	49.00*37.00	4oz	N	
1014	ShengYi	ShengYi S1000-2M Yellow FR-4 0.13T 37*49 1/H TG≥170°C 2116*1	ShengYi S1000-2M	170	0.13	49.00*37.00	1oz	N	
1015	ShengYi	ShengYi S1000-2M Yellow FR-4 0.10T 41*49 2/1 TG≥170°C	ShengYi S1000-2M	170	0.1	49.00*41.00	2oz	N	
1016	ShengYi	ShengYi S1000-2M Yellow FR-4 0.10T 37*49 1/1 TG≥170°C	ShengYi S1000-2M	170	0.1	49.00*37.00	1oz	N	
1017	ShengYi	ShengYi S1000-2M Yellow FR-4 0.076T 43*49 1/1 TG≥170°C	ShengYi S1000-2M	170	0.076	49.00*43.00	1oz	N	
1018	ShengYi	ShengYi S1000-2M Yellow FR-4 0.076T 37*49 1/1 TG≥170°C	ShengYi S1000-2M	170	0.076	49.00*37.00	1oz	N	
1019	ShengYi	ShengYi S1000-2M Yellow 2116 FR-4 0.60T 37*49 H/H TG≥170°C	ShengYi S1000-2M	170	0.6	49.00*37.00	Hoz	N	
1020	ShengYi	ShengYi S1000-2M Yellow FR-4 0.70T 41*49 H/H TG≥170°C	ShengYi S1000-2M	170	0.7	49.00*41.00	Hoz	Y	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
1021	ShengYi	ShengYi S1000-2M Yellow FR-4 0.13T 37*49 1/1 TG≥170°C	ShengYi S1000-2M	170	0.13	49.00*37.00	1oz	N	
1022	ShengYi	ShengYi S1000-2 Yellow FR-4 2.00T 43*49 1/1TG≥170°C	ShengYi S1000-2	170	2	49.00*43.00	1oz	Y	
1023	ShengYi	ShengYi S1000-2 Yellow FR-4 2.00T 41*49 1/1TG≥170°C	ShengYi S1000-2	170	2	49.00*41.00	1oz	Y	
1024	ShengYi	ShengYi S1000-2 Yellow FR-4 1.90T 37*49 1/1 TG≥170°C	ShengYi S1000-2	170	1.9	49.00*37.00	1oz	Y	
1025	ShengYi	ShengYi S1000-2 Yellow FR-4 1.80T 43*49.3 1/1 TG≥170°C	ShengYi S1000-2	170	1.8	43.00*49.30	1oz	Y	
1026	ShengYi	ShengYi S1000-2 Yellow FR-4 1.50T 43*49 1/1 TG≥170°C	ShengYi S1000-2	170	1.5	49.00*43.00	1oz	Y	
1027	ShengYi	ShengYi S1000-2 Yellow FR-4 1.20T 43*49 1/1 TG≥170°C	ShengYi S1000-2	170	1.2	49.00*43.00	1oz	Y	
1028	ShengYi	ShengYi S1000-2 Yellow FR-4 1.20T 41*49 H/H TG≥170°C	ShengYi S1000-2	170	1.2	49.00*41.00	Hoz	Y	
1029	ShengYi	ShengYi S1000-2 Yellow FR-4 1.20T 41*49 1/1 TG≥170°C	ShengYi S1000-2	170	1.2	49.00*41.00	1oz	Y	
1030	ShengYi	ShengYi S1000-2 Yellow FR-4 1.20T 37*49 1/1 TG≥170°C	ShengYi S1000-2	170	1.2	49.00*37.00	1oz	Y	
1031	ShengYi	ShengYi S1000-2 Yellow FR-4 1.10T 43*49 H/H TG≥170°C	ShengYi S1000-2	170	1.1	49.00*43.00	Hoz	Y	
1032	ShengYi	ShengYi S1000-2 Yellow FR-4 1.10T 43*49 1/1 TG≥170°C	ShengYi S1000-2	170	1.1	49.00*43.00	1oz	Y	
1033	ShengYi	ShengYi S1000-2 Yellow FR-4 1.10T 41*49 H/H TG≥170°C	ShengYi S1000-2	170	1.1	49.00*41.00	Hoz	Y	
1034	ShengYi	ShengYi S1000-2 Yellow FR-4 1.10T 37*49 1/1 TG≥170°C	ShengYi S1000-2	170	1.1	49.00*37.00	1oz	Y	
1035	ShengYi	ShengYi S1000-2 Yellow FR-4 1.00T 43*49 H/H TG≥170°C	ShengYi S1000-2	170	1	49.00*43.00	Hoz	Y	
1036	ShengYi	ShengYi S1000-2 Yellow FR-4 1.00T 43*49 1/1 TG≥170°C	ShengYi S1000-2	170	1	49.00*43.00	1oz	Y	
1037	ShengYi	ShengYi S1000-2 Yellow FR-4 1.00T 41*49 1/1 TG≥170°C	ShengYi S1000-2	170	1	49.00*41.00	1oz	Y	
1038	ShengYi	ShengYi S1000-2 Yellow FR-4 0.90T 43*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.9	49.00*43.00	1oz	Y	
1039	ShengYi	ShengYi S1000-2 Yellow FR-4 0.80T 43*49 H/H TG≥170°C	ShengYi S1000-2	170	0.8	49.00*43.00	Hoz	Y	
1040	ShengYi	ShengYi S1000-2 Yellow FR-4 0.80T 37*49 H/H TG≥170°C	ShengYi S1000-2	170	0.8	49.00*37.00	Hoz	Y	
1041	ShengYi	ShengYi S1000-2 Yellow FR-4 0.80T 37*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.8	49.00*37.00	1oz	Y	
1042	ShengYi	ShengYi S1000-2 Yellow FR-4 0.70T 41*49 H/H TG≥170°C	ShengYi S1000-2	170	0.7	49.00*41.00	Hoz	Y	
1043	ShengYi	ShengYi S1000-2 Yellow FR-4 0.60T 37*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.6	49.00*37.00	1oz	Y	
1044	ShengYi	ShengYi S1000-2 Yellow FR-4 0.60T 37*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.6	49.00*37.00	1oz	Y	
1045	ShengYi	ShengYi S1000-2 Yellow FR-4 0.50T 43*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.5	49.00*43.00	1oz	Y	
1046	ShengYi	ShengYi S1000-2 Yellow FR-4 0.50T 41*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.5	49.00*41.00	1oz	Y	
1047	ShengYi	ShengYi S1000-2 Yellow FR-4 0.50T 37*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.5	49.00*37.00	1oz	Y	
1048	ShengYi	ShengYi S1000-2 Yellow FR-4 0.40T 41*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.4	49.00*41.00	1oz	Y	
1049	ShengYi	ShengYi S1000-2 Yellow FR-4 0.40T 37*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.4	49.00*37.00	1oz	Y	
1050	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 2116 0.20T 41*49 H/H TG≥150°C	ShengYi S1150G	150	0.2	49.00*41.00	Hoz	N	
1051	TaiWan NAN YA	TaiWan NAN YA NPG-170N Yellow FR-4 halogen-free 0.25T 37*49 1/1 TG≥170	TaiWan NAN YA NPG-170N	170	0.25	49.00*37.00	1oz	N	
1052	ShengYi	ShengYi S1000-2 Yellow FR-4 1.60T 37*49 2/2 TG≥170°C	ShengYi S1000-2	170	1.6	49.00*37.00	2oz	N	
1053	ShengYi	ShengYi S1000-2 Yellow FR-4 1.40T 37*49 1/1 TG≥170°C	ShengYi S1000-2	170	1.4	49.00*37.00	1oz	N	
1054	ShengYi	ShengYi S1000-2 Yellow FR-4 1.20T 43*49.3 1/1 TG≥170°C	ShengYi S1000-2	170	1.2	49.30*43.00	1oz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu
						Updated Date: 2022-11-08		
1055	ShengYi	ShengYi S1000-2 Yellow FR-4 1.20T 41*49 1/1 TG≥170°C	ShengYi S1000-2	170	1.2	49.00*41.00	1oz	N
1056	ShengYi	ShengYi S1000-2 Yellow FR-4 0.80T 43*49 H/H TG≥170°C	ShengYi S1000-2	170	0.8	49.00*43.00	Hoz	N
1057	ShengYi	ShengYi S1000-2 Yellow FR-4 0.71T 41*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.71	49.00*41.00	1oz	N
1058	ShengYi	ShengYi S1000-2 Yellow FR-4 0.71T 37*49 2/2 TG≥170°C	ShengYi S1000-2	170	0.71	49.00*37.00	2oz	N
1059	ShengYi	ShengYi S1000-2 Yellow FR-4 0.71T 37*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.71	49.00*37.00	1oz	N
1060	ShengYi	ShengYi S1000-2 Yellow FR-4 0.60T 43*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.6	49.00*43.00	1oz	N
1061	ShengYi	ShengYi S1000-2 Yellow FR-4 0.60T 41*49 H/H TG≥170°C	ShengYi S1000-2	170	0.6	49.00*41.00	Hoz	N
1062	ShengYi	ShengYi S1000-2 Yellow FR-4 0.50T 43*49.3 1/1 TG≥170°C	ShengYi S1000-2	170	0.5	49.30*43.00	1oz	N
1063	ShengYi	ShengYi S1000-2 Yellow FR-4 0.50T 43*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.5	49.00*43.00	1oz	N
1064	ShengYi	ShengYi S1000-2 Yellow FR-4 0.50T 41*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.5	49.00*41.00	1oz	N
1065	ShengYi	ShengYi S1000-2 Yellow FR-4 0.50T 37*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.5	49.00*37.00	1oz	N
1066	ShengYi	ShengYi S1000-2 Yellow FR-4 0.40T 43*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.4	49.00*43.00	1oz	N
1067	ShengYi	ShengYi S1000-2 Yellow FR-4 0.40T 41*49 2/2 TG≥170°C	ShengYi S1000-2	170	0.4	49.00*41.00	2oz	N
1068	ShengYi	ShengYi S1000-2 Yellow FR-4 0.40T 41*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.4	49.00*41.00	1oz	N
1069	ShengYi	ShengYi S1000-2 Yellow FR-4 0.40T 37*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.4	49.00*37.00	1oz	N
1070	ShengYi	ShengYi S1000-2 Yellow FR-4 0.33T 41*49 1/1 TG≥170°C 1506*2	ShengYi S1000-2	170	0.33	49.00*41.00	1oz	N
1071	ShengYi	ShengYi S1000-2 Yellow FR-4 0.30T 37*49 2/2 TG≥170°C	ShengYi S1000-2	170	0.3	49.00*37.00	2oz	N
1072	ShengYi	ShengYi S1000-2 Yellow FR-4 0.30T 37*49 2/2 TG≥170°C	ShengYi S1000-2	170	0.3	49.00*37.00	2oz	N
1073	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.20T 43*49 1/1 TG≥150°C	ShengYi S1150G	150	0.2	49.00*43.00	1oz	N
1074	ShengYi	ShengYi S1000H Yellow FR-4 0.25T 37*49 H/H TG≥150°C	ShengYi S1000H	150	0.25	49.00*37.00	Hoz	N
1075	ShengYi	ShengYi S1000-2 Yellow FR-4 0.25T 43*49 H/H TG≥170°C	ShengYi S1000-2	170	0.25	49.00*43.00	Hoz	N
1076	TUC	TUC TU-862HF High speed 材料 halogen-free 0.20T 1/1 41*49 TG170	TUC TU-862HF	170	0.2	49.00*41.00	1oz	N
1077	EMC	EMC EM-285 Yellow FR-4 halogen-free 0.20T 41*49 1/1 TG150°C	EMC EM-285	150	0.2	49.00*41.00	1oz	N
1078	Panasonic	Panasonic Megtron7GE R-5785GE Yellow FR-4 High speed 0.20T 37*49 1/1 TG≥205°C 3313*2 RTF	Panasonic Megtron7GE R-5785GE	205	0.2	49.00*37.00	1oz	N
1079	ShengYi	ShengYi S1000-2 Yellow FR-4 0.15T 43*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.15	49.00*43.00	1oz	N
1080	ShengYi	ShengYi S1000-2 Yellow FR-4 0.15T 41*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.15	49.00*41.00	1oz	N
1081	ShengYi	ShengYi S1000-2 Yellow FR-4 0.15T 37*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.15	49.00*37.00	1oz	N
1082	ShengYi	ShengYi S1000-2 Yellow FR-4 0.13T41*49 H/H TG≥170°C	ShengYi S1000-2	170	0.13	49.00*41.00	Hoz	N
1083	ShengYi	ShengYi S1000-2 Yellow FR-4 0.10T 43*49.3 1/1 TG≥170°C	ShengYi S1000-2	170	0.1	49.30*43.00	1oz	N
1084	ShengYi	ShengYi S1000-2 Yellow FR-4 0.10T 41*49 1/H TG≥170°C	ShengYi S1000-2	180	0.1	49.00*41.00	1oz	N
1085	ShengYi	ShengYi S1000-2 Yellow FR-4 0.10T 41*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.1	49.00*41.00	1oz	N
1086	ShengYi	ShengYi S1000-2 Yellow FR-4 0.10T 37*49 H/H TG≥170°C	ShengYi S1000-2	170	0.1	49.00*37.00	Hoz	N
1087	ShengYi	ShengYi S1000-2 Yellow FR-4 0.10T 37*49 1/H TG≥170°C	ShengYi S1000-2	180	0.1	49.00*37.00	1oz	N



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
1088	ShengYi	ShengYi S1000-2 Yellow FR-4 0.10T 37*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.1	49.00*37.00	1oz	N	
1089	ShengYi	ShengYi S1000-2 Yellow FR-4 0.089T43*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.08	49.00*43.00	1oz	N	
1090	ShengYi	ShengYi S1000-2 Yellow FR-4 0.076T 41*49 H/H TG≥180°C	ShengYi S1000-2	180	0.076	49.00*41.00	Hoz	N	
1091	ShengYi	ShengYi S1000-2 Yellow 7628*2 FR-4 0.35T 41*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.35	49.00*41.00	1oz	N	
1092	ShengYi	ShengYi S1000-2 Yellow 7628*2 FR-4 0.35T 37*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.35	49.00*37.00	1oz	N	
1093	ShengYi	ShengYi S1000-2 FR-4 2.90T 43*49 H/H TG≥170	ShengYi S1000-2	170	2.9	49.00*43.00	Hoz	Y	
1094	ShengYi	ShengYi S1000-2 Yellow FR-4 0.71T 41*49 H/H TG≥170°C	ShengYi S1000-2	170	0.71	49.00*41.00	Hoz	N	
1095	ShengYi	ShengYi S1000-2 Yellow FR-4 0.71T 37*49 H/H TG≥170°C	ShengYi S1000-2	170	0.71	49.00*37.00	Hoz	N	
1096	ShengYi	ShengYi S1000-2 Yellow FR-4 0.13T 43*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.13	49.00*43.00	1oz	N	
1097	ShengYi	ShengYi S1000-2 Yellow FR-4 0.11T 43*49 1/1 TG≥170°C 2116*1	ShengYi S1000-2	170	0.11	49.00*43.00	1oz	N	
1098	ShengYi	ShengYi S1000-2 Yellow FR-4 0.11T 37*49 2/2 TG≥170°C	ShengYi S1000-2	170	0.11	49.00*37.00	2oz	N	
1099	ShengYi	ShengYi S1000-2 Yellow FR-4 0.11T 37*49 1/1 TG≥170°C 2116*1	ShengYi S1000-2	170	0.11	49.00*37.00	1oz	N	
1100	ShengYi	ShengYi mmWave77 White PTFE 0.127T 37*49 H/H TG≥200°C	ShengYi mmWave77	200	0.127	49.00*37.00	Hoz	N	
1101	Rogers	Rogers RO4835 Hydrocarbon compound 0.101mm H/1 18*24 TG≥280°C RTF	Rogers RO4835	280	0.101	24.00*18.00	1oz	N	
1102	ShengYi	ShengYi S1000-2M Yellow FR-4 0.20T 37*49 H/1 TG≥170°C 7628*1	ShengYi S1000-2M	170	0.2	49.00*37.00	Hoz	N	
1103	Rogers	Rogers RO4350B Hydrocarbon compound 0.10mm H/H OZ 18*24 TG≥280°C (ED)	Rogers RO4350B	280	0.1	24.00*18.00	Hoz	N	
1104	ITEQ	ITEQ IT180I TC Yellow FR-4 0.20T 41*49 H/H TG≥170°C	ITEQ IT180I	170	0.2	49.00*41.00	Hoz	N	
1105	Rogers	Rogers RO3003 Yellow PTFE halogen-free 0.127mm H/H 18*24 TG≥280°C (ED)	Rogers RO3003	280	0.127	24.00*18.00	Hoz	N	
1106	LianXin	LianXin JL-1400 Yellow FR-4 1.1T 37*49 H/H TG≥140°C	LianXin JL-1400	140	1.1	49.00*37.00	Hoz	Y	
1107	ITEQ	ITEQ IT-988GSE Yellow HVLP Cu FR-4 halogen-free0.102T 37*49 H/H TG180 1035X2	ITEQ IT-988GSE	180	0.102	49.00*37.00	Hoz	N	
1108	ITEQ	ITEQ IT-988GSE Yellow HVLP Cu FR-4 halogen-free0.076T 37*49 H/H TG180 1078X1	ITEQ IT-988GSE	180	0.076	49.00*43.00	Hoz	N	
1109	ITEQ	ITEQ IT-988GSE Yellow HVLP Cu FR-4 halogen-free0.076T 37*49 1/1 TG180 1078X1	ITEQ IT-988GSE	180	0.076	49.00*37.00	1oz	N	
1110	ITEQ	ITEQ IT180ATC Yellow FR-4 1.20T 37*49 H/H TG=180	ITEQ IT180A	180	1.2	49.00*37.00	Hoz	Y	
1111	ITEQ	ITEQ IT180A Yellow FR-4 0.60T 37*49 1/1 TG=180	ITEQ IT180A	180	0.6	49.00*37.00	1oz	Y	
1112	ITEQ	ITEQ IT170GT TC yellow RTF Cu FR-4 halogen-free0.076T 37*49 2/2 TG=185 1086X1	ITEQ IT170GT	185	0.076	49.00*37.00	2oz	N	
1113	ITEQ	ITEQ IT-170GT Yellow FR-4 halogen-free0.5T 41*49 2/2 TG=180	ITEQ IT-170GT	180	0.5	49.00*41.00	2oz	N	
1114	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.25T 37*49 1/1 TG=150	ITEQ IT150G	150	0.25	49.00*37.00	1oz	N	
1115	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free1.10T 41*49 1/1 TG=180 7628*6	ITEQ IT170GRA1	180	1.1	49.00*41.00	1oz	Y	
1116	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free 1.10T 41*49 H/H TG=180	ITEQ IT170GRA1	180	1.1	49.00*41.00	Hoz	Y	
1117	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free 0.457T 41*49 1/1 TG=180	ITEQ IT170GRA1	180	0.457	49.00*41.00	1oz	N	
1118	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free 0.152T 41*49 1/1 TG=180	ITEQ IT170GRA1	180	0.152	49.00*41.00	1oz	N	
1119	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free 0.13T 43*49 1/1 TG=180	ITEQ IT170GRA1	180	0.13	49.00*43.00	1oz	N	
1120	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free 0.13T 41*49 H/H TG=180	ITEQ IT170GRA1	180	0.13	49.00*41.00	Hoz	N	
1121	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free 0.127T 37*49 1/1 TG=180 1080*2	ITEQ IT170GRA1	180	0.127	49.00*37.00	1oz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
1122	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free 0.102T 41*49 1/1 TG=180 RTF 106*2	ITEQ IT170GRA1	180	0.102	49.00*41.00	1oz	N	
1123	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free 0.064T 43*49 H/H TG=180	ITEQ IT170GRA1	180	0.064	49.00*43.00	Hoz	N	
1124	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free 0.064T 43*49 1/H TG=180	ITEQ IT170GRA1	180	0.064	49.00*43.00	1oz	N	
1125	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free 0.064T 41*49 1/H TG=180	ITEQ IT170GRA1	180	0.064	49.00*41.00	1oz	N	
1126	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free 0.064T 41*49 1/2 TG=180 1078*1 RTF	ITEQ IT170GRA1	180	0.064	49.00*41.00	1oz	N	
1127	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free 0.064T 41*49 1/1 TG=180	ITEQ IT170GRA1	180	0.064	49.00*41.00	1oz	N	
1128	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free 0.064T 37*49 H/H TG=180	ITEQ IT170GRA1	180	0.064	49.00*37.00	Hoz	N	
1129	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free 0.064T 37*49 1/1 TG=180	ITEQ IT170GRA1	180	0.064	49.00*37.00	1oz	N	
1130	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free 0.30T 43*49 1/1 TG=180 1506*2 RTF	ITEQ IT170GRA1	150	0.3	49.00*43.00	1oz	N	
1131	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free 0.30T 37*49 1/1 TG=180 1506*2 RTF	ITEQ IT170GRA1	180	0.3	49.00*37.00	1oz	N	
1132	ITEQ	ITEQ IT170GRA1 Yellow FR-4 halogen-free 1.45T 41*49 3/3 TG=180 7628*7 HTE	ITEQ IT170GRA1	180	1.45	49.00*41.00	3oz	Y	
1133	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 1.2T 41*49 1/1 TG=180	ITEQ IT170GRA1	180	1.2	49.00*41.00	1oz	N	
1134	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.71T 41*49 H/H TG=180	ITEQ IT170GRA1	180	0.71	49.00*41.00	Hoz	N	
1135	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.6T 43*49 H/H TG=180	ITEQ IT170GRA1	180	0.6	49.00*43.00	Hoz	N	
1136	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.6T 41*49 H/H TG=180	ITEQ IT170GRA1	180	0.6	49.00*41.00	Hoz	N	
1137	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.6T 37*49 H/H TG=180	ITEQ IT170GRA1	180	0.6	49.00*37.00	Hoz	N	
1138	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 1.3T 41*49 1/1 TG=180	ITEQ IT170GRA1	180	1.3	49.00*41.00	1oz	N	
1139	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.76T 41*49 H/H TG=180	ITEQ IT170GRA1	180	0.76	49.00*41.00	Hoz	N	
1140	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.76T 37*49 H/H TG=180	ITEQ IT170GRA1	180	0.76	49.00*37.00	Hoz	N	
1141	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.762T 37*49 1/1 TG=180 2116*7 RTF	ITEQ IT170GRA1	180	0.76	49.00*37.00	1oz	N	
1142	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.66T 37*49 H/H TG=180 7628*2+2116*2 RTF	ITEQ IT170GRA1	180	0.66	49.00*37.00	2oz	N	
1143	Grace	Grace GA-HF-PF5 Yellow halogen-free FR-4 0.20T 37*49 H/H TG≥150 °C 7628*1	Grace GA-HF-PF5	150	0.2	49.00*37.00	Hoz	N	
1144	TaiWan NAN YA	TaiWan NAN YA NPG-171 Yellow FR-4 halogen-free 0.25T 37*49 H/H TG≥170	TaiWan NAN YA NPG-171	170	0.25	49.00*37.00	Hoz	N	
1145	ShengYi	ShengYi S1000-2M Yellow FR-4 0.25T 2/2 37*49 TG170	ShengYi S1000-2M	170	0.25	49.00*37.00	2oz	N	
1146	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.114T 43*49 1/1 TG=180	ITEQ IT170GRA1	180	0.114	49.00*43.00	1oz	N	
1147	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.114T 37*49 1/1 TG=180	ITEQ IT170GRA1	180	0.114	49.00*37.00	1oz	N	
1148	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.09T 41*49 1/1 TG=180	ITEQ IT170GRA1	180	0.09	49.00*41.00	1oz	N	
1149	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.076T 43*49 1/1 TG=180	ITEQ IT170GRA1	180	0.076	49.00*43.00	1oz	N	
1150	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.076T 43*49 H/H TG=180	ITEQ IT170GRA1	180	0.076	49.00*43.00	Hoz	N	
1151	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.076T 43*49 2/2 TG=180	ITEQ IT170GRA1	180	0.076	49.00*43.00	2oz	N	
1152	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.076T 41*49 1/1 TG=180	ITEQ IT170GRA1	180	0.076	49.00*41.00	1oz	N	
1153	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 1.3T 41*49 1/1 TG=180	ITEQ IT170GRA1	180	1.3	49.00*41.00	1oz	Y	
1154	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 1.3T 37*49 1/1 TG=180	ITEQ IT170GRA1	180	1.3	49.00*37.00	1oz	Y	
1155	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.40T 43*49 H/H TG=180 7628*2 RTF	ITEQ IT170GRA1	180	0.4	49.00*43.00	Hoz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu
						Updated Date: 2022-11-08		
1156	ShengYi	ShengYi S1000-2 Yellow FR-4 0.25T 41*49 H/H TG≥170°C	ShengYi S1000-2	170	0.25	49.00*41.00	Hoz	N
1157	ITEQ	ITEQ IT-150GS High speed Yellow RTF FR-4 halogen-free 0.102T 43*49 H/H TG150°C	ITEQ IT-150GS	150	0.102	49.00*43.00	Hoz	N
1158	ITEQ	ITEQ IT-150GS High speed Yellow FR-4 halogen-free 0.60T 41*49 H/H TG150°C 7628*3 RTF	ITEQ IT-150GS	150	0.6	49.00*41.00	Hoz	N
1159	ITEQ	ITEQ IT-150GS High speed Yellow FR-4 halogen-free 0.127T 41*49 1/1 TG150°C 2116*1 RTF	ITEQ IT-150GS	150	0.127	49.00*41.00	1oz	N
1160	ITEQ	ITEQ IT-150GS High speed Yellow FR-4 halogen-free 0.10T 41*49 1/H TG150°C 2116*1 RTF	ITEQ IT-150GS	150	0.1	49.00*41.00	1oz	N
1161	ITEQ	ITEQ IT-150GS High speed Yellow FR-4 halogen-free 0.1T 41*49 1/1 TG150°C 2116*1 RTF	ITEQ IT-150GS	150	0.1	49.00*41.00	1oz	N
1162	ITEQ	ITEQ IT-968 Yellow FR-4 0.74T 41*49 H/H TG=190 3313*7 HVLP	ITEQ IT-968	190	0.74	49.00*41.00	Hoz	Y
1163	ITEQ	ITEQ IT-968 Yellow FR-4 0.74T 41*49 H/H TG=190 2116*6 RTF	ITEQ IT-968	190	0.74	49.00*41.00	Hoz	Y
1164	ITEQ	ITEQ IT-968 Yellow FR-4 0.152T 41*49 1/1 TG=190 1078*2 RTF	ITEQ IT-968	190	0.152	49.00*41.00	1oz	N
1165	ITEQ	ITEQ IT-968 Yellow 3313*5HVLP High speed FR-4 0.508T 41*49 1/1 TG=190*	ITEQ IT-968	190	0.508	49.00*41.00	1oz	N
1166	ITEQ	ITEQ IT-968 Yellow 3313*1 HVLP High speed FR-4 0.102T 37*49 H/1 TG=190	ITEQ IT-968	190	0.102	49.00*37.00	Hoz	N
1167	ITEQ	ITEQ IT-968 Yellow 3313*1 HVLP High speed FR-4 0.102T 37*49 1/1 TG=190	ITEQ IT-968	190	0.102	49.00*37.00	1oz	N
1168	ITEQ	ITEQ IT180ITC Yellow FR-4 0.13T 41*49 2/2 TG=180	ITEQ IT180I	180	0.13	49.00*41.00	2oz	N
1169	ITEQ	ITEQ IT180ITC Yellow FR-4 0.13T 37*49 2/2 TG=180	ITEQ IT180I	180	0.13	49.00*37.00	2oz	N
1170	ShengYi	ShengYi S1000-2 Yellow FR-4 0.20T 43*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.2	49.00*43.00	1oz	N
1171	ITEQ	ITEQ IT180I TC Yellow FR-4 0.15T 41*49 2/2 TG≥170°C	ITEQ IT180I	170	0.15	49.00*41.00	2oz	N
1172	ITEQ	ITEQ IT180I TC Yellow FR-4 0.10T 41*49 1/1 TG≥170	ITEQ IT180I	170	0.1	49.00*41.00	1oz	N
1173	ITEQ	ITEQ IT180I TC Yellow FR-4 0.10T 37*49 1/1 TG≥170	ITEQ IT180I	170	0.1	49.00*37.00	1oz	N
1174	ITEQ	ITEQ IT180A Yellow FR-4 0.13T 37*49 1/1 TG180	ITEQ IT180A	180	0.13	49.00*37.00	1oz	N
1175	ITEQ	ITEQ IT180ATC Yellow FR-4 1.30T 43*49 1/1 TG=180	ITEQ IT180A	180	1.3	49.00*43.00	1oz	Y
1176	ITEQ	ITEQ IT180ATC Yellow FR-4 1.30T 41*49 1/1TG=180	ITEQ IT180A	180	1.3	49.00*41.00	1oz	Y
1177	ITEQ	ITEQ IT180ATC Yellow FR-4 1.30T 41*49 1/1 TG=180	ITEQ IT180A	180	1.3	49.00*41.00	1oz	Y
1178	ITEQ	ITEQ IT180ATC Yellow FR-4 1.30T 37*49 1/1 TG=180	ITEQ IT180A	180	1.3	49.00*37.00	1oz	Y
1179	ITEQ	ITEQ IT180ATC Yellow FR-4 1.50T 41*49 1/1 TG=180	ITEQ IT180A	180	1.5	49.00*41.00	1oz	Y
1180	ITEQ	ITEQ IT180ATC Yellow FR-4 1.0T 41*49 1/1 TG=180	ITEQ IT180A	180	1	49.00*41.00	1oz	Y
1181	ITEQ	ITEQ IT180ATC Yellow FR-4 1.0T 37*49 1/1 TG=170	ITEQ IT180A	170	1	49.00*37.00	1oz	Y
1182	ITEQ	ITEQ IT180ATC Yellow FR-4 0.90T43*49 H/H TG=180	ITEQ IT180A	180	0.9	49.00*43.00	Hoz	Y
1183	ITEQ	ITEQ IT180ATC Yellow FR-4 0.40T 41*49 H/H TG=170	ITEQ IT180A	170	0.4	49.00*41.00	Hoz	Y
1184	ITEQ	ITEQ IT180ATC Yellow FR-4 0.40T 37*49 1/1 TG=170	ITEQ IT180A	170	0.4	49.00*37.00	1oz	Y
1185	ITEQ	ITEQ IT180ATC Yellow FR-4 0.40T 41*49 4/4 TG=170 7628*2	ITEQ IT180A	170	0.4	49.00*41.00	4oz	N
1186	ITEQ	ITEQ IT180A TC Yellow FR-4 0.70T43*49 1/1 TG=180	ITEQ IT180A	180	0.7	49.00*43.00	1oz	Y
1187	ITEQ	ITEQ IT180A TC Yellow FR-4 0.70T 37*49 1/1 TG=180	ITEQ IT180A	180	0.7	49.00*37.00	1oz	Y
1188	ITEQ	ITEQ IT180A TC Yellow FR-4 1.20T 37*49 H/HTG=180	ITEQ IT180A	180	1.2	49.00*37.00	Hoz	N
1189	ITEQ	ITEQ IT180A TC Yellow FR-4 1.20T 37*49 1/1 TG=180	ITEQ IT180A	180	1.2	49.00*37.00	1oz	N



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
1190	ITEQ	ITEQ IT180A TC Yellow FR-4 1.10T 37*49 H/H TG=180	ITEQ IT180A	180	1.1	49.00*37.00	Hoz	N	
1191	ITEQ	ITEQ IT180A TC Yellow FR-4 1.00T 41*49 1/1 TG=180	ITEQ IT180A	180	1	49.00*41.00	1oz	N	
1192	ITEQ	ITEQ IT180A TC Yellow FR-4 1.00T 37*49 1/1 TG=180	ITEQ IT180A	180	1	49.00*37.00	1oz	N	
1193	ITEQ	ITEQ IT180A TC Yellow FR-4 0.71T 43*49 1/1 TG=180	ITEQ IT180A	180	0.71	49.00*43.00	1oz	N	
1194	ITEQ	ITEQ IT180A TC Yellow FR-4 0.71T 41*49 H/H TG=180	ITEQ IT180A	180	0.71	49.00*41.00	Hoz	N	
1195	ITEQ	ITEQ IT180A TC Yellow FR-4 0.71T 37*49 1/1 TG=180	ITEQ IT180A	180	0.71	49.00*37.00	1oz	N	
1196	ITEQ	ITEQ IT180A TC Yellow FR-4 0.60T37*49 H/H TG=180	ITEQ IT180A	180	0.6	49.00*37.00	Hoz	N	
1197	ITEQ	ITEQ IT180A TC Yellow FR-4 0.60T 41*49 H/H TG=180	ITEQ IT180A	180	0.6	49.00*41.00	Hoz	N	
1198	ITEQ	ITEQ IT180A TC Yellow FR-4 0.51T 37*49 2/2 TG=180	ITEQ IT180A	180	0.51	49.00*37.00	2oz	N	
1199	ITEQ	ITEQ IT180A TC Yellow FR-4 0.50T 43*49 H/H TG=180	ITEQ IT180A	180	0.5	49.00*43.00	Hoz	N	
1200	ITEQ	ITEQ IT180A TC Yellow FR-4 0.50T 41*49 H/H TG=180	ITEQ IT180A	180	0.5	49.00*41.00	Hoz	N	
1201	ITEQ	ITEQ IT180A TC Yellow FR-4 0.356T 37*49 H/H TG=180 7628*2	ITEQ IT180A	180	0.356	49.00*37.00	Hoz	N	
1202	ITEQ	ITEQ IT180A TC Yellow FR-4 0.30T 43*49 H/H TG:180°C	ITEQ IT180A	180	0.3	49.00*43.00	Hoz	N	
1203	ITEQ	ITEQ IT180A TC Yellow FR-4 0.30T 43*49 1/1 TG:180°C	ITEQ IT180	180	0.3	49.00*43.00	1oz	N	
1204	ITEQ	ITEQ IT180A TC Yellow FR-4 0.30T 37*49 H/H TG:180°C	ITEQ IT180A	180	0.3	49.00*37.00	Hoz	N	
1205	ITEQ	ITEQ IT180A TC Yellow FR-4 0.20T43*49 2/2 TG=180	ITEQ IT180A	180	0.2	49.00*43.00	2oz	N	
1206	ITEQ	ITEQ IT-150GTC Yellow FR-4 halogen-free 0.20T 41*49 1/1 TG=150	ITEQ IT150G	150	0.2	49.00*41.00	1oz	Y	
1207	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.20T 37*49 H/H TG=150	ITEQ IT150G	150	0.2	49.00*37.00	Hoz	N	
1208	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.20T 41*49 1/1 TG=150	ITEQ IT150G	150	0.2	49.00*41.00	1oz	N	
1209	EMC	EMC EM-370(D) Yellow RTF FR-4 halogen-free 0.25T 41*49 1/1 TG170°C	EMC EM-370(D)	170	0.25	49.00*41.00	1oz	N	
1210	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.254T 43*49 1/1 TG150°C	EMC EM-370(5)	150	0.254	49.00*43.00	1oz	N	
1211	ITEQ	ITEQ IT180A TC Yellow FR-4 0.15T 43*49 2/2 TG=180 1080*2	ITEQ IT180A	180	0.15	49.00*43.00	2oz	N	
1212	ITEQ	ITEQ IT180A TC Yellow FR-4 0.15T 41*49 H/H TG=180	ITEQ IT180A	180	0.15	49.00*41.00	Hoz	N	
1213	ITEQ	ITEQ IT180A TC Yellow FR-4 0.15T 41*49 1/1 TG=180	ITEQ IT180A	180	0.15	49.00*41.00	1oz	N	
1214	ITEQ	ITEQ IT180A TC Yellow FR-4 0.13T 43*49 1/1 TG=180	ITEQ IT180A	180	0.13	49.00*43.00	1oz	N	
1215	ITEQ	ITEQ IT180A TC Yellow FR-4 0.13T 41*49 2/2 TG=180	ITEQ IT180A	180	0.13	49.00*41.00	2oz	N	
1216	ITEQ	ITEQ IT180A TC Yellow FR-4 0.127T 37*49 H/H TG=180	ITEQ IT180A	180	0.127	49.00*37.00	Hoz	N	
1217	ITEQ	ITEQ IT180A TC Yellow FR-4 0.127T 37*49 1/1 TG=180	ITEQ IT180A	180	0.127	49.00*37.00	1oz	N	
1218	ITEQ	ITEQ IT180A TC Yellow FR-4 0.11T 41*49 H/H TG=180	ITEQ IT180A	180	0.11	49.00*41.00	Hoz	N	
1219	ITEQ	ITEQ IT180A TC Yellow FR-4 0.10T 43*49 H/H TG=180	ITEQ IT180A	180	0.1	49.00*43.00	Hoz	N	
1220	ITEQ	ITEQ IT180A TC Yellow FR-4 0.10T 43*49 1/1 TG=180	ITEQ IT180A	180	0.1	49.00*43.00	1oz	N	
1221	ITEQ	ITEQ IT180A TC Yellow FR-4 0.10T 37*49 H/H TG=180	ITEQ IT180A	180	0.1	49.00*37.00	Hoz	N	
1222	ITEQ	ITEQ IT180A TC Yellow FR-4 0.076T 43*49 H/1 TG=180	ITEQ IT180A	180	0.076	49.00*43.00	Hoz	N	
1223	ITEQ	ITEQ IT180A TC Yellow FR-4 1.20T 43*49 1/1 TG=180 2116*11	ITEQ IT180A	180	1.2	49.00*43.00	1oz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
1224	ITEQ	ITEQ IT180A TC FR-4 0.40T 43*49 1/1 TG=180	ITEQ IT180A	180	0.4	49.00*43.00	1oz	N	
1225	ITEQ	ITEQ IT180A TC FR-4 0.40T 41*49 1/1 TG=180	ITEQ IT180A	180	0.4	49.00*41.00	1oz	N	
1226	ITEQ	ITEQ IT180A TC FR-4 0.40T 37*49 1/1 TG=180	ITEQ IT180A	180	0.4	49.00*37.00	1oz	N	
1227	ITEQ	ITEQ IT180A Yellow FR-4 0.46T 41*49 H/H TG=180 7628*2+1080*1	ITEQ IT180A	180	0.46	49.00*41.00	Hoz	N	
1228	ITEQ	ITEQ IT180A TC Yellow FR-4 0.36T 37*49 1/1 TG=180 7628*2	ITEQ IT180A	180	0.36	49.00*37.00	1oz	N	
1229	ITEQ	ITEQ IT158TC Yellow FR-4 1.10T 43*49 H/H TG≥150	ITEQ IT158	150	1.1	49.00*43.00	Hoz	Y	
1230	ITEQ	ITEQ IT158TC Yellow FR-4 2.0T 43*49 1/1 TG=150 7628*10	ITEQ IT158	150	2	49.00*43.00	1oz	Y	
1231	ITEQ	ITEQ IT158TC Yellow FR-4 1.50T 37*49 H/H TG=150	ITEQ IT158	150	1.5	49.00*37.00	Hoz	Y	
1232	ITEQ	ITEQ IT158TC Yellow FR-4 1.30T 43*49 H/H TG=150	ITEQ IT158	150	1.3	49.00*43.00	Hoz	Y	
1233	ITEQ	ITEQ IT158TC Yellow FR-4 1.30T 43*49 2/2 TG=150	ITEQ IT158	150	1.3	49.00*43.00	2oz	Y	
1234	ITEQ	ITEQ IT158TC Yellow FR-4 1.30T 43*49 1/1 TG=150	ITEQ IT158	150	1.3	49.00*43.00	1oz	Y	
1235	ITEQ	ITEQ IT158TC Yellow FR-4 1.30T 41*49 H/H TG=150	ITEQ IT158	150	1.3	49.00*41.00	Hoz	Y	
1236	ITEQ	ITEQ IT158TC Yellow FR-4 1.30T 41*49 1/1 TG=150	ITEQ IT158	150	1.3	49.00*41.00	1oz	Y	
1237	ITEQ	ITEQ IT158TC Yellow FR-4 1.20T 43*49 H/H TG=150	ITEQ IT158	150	1.2	49.00*43.00	Hoz	Y	
1238	ITEQ	ITEQ IT158TC Yellow FR-4 1.20T 41*49 H/H TG=150	ITEQ IT158	150	1.2	49.00*41.00	Hoz	Y	
1239	ITEQ	ITEQ IT158TC Yellow FR-4 1.10T 37*49 H/H TG=150	ITEQ IT158	150	1.1	49.00*37.00	Hoz	Y	
1240	ITEQ	ITEQ IT158TC Yellow FR-4 1.0T 41*49 H/H TG=150	ITEQ IT158	150	1	49.00*41.00	Hoz	Y	
1241	ITEQ	ITEQ IT158TC Yellow FR-4 1.00T 37*49 1/1 TG=150	ITEQ IT158	150	1	49.00*37.00	1oz	Y	
1242	ITEQ	ITEQ IT158TC Yellow FR-4 0.90T 43*49 H/H TG=150	ITEQ IT158	150	0.9	49.00*43.00	Hoz	Y	
1243	ITEQ	ITEQ IT158TC Yellow FR-4 0.90T 43*49 1/1 TG=150	ITEQ IT158	150	0.9	49.00*43.00	1oz	Y	
1244	ITEQ	ITEQ IT158TC Yellow FR-4 0.90T 41*49 H/H TG=150	ITEQ IT158	150	0.9	49.00*41.00	Hoz	Y	
1245	ITEQ	ITEQ IT158TC Yellow FR-4 0.90 T 37*49 H/H TG=150	ITEQ IT158	150	0.9	49.00*37.00	Hoz	Y	
1246	ITEQ	ITEQ IT158TC Yellow FR-4 0.50T 43*49 H/H TG≥150	ITEQ IT158	150	0.5	49.00*43.00	Hoz	Y	
1247	ITEQ	ITEQ IT-158TC Yellow FR-4 1.61T 37*49 H/H TG=150 7628*9	ITEQ IT158	150	1.61	49.00*37.00	Hoz	Y	
1248	ITEQ	ITEQ IT-158 Yellow TC THE Cu FR-4 0.064T 41*49 H/H TG=150	ITEQ IT158	150	0.064	49.00*41.00	Hoz	N	
1249	ITEQ	ITEQ IT158 TC Yellow FR-4 1.10T 43*49 1/1 TG≥150	ITEQ IT158	150	1.1	49.00*43.00	1oz	Y	
1250	ITEQ	ITEQ IT158 TC Yellow FR-4 1.70T 43*49 H/H TG=150	ITEQ IT158	150	1.7	49.00*43.00	Hoz	Y	
1251	ITEQ	ITEQ IT158 TC Yellow FR-4 1.00T 43*49 1/1 TG=150	ITEQ IT158	150	1	49.00*43.00	1oz	Y	
1252	ITEQ	ITEQ IT158 TC Yellow FR-4 0.90T 41*49 1/1 TG=150	ITEQ IT158	150	0.9	49.00*41.00	1oz	Y	
1253	ITEQ	ITEQ IT158 TC Yellow FR-4 0.064T43*49 H/H TG=150	ITEQ IT158	150	0.064	49.00*43.00	Hoz	N	
1254	ITEQ	ITEQ IT158 TC Yellow FR-4 1.20T 41*49 1/1 TG=150	ITEQ IT158	150	1.2	49.00*41.00	1oz	N	
1255	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.80T 37*49 1/1 TG=150(2116)	ITEQ IT-158 TC	150	0.8	49.00*37.00	1oz	N	
1256	ITEQ	ITEQ IT158 TC Yellow FR-4 0.71T 43*49 H/H TG=150	ITEQ IT158	150	0.71	49.00*43.00	Hoz	N	
1257	ITEQ	ITEQ IT158 TC Yellow FR-4 0.71T 41*49 H/H TG=150	ITEQ IT158	150	0.71	49.00*41.00	Hoz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
1258	ITEQ	ITEQ IT158 TC Yellow FR-4 0.71T 37*49 1/1 TG=150	ITEQ IT158	150	0.71	49.00*37.00	1oz	N	
1259	ITEQ	ITEQ IT158 TC Yellow FR-4 0.60T 43*49 H/H TG=150	ITEQ IT158	150	0.6	49.00*43.00	Hoz	N	
1260	ITEQ	ITEQ IT158 TC Yellow FR-4 0.60T 43*49 1/1 TG=150	ITEQ IT158	150	0.6	49.00*43.00	1oz	N	
1261	ITEQ	ITEQ IT158 TC Yellow FR-4 0.60T 41*49 H/H TG=150	ITEQ IT158	150	0.6	49.00*41.00	Hoz	N	
1262	ITEQ	ITEQ IT158 TC Yellow FR-4 0.60T 41*49 1/1 TG=150	ITEQ IT158	150	0.6	49.00*41.00	1oz	N	
1263	ITEQ	ITEQ IT158 TC Yellow FR-4 0.60T 37*49 1/1 TG=150	ITEQ IT158	150	0.6	49.00*37.00	1oz	N	
1264	ITEQ	ITEQ IT158 TC Yellow FR-4 0.50T 43*49 H/H TG=150	ITEQ IT158	150	0.5	49.00*43.00	Hoz	N	
1265	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.50T 43*49 1/1 TG=150	ITEQ IT158	150	0.5	49.00*43.00	1oz	N	
1266	ITEQ	ITEQ IT158 TC Yellow FR-4 0.50T 41*49 H/H TG=150	ITEQ IT158	150	0.5	49.00*41.00	Hoz	N	
1267	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.50T 41*49 1/1 TG=150	ITEQ IT158	150	0.5	49.00*41.00	1oz	N	
1268	ITEQ	ITEQ IT158 TC Yellow FR-4 0.50T 37*49 H/H TG=150	ITEQ IT158	150	0.5	49.00*37.00	Hoz	N	
1269	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.50T 37*49 1/1 TG=150	ITEQ IT158	150	0.5	49.00*37.00	1oz	N	
1270	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.46T 41*49 1/1 TG=150	ITEQ IT158	150	0.46	49.00*41.00	1oz	N	
1271	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.40T 43*49 H/H TG=150	ITEQ IT-158	150	0.4	49.00*43.00	Hoz	N	
1272	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.40T 43*49 1/1 TG=150	ITEQ IT-158	150	0.4	49.00*43.00	1oz	N	
1273	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.40T 41*49 H/H TG=150	ITEQ IT-158	150	0.4	49.00*41.00	Hoz	N	
1274	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.36T41*49 H/H TG=150	ITEQ IT158	150	0.36	49.00*41.00	Hoz	N	
1275	ITEQ	ITEQ IT158 TC Yellow FR-4 0.30T 43*49 H/H TG=150	ITEQ IT158	150	0.3	49.00*43.00	Hoz	N	
1276	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.30T 43*49 1/1 TG=150	ITEQ IT158	150	0.3	49.00*43.00	1oz	N	
1277	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.30T 41*49 H/H TG=150	ITEQ IT158	150	0.3	49.00*41.00	Hoz	N	
1278	ITEQ	ITEQ IT158 TC Yellow FR-4 0.30T 41*49 1/1 TG=150(CAF)	ITEQ IT158	150	0.3	49.00*41.00	1oz	N	
1279	ITEQ	ITEQ IT158 TC Yellow FR-4 0.30T 37*49 H/H TG=150	ITEQ IT158	150	0.3	49.00*37.00	Hoz	N	
1280	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.20T 37*49 H/H TG≥150°C	ShengYi S1150G	150	0.2	49.00*37.00	Hoz	N	
1281	ITEQ	ITEQ IT180A TC Yellow FR-4 0.20T 43*49 1/1 TG=180	ITEQ IT180A	180	0.2	49.00*43.00	1oz	N	
1282	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.25T 41*49 1/1 TG=150	ITEQ IT150G	150	0.25	49.00*41.00	1oz	N	
1283	Rogers	Rogers RO3003 Yellow PTFE halogen-free 0.254mm 1/1 18*24 TG≥280°C (ED)	Rogers RO3003	280	0.254	24.00*18.00	1oz	N	
1284	ITEQ	ITEQ IT180A TC Yellow FR-4 0.20T 43*49 H/H TG=180(2116*2)	ITEQ IT180A	180	0.2	49.00*43.00	Hoz	N	
1285	ShengYi	ShengYi S1000-2 Yellow FR-4 0.20T 41*49 H/H TG≥170°C	ShengYi S1000-2	170	0.2	49.00*41.00	Hoz	N	
1286	ShengYi	ShengYi S1000-2 Yellow FR-4 0.20T 37*49 1/1 TG≥170°C	ShengYi S1000-2	170	0.2	49.00*37.00	1oz	N	
1287	ITEQ	ITEQ IT180A TC Yellow FR-4 0.25T 43*49 1/1 TG=180	ITEQ IT180A	180	0.25	49.00*43.00	1oz	N	
1288	ITEQ	ITEQ IT158 TC Yellow FR-4 0.15T 43*49 H/H TG=150	ITEQ IT158	150	0.15	49.00*43.00	Hoz	N	
1289	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.15T 41*49 H/H TG=150	ITEQ IT158	150	0.15	49.00*41.00	Hoz	N	
1290	ITEQ	ITEQ IT158 TC Yellow FR-4 0.15T 41*49 1/1 TG=150	ITEQ IT158TC	150	0.15	49.00*41.00	1oz	N	
1291	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.15T 37*49 1/1 TG=150	ITEQ IT158	150	0.15	49.00*37.00	1oz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
1292	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.13T 43*49 H/H TG=150	ITEQ IT158	150	0.13	49.00*43.00	Hoz	N	
1293	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.13T 41*49 H/H TG=150	ITEQ IT158	150	0.13	49.00*41.00	Hoz	N	
1294	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.13T 41*49 2/2 TG=150	ITEQ IT158	150	0.13	49.00*41.00	2oz	N	
1295	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.13T 37*49 H/H TG=150	ITEQ IT158	150	0.13	49.00*37.00	Hoz	N	
1296	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.13T 37*49 2/2 TG=150	ITEQ IT158	150	0.13	49.00*37.00	2oz	N	
1297	ITEQ	ITEQ IT158 TC Yellow FR-4 0.13T 37*49 1/1 TG=150	ITEQ IT158	150	0.13	49.00*37.00	1oz	N	
1298	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.10T 43*49 H/H TG=150	ITEQ IT158	150	0.1	49.00*43.00	Hoz	N	
1299	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.10T 43*49 1/H TG=150	ITEQ IT158	150	0.1	49.00*43.00		N	
1300	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.10T 43*49 1/1 TG=150	ITEQ IT158	150	0.1	49.00*43.00	1oz	N	
1301	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.10T 41*49 H/H TG=150	ITEQ IT158	150	0.1	49.00*41.00	Hoz	N	
1302	ITEQ	ITEQ IT158 TC Yellow FR-4 0.10T 41*49 2/2 TG=150 2116*1	ITEQ IT158	150	0.1	49.00*41.00	2oz	N	
1303	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.10T 37*49 H/H TG=150	ITEQ IT158	150	0.1	49.00*37.00	Hoz	N	
1304	ITEQ	ITEQ IT158 TC Yellow FR-4 0.10T 37*49 1/1 TG=150	ITEQ IT158	150	0.1	49.00*37.00	1oz	N	
1305	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.076T 43*49 H/H TG=150	ITEQ IT158	150	0.076	49.00*43.00	Hoz	N	
1306	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.076T 43*49 1/1 TG=150	ITEQ IT158	150	0.076	49.00*43.00	1oz	N	
1307	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.076T 41*49 H/H TG=150	ITEQ IT158	150	0.076	49.00*41.00	Hoz	N	
1308	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.076T 37*49 H/H TG=150	ITEQ IT158	150	0.076	49.00*37.00	Hoz	N	
1309	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.076T 37*49 1/1 TG=150	ITEQ IT158	150	0.076	49.00*37.00	1oz	N	
1310	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.0635T 41*49 H/H TG=150	ITEQ IT158	150	0.0635	49.00*41.00	Hoz	N	
1311	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.05T41*49 H/H TG=150	ITEQ IT158	150	0.05	49.00*41.00	Hoz	N	
1312	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.05T 37*49 H/H TG=150	ITEQ IT158	150	0.05	49.00*37.00	Hoz	N	
1313	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.0635T 43*49 H/H TG=150	ITEQ IT158	150	0.0635	49.00*43.00	Hoz	N	
1314	ITEQ	ITEQ IT-158 TC Yellow HTE铜 FR-4 0.064T 43*49 H/H TG=150	ITEQ IT158	150	0.064	49.00*43.00	Hoz	N	
1315	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.076T 41*49 1/1 TG=150	ITEQ IT158	150	0.076	49.00*41.00	1oz	N	
1316	ITEQ	ITEQ IT158 TC Yellow FR-4 0.71T 43*49 1/1 TG=150	ITEQ IT158	150	0.71	49.00*43.00	1oz	N	
1317	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.30T 41*49 2/2 TG=150 1506*2	ITEQ IT158	150	0.3	49.00*41.00	2oz	N	
1318	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.25T 43*49 1/1 TG=150	ITEQ IT158	150	0.25	49.00*43.00	1oz	N	
1319	ITEQ	ITEQ IT150GTC Yellow FR-4 halogen-free 1.70T 43*49 H/H TG=150	ITEQ IT150G	150	1.7	49.00*43.00	Hoz	Y	
1320	ITEQ	ITEQ IT150GTC Yellow FR-4 halogen-free 1.50T 43*49 H/H TG=150	ITEQ IT150G	150	1.5	49.00*43.00	Hoz	Y	
1321	ITEQ	ITEQ IT150GTC Yellow FR-4 halogen-free 1.50T 43*49 1/1 TG=150	ITEQ IT150GTC	150	1.5	49.00*43.00	1oz	Y	
1322	ITEQ	ITEQ IT150GTC Yellow FR-4 halogen-free 1.50T 41*49 H/H TG=150	ITEQ IT150G	150	1.5	49.00*41.00	Hoz	Y	
1323	ITEQ	ITEQ IT-150GTC Yellow FR-4 halogen-free 1.20T 43*49 1/1 TG=150	ITEQ IT150G	150	1.2	49.00*43.00	1oz	Y	
1324	ITEQ	ITEQ IT-150GTC Yellow FR-4 halogen-free 1.20T 41*49 1/1 TG=150	ITEQ IT150G	150	1.2	49.00*41.00	1oz	Y	
1325	ITEQ	ITEQ IT150GTC Yellow FR-4 halogen-free 1.10T 41*49 H/H TG=150	ITEQ IT150G	150	1.1	49.00*41.00	Hoz	Y	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
1326	ITEQ	ITEQ IT150GTC Yellow FR-4 halogen-free 1.10T 37*49 H/H TG=150	ITEQ IT150G	150	1.1	49.00*37.00	Hoz	Y	
1327	ITEQ	ITEQ IT-150GTC Yellow FR-4 halogen-free 1.00T 41*49 H/H TG=150	ITEQ IT150G	150	1	49.00*41.00	Hoz	Y	
1328	ITEQ	ITEQ IT-150GTC Yellow FR-4 halogen-free 1.00T 41*49 1/1 TG=150	ITEQ IT150G	150	1	49.00*41.00	1oz	Y	
1329	ITEQ	ITEQ IT-150GTC Yellow FR-4 halogen-free 1.00T 37*49 1/1 TG=150	ITEQ IT150G	150	1	49.00*37.00	1oz	Y	
1330	ITEQ	ITEQ IT150GTC Yellow FR-4 halogen-free 0.90T 43*49 H/H TG=150	ITEQ IT150G	150	0.9	49.00*43.00	Hoz	Y	
1331	ITEQ	ITEQ IT150GTC Yellow FR-4 halogen-free 0.90T 41*49 H/H TG=150	ITEQ IT150G	150	0.9	49.00*41.00	Hoz	Y	
1332	ITEQ	ITEQ IT150GTC Yellow FR-4 halogen-free 0.70T 43*49 H/H TG=150	ITEQ IT150G	150	0.7	49.00*43.00	Hoz	Y	
1333	ITEQ	ITEQ IT150GTC Yellow FR-4 halogen-free 0.50T 43*49 H/H TG=150	ITEQ IT150G	150	0.5	49.00*43.00	Hoz	Y	
1334	ITEQ	ITEQ IT150GTC Yellow FR-4 halogen-free 0.50T 41*49 H/H TG=150	ITEQ IT150G	150	0.5	49.00*41.00	Hoz	Y	
1335	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.20T 43*49 H/H TG≥150°C	ShengYi S1150G	150	0.2	49.00*43.00	Hoz	N	
1336	ITEQ	ITEQ IT150GTC Yellow FR-4 halogen-free 0.60T 43*49 H/H TG=150	ITEQ IT150G	150	0.6	49.00*43.00	Hoz	N	
1337	ITEQ	ITEQ IT150GTC Yellow FR-4 halogen-free 0.60T 41*49 H/H TG=150	ITEQ IT150G	150	0.6	49.00*41.00	Hoz	N	
1338	ITEQ	ITEQ IT150GTC Yellow FR-4 halogen-free 0.65T 41*49 H/H TG=150	ITEQ IT150G	150	0.65	49.00*41.00	Hoz	N	
1339	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 1.1T 43*49 1/1 TG=150 7628*6	ITEQ IT150G	150	1.1	49.00*43.00	1oz	Y	
1340	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.85T 43*49 1/1 TG=150 7628*4	ITEQ IT150G	150	0.85	49.00*43.00	1oz	Y	
1341	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.80T 41*49 1/1 TG=150	ITEQ IT150G	150	0.8	49.00*41.00	1oz	Y	
1342	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.70T 43*49 2/2 TG=150	ITEQ IT150G	150	0.7	49.00*43.00	2oz	Y	
1343	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.40T 43*49 H/H TG=150	ITEQ IT150G	150	0.4	49.00*43.00	Hoz	Y	
1344	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.40T 43*49 2/2 TG=150	ITEQ IT150G	150	0.4	49.00*43.00	2oz	Y	
1345	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 1.2T 41*49 H/H TG=150	ITEQ IT150G	150	1.2	49.00*41.00	Hoz	N	
1346	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 1.2T 37*49 1/1 TG=150 7628*6	ITEQ IT150G	150	1.2	49.00*37.00	1oz	N	
1347	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.71T 43*49 2/2 TG=150	ITEQ IT150G	150	0.71	49.00*43.00	2oz	N	
1348	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.70T 43*49 H/H TG=150	ITEQ IT150G	150	0.7	49.00*43.00	Hoz	N	
1349	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.70T 43*49 1/1 TG=150	ITEQ IT150G	150	0.7	49.00*43.00	1oz	N	
1350	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.70T 37*49 H/H TG=150	ITEQ IT150G	150	0.7	49.00*37.00	Hoz	N	
1351	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.60T 41*49 1/1 TG=150	ITEQ IT150G	150	0.6	49.00*41.00	1oz	N	
1352	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.50T 43*49 H/H TG=150	ITEQ IT150G	150	0.5	49.00*43.00	Hoz	N	
1353	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.50T 43*49 1/1 TG=150	ITEQ IT150G	150	0.5	49.00*43.00	1oz	N	
1354	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.50T 41*49 H/H TG=150	ITEQ IT150G	150	0.5	49.00*41.00	Hoz	N	
1355	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.50T 41*49 3/3 TG=150 7628*2+2116*1	ITEQ IT150G	150	0.5	49.00*41.00	Hoz	N	
1356	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.50T 37*49 H/H TG=150	ITEQ IT150G	150	0.5	49.00*37.00	Hoz	N	
1357	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.40T 43*49 H/H TG=150	ITEQ IT150G	150	0.4	49.00*43.00	Hoz	N	
1358	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.40T 43*49 1/1 TG=150	ITEQ IT150G	150	0.4	49.00*43.00	1oz	N	
1359	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.40T 41*49 H/H TG=150	ITEQ IT150G	150	0.4	49.00*41.00	Hoz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
1360	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.40T 37*49 H/H TG=150	ITEQ IT150G	150	0.4	49.00*37.00	Hoz	N	
1361	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.33T43*49 H/H TG=150	ITEQ IT150G	150	0.33	49.00*43.00	Hoz	N	
1362	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.33T 37*49 H/H TG=150	ITEQ IT150G	150	0.33	49.00*37.00	Hoz	N	
1363	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.30T 43*49 H/H TG=150	ITEQ IT150G	150	0.3	49.00*43.00	Hoz	N	
1364	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.30T 43*49 1/1 TG=150	ITEQ IT150G	150	0.3	49.00*43.00	1oz	N	
1365	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.30T 41*49 2/2 TG=150 1506*2	ITEQ IT150G	150	0.3	49.00*41.00	2oz	N	
1366	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.30T 37*49 H/H TG=150	ITEQ IT150G	150	0.3	49.00*37.00	Hoz	N	
1367	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.30T 37*49 1/1 TG=150	ITEQ IT150G	150	0.3	49.00*37.00	1oz	N	
1368	ShengYi	ShengYi S1000H Yellow FR-4 0.2T 37*49 2/2 TG≥150°C	ShengYi S1000H	150	0.2	49.00*37.00	2oz	N	
1369	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.25T 37*49 H/H TG=150	ITEQ IT158	150	0.25	49.00*37.00	Hoz	N	
1370	TUC	TUC TU-862HF High speed 材料 halogen-free 0.203T 1/H 41*49 TG170 7628*1 RTF	TUC TU-862HF	170	0.203	49.00*41.00	1oz	N	
1371	TaiWan NAN YA	TaiWan NAN YA NP-175F Yellow FR-4 0.25T 37*49 H/H TG=175	TaiWan NAN YA NP-175F	175	0.25	49.00*37.00	Hoz	N	
1372	TaiWan NAN YA	TaiWan NAN YA NP-155F Yellow FR-4 0.20T 43*49 H/HTG=150	TaiWan NAN YA NP-155F	150	0.2	49.00*43.00	Hoz	N	
1373	EMC	EMC EM-825 Yellow FR-4 0.20T 43*49 H/H TG150°C	EMC EM-825	150	0.2	49.00*43.00	Hoz	N	
1374	EMC	EMC EM-370(Z) Yellow FR-4 halogen-free 0.203T 41*49 1/1 TG170°C 7629*1	EMC EM-370(Z)	170	0.203	49.00*41.00	1oz	N	
1375	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.15T 41*49 H/H TG=150	ITEQ IT150G	150	0.15	49.00*41.00	Hoz	N	
1376	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.15T 37*49 H/H TG=150	ITEQ IT150G	150	0.15	49.00*37.00	Hoz	N	
1377	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.13T 43*49 H/H TG=150	ITEQ IT150G	150	0.13	49.00*43.00	Hoz	N	
1378	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.13T 43*49 1/1 TG=150	ITEQ IT150G	150	0.13	49.00*43.00	1oz	N	
1379	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.13T 41*49 H/H TG=150	ITEQ IT150G	150	0.13	49.00*41.00	Hoz	N	
1380	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.13T 41*49 H/1 TG=150 2116*1	ITEQ IT150G	150	0.13	49.00*41.00	Hoz	N	
1381	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.13T 41*49 1/1 TG=150	ITEQ IT150G	150	0.13	49.00*41.00	1oz	N	
1382	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.13T 37*49 H/H TG=150 1080*2 RTF	ITEQ IT150G	150	0.13	49.00*37.00	Hoz	N	
1383	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.13T 37*49 H/H TG=150	ITEQ IT150G	150	0.13	49.00*37.00	Hoz	N	
1384	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.13T 37*49 H/1 TG=150 2116*1	ITEQ IT150G	150	0.13	49.00*37.00	Hoz	N	
1385	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.10T 43*49 H/H TG=150	ITEQ IT150G	150	0.1	49.00*43.00	Hoz	N	
1386	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.10T 43*49 2/2 TG=150	ITEQ IT150G	150	0.1	49.00*43.00	2oz	N	
1387	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.10T 43*49 1/1TG=150	ITEQ IT150G	150	0.1	49.00*43.00	1oz	N	
1388	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.10T 41*49.3 1/1TG=150	ITEQ IT150G	150	0.1	49.30*41.00	1oz	N	
1389	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.10T 41*49 H/H TG=150	ITEQ IT150G	150	0.1	49.00*41.00	Hoz	N	
1390	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.10T 41*49 1/1TG=150	ITEQ IT150G	150	0.1	49.00*41.00	1oz	N	
1391	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.10T 37*49 H/H TG=150 3313*1 RTF	ITEQ IT150G	150	0.1	49.00*37.00	Hoz	N	
1392	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.10T 37*49 H/H TG=150	ITEQ IT150G	150	0.1	49.00*37.00	Hoz	N	
1393	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.10T 37*49 2/2 TG=150	ITEQ IT150G	150	0.1	49.00*37.00	2oz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
1394	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.10T 37*49 1/1TG=150	ITEQ IT150G	150	0.1	49.00*37.00	1oz	N	
1395	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.076T 43*49 H/H TG=150	ITEQ IT150G	150	0.076	49.00*43.00	Hoz	N	
1396	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.076T 43*49 2/2 TG=150	ITEQ IT150G	150	0.076	49.00*43.00	2oz	N	
1397	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.076T 41*49 2/2 TG=150	ITEQ IT150G	150	0.076	49.00*41.00	2oz	N	
1398	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.076T 41*49 1/1 TG=150 1086*1	ITEQ IT150G	150	0.076	49.00*41.00	1oz	N	
1399	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.076T 37*49 1/1 TG=150 1086*1	ITEQ IT150G	150	0.076	49.00*37.00	1oz	N	
1400	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.058T 43*49 H/H TG=150 1067*1 RTF	ITEQ IT150G	150	0.058	49.00*43.00	Hoz	N	
1401	ITEQ	ITEQ IT150G TC Yellow FR-4 halogen-free 0.0635T 43*49 H/H TG=150 1078*1 RTF	ITEQ IT150G	150	0.0635	49.00*43.00	Hoz	N	
1402	JINBAO	JINBAO HRM-4150 Yellow FR-4 1.5T 51.7*49 1/1 TG≥150°C 7628*8	JINBAO HRM-4150	150	1.5	49.00*51.70	1oz	Y	
1403	JINBAO	JINBAO HRM-4150 Yellow FR-4 1.5T 34.3*49 1/1 TG≥150°C 7628*8	JINBAO HRM-4150	150	1.5	49.00*34.30	1oz	Y	
1404	JINBAO	JINBAO HRM-4150 Yellow FR-4 1.50T 43*49.3 H/H TG≥150°C	JINBAO HRM-4150	150	1.5	49.30*43.00	Hoz	Y	
1405	JINBAO	JINBAO HRM-4150 Yellow FR-4 1.50T 41*49.3 H/H TG≥150°C 7628*8	JINBAO HRM-4150	150	1.5	49.30*41.00	Hoz	Y	
1406	JINBAO	JINBAO HRM-4150 Yellow FR-4 1.50T 37*49.3 H/H TG≥150°C 7628*8	JINBAO HRM-4150	150	1.5	49.30*37.00	Hoz	Y	
1407	JINBAO	JINBAO HRM-4150 Yellow FR-4 1.3T 43*49.3 1/1 TG≥150°C 7628*7	JINBAO HRM-4150	150	1.3	49.30*43.00	1oz	Y	
1408	JINBAO	JINBAO HRM-4150 Yellow FR-4 1.3T 41*49.3 1/1 TG≥150°C 7628*7	JINBAO HRM-4150	150	1.3	49.30*41.00	1oz	Y	
1409	JINBAO	JINBAO HRM-4150 Yellow FR-4 1.2T 43*49.3 1/1 TG≥150°C 7628*6	JINBAO HRM-4150	150	1.2	49.30*43.00	1oz	Y	
1410	JINBAO	JINBAO HRM-4150 Yellow FR-4 1.2T 41*49.3 1/1 TG≥150°C 7628*6	JINBAO HRM-4150	150	1.2	49.30*41.00	1oz	Y	
1411	JINBAO	JINBAO HRM-4150 Yellow FR-4 1.2T 37*49.3 1/1 TG≥150°C 7628*6	JINBAO HRM-4150	150	1.2	49.30*37.00	1oz	Y	
1412	JINBAO	JINBAO HRM-4150 Yellow FR-4 0.80T 43*49.3 1/1 TG≥150°C 7628*4	JINBAO HRM-4150	150	0.8	49.30*43.00	1oz	Y	
1413	JINBAO	JINBAO HRM-4150 Yellow FR-4 0.80T 43*49 1/1 TG≥150°C 7628*4	JINBAO HRM-4150	150	0.9	49.00*43.00	1oz	Y	
1414	JINBAO	JINBAO HRM-4150 Yellow FR-4 0.80T 41*49.3 1/1 TG≥150°C 7628*4	JINBAO HRM-4150	150	0.8	49.30*41.00	1oz	Y	
1415	JINBAO	JINBAO HRM-4150 Yellow FR-4 1.2T 43*49.3 1/1 TG≥150°C 7628*6	JINBAO HRM-4150	150	1.2	49.30*43.00	1oz	N	
1416	JINBAO	JINBAO HRM-4150 Yellow FR-4 1.2T 41*49.3 1/1 TG≥150°C 7628*6	JINBAO HRM-4150	150	1.2	49.30*41.00	1oz	N	
1417	JINBAO	JINBAO HRM-4150 Yellow FR-4 1.2T 37*49.3 1/1 TG≥150°C 7628*6	JINBAO HRM-4150	150	1.2	49.30*37.00	1oz	N	
1418	JINBAO	JINBAO HRM-4150 Yellow FR-4 0.10T 43*49.3 1/1 TG≥150°C 2116*1	JINBAO HRM-4150	150	0.1	49.00*43.00	1oz	N	
1419	JINBAO	JINBAO HRM-4150 Yellow FR-4 0.10T 41*49.3 1/1 TG≥150°C 2116*1	JINBAO HRM-4150	150	0.1	49.00*41.00	1oz	N	
1420	JINBAO	JINBAO HRM-4150 Yellow FR-4 0.10T 37*49.3 1/1 TG≥150°C 2116*1	JINBAO HRM-4150	150	0.1	49.00*37.00	1oz	N	
1421	JINBAO	JINBAO HRH-4170 Yellow FR-4 0.5T 43*49 H/H TG≥170°C 7628*2+2116*1	JINBAO HRH-4170	170	0.5	49.00*43.00	Hoz	N	
1422	JINBAO	JINBAO HRH-4170 Yellow FR-4 0.127T 43*49 H/H TG≥170°C 2116*1	JINBAO HRH-4170	170	0.127	49.00*43.00	Hoz	N	
1423	JINBAO	JINBAO HRG-4150 Yellow FR-4 halogen-free 0.70T 43*49 H/H TG≥150°C 7628*4	JINBAO HRG-4150	150	0.7	49.00*43.00	Hoz	N	
1424	JINBAO	JINBAO HRG-4150 Yellow FR-4 halogen-free 0.13T 43*49 H/H TG≥150°C 2116*1	JINBAO HRG-4150	150	0.13	49.00*43.00	Hoz	N	
1425	JINBAO	JINBAO HRG-4150 Yellow FR-4 halogen-free 0.10T 43*49 1/1 TG≥150°C 2116*1	JINBAO HRG-4150	150	0.1	49.00*43.00	1oz	N	
1426	JINBAO	JINBAO HRFR-4UV Yellow FR-4 0.70T 37*49 H/H TG≥130°C	JINBAO HRFR-4UV	150	0.7	49.00*37.00	Hoz	Y	
1427	KB	KB KB6160A Yellow FR-4 1.60T 43*49 1/0 TG=135±5	KB KB6160A	135	1.6	49.00*43.00	1oz	Y	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

										Updated Date: 2022-11-08	
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu			
1428	KB	KB KB6160 Yellow LOW DMF FR-4 0.90T 41*49 Z/Z(JOZ) TG=135±5	KB KB6160	135	0.9	49.00*41.00	Joz	Y			
1429	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.20T 43*49.3 1/1 TG150 7628*6	HUA ZHENG H150LF	150	1.2	49.30*43.00	1oz	Y			
1430	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.50T 51.7*49 1/1 TG150	HUA ZHENG H150LF	150	1.5	49.00*51.70	1oz	Y			
1431	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.50T 34.3*49 1/1 TG150	HUA ZHENG H150LF	150	1.5	49.00*34.30	1oz	Y			
1432	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.20T 43*49 1/1 TG150	HUA ZHENG H150LF	150	1.2	49.00*43.00	1oz	Y			
1433	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.20T 37*49 1/1 TG150	HUA ZHENG H150LF	150	1.2	49.00*37.00	1oz	Y			
1434	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.10T 43*49.3 1/1 TG150	HUA ZHENG H150LF	150	1.1	49.30*43.00	1oz	Y			
1435	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.10T 43*49 H/H TG150	HUA ZHENG H150LF	150	1.1	49.00*43.00	Hoz	Y			
1436	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.20T 34.3*49 1/1 TG150	HUA ZHENG H150LF	150	1.2	49.00*34.30	1oz	N			
1437	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.60T 43*49 1/1 TG150	HUA ZHENG H150LF	150	0.6	49.00*43.00	1oz	N			
1438	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.60T 41*49 H/H TG150	HUA ZHENG H150LF	150	0.6	49.00*41.00	Hoz	N			
1439	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.40T 37*49 H/H TG150	HUA ZHENG H150LF	150	0.4	49.00*37.00	Hoz	N			
1440	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.25T 41*49 1/1 TG150°C	EMC EM-370(5)	150	0.25	49.00*41.00	1oz	N			
1441	EMC	EMC EM-370(5) Yellow FR-4 halogen-free0.20T 41*49 H/H TG150°C	EMC EM-370(5)	150	0.2	49.00*41.00	Hoz	N			
1442	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.50T 43*49.3 H/H TG=150±5	HUA ZHENG H150LF	150	1.5	49.30*43.00	Hoz	Y			
1443	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.50T 43*49 H/H TG=150±5	HUA ZHENG H150LF	150	1.5	49.00*43.00	Hoz	Y			
1444	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.50T 41*49.3 H/H TG=150±5	HUA ZHENG H150LF	150	1.5	49.30*41.00	Hoz	Y			
1445	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.50T 41*49.3 1/1 TG=150±5	HUA ZHENG H150LF	150	1.5	49.30*41.00	1oz	Y			
1446	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.50T 41*49 H/H TG=150±5	HUA ZHENG H150LF	150	1.5	49.00*41.00	Hoz	Y			
1447	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.50T 37*49.3 H/H TG=150±5	HUA ZHENG H150LF	150	1.5	49.30*37.00	Hoz	Y			
1448	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.50T 37*49.3 1/1 TG=150±5	HUA ZHENG H150LF	150	1.5	49.30*37.00	1oz	Y			
1449	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.00T 37*49 2/2 TG=150±5	HUA ZHENG H150LF	150	1	49.00*37.00	2oz	Y			
1450	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.6T 41*49 1/1TG≥150°C	HUA ZHENG H150LF	150	1.6	49.00*41.00	1oz	Y			
1451	HUA ZHENG	HUA ZHENG H150HF Yellow FR-4 halogen-free1.50T 43*49 H/H TG150	HUA ZHENG H150HF	150	1.5	49.00*43.00	Hoz	Y			
1452	HUA ZHENG	HUA ZHENG H150HF Yellow FR-4 halogen-free1.50T 41*49 H/H TG150	HUA ZHENG H150HF	150	1.5	49.00*41.00	Hoz	Y			
1453	HUA ZHENG	HUA ZHENG H150HF Yellow FR-4 halogen-free1.10T 43*49 1/1 TG150	HUA ZHENG H150HF	150	1.1	49.00*43.00	1oz	Y			
1454	HUA ZHENG	HUA ZHENG H150HF Yellow FR-4 halogen-free0.9T 41*49 H/H TG150	HUA ZHENG H150HF	150	0.9	49.00*41.00	Hoz	Y			
1455	HUA ZHENG	HUA ZHENG H150HF Yellow FR-4 halogen-free0.70T 41*49 H/H TG150	HUA ZHENG H150HF	150	0.7	49.00*41.00	Hoz	Y			
1456	HUA ZHENG	HUA ZHENG H150HF Yellow FR-4 halogen-free0.60T 43*49 H/H TG150	HUA ZHENG H150HF	150	0.6	49.00*43.00	Hoz	Y			
1457	HUA ZHENG	HUA ZHENG H150HF Yellow FR-4 halogen-free 0.40T 43*49 1/1 TG150	HUA ZHENG H150HF	150	0.4	49.00*43.00	1oz	N			
1458	HUA ZHENG	HUA ZHENG H150HF Yellow FR-4 halogen-free 0.40T 41*49 1/1 TG150	HUA ZHENG H150HF	150	0.4	49.00*41.00	1oz	N			
1459	HUA ZHENG	HUA ZHENG H150HF Yellow FR-4 halogen-free 0.30T 43*49 1/1 TG150	HUA ZHENG H150HF	150	0.3	49.00*43.00	1oz	N			
1460	HUA ZHENG	HUA ZHENG H150HF Yellow FR-4 halogen-free 1.0T 41*49 1/1 TG150 7628*5	HUA ZHENG H150HF	150	1	49.00*41.00	1oz	Y			
1461	HUA ZHENG	HUA ZHENG H140A Yellow FR-4 1.50T 43*49.3 Z/Z(jj)TG=135±5	HUA ZHENG H140A	135	1.5	49.30*43.00	Joz	Y			



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
1462	HUA ZHENG	HUA ZHENG H140A Yellow FR-4 1.50T 41*49.3 Z/Z(J/J)TG=135±5	HUA ZHENG H140A	135	1.5	49.30*41.00	Joz	Y	
1463	HUA ZHENG	HUA ZHENG H140A Yellow FR-4 1.00T 43*49.3 1/1 TG=130	HUA ZHENG H140A	130	1	49.30*43.00	1oz	N	
1464	HUA ZHENG	HUA ZHENG H1170Z Yellow FR-4 1.60T 37*49 2/2 TG170 7628*9	HUA ZHENG H1170Z	170	1.6	49.00*37.00	2oz	Y	
1465	HUA ZHENG	HUA ZHENG H1170 Yellow FR-4 1.10T 41*49 1/1 TG170 7628*6	HUA ZHENG H1170	170	1.1	49.00*41.00	1oz	Y	
1466	HUA ZHENG	HUA ZHENG H1170 Yellow FR-4 0.40T 43*49 1/1 TG170	HUA ZHENG H1170	170	0.4	49.00*43.00	1oz	N	
1467	HUA ZHENG	HUA ZHENG H1170 Yellow FR-4 0.13T 37*49 H/H TG170 2116*1	HUA ZHENG H1170	170	0.13	49.00*37.00	Hoz	N	
1468	HUA ZHENG	HUA ZHENG 型号H150LF Yellow FR-4 0.3T1/137*49 TG=150±5	HUA ZHENG H150LF	150	0.3	49.00*37.00	1oz	N	
1469	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.20T 43*49.3 1/1 TG=150±5	HUA ZHENG H150LF	150	1.2	49.30*43.00	1oz	N	
1470	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.20T 41*49.3 1/1 TG=150±5	HUA ZHENG H150LF	150	1.2	49.30*41.00	1oz	N	
1471	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.20T 37*49.3 1/1 TG=150±5	HUA ZHENG H150LF	150	1.2	49.30*37.00	1oz	N	
1472	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.20T 43*49 H/H TG=150±5	HUA ZHENG H150LF	150	1.2	49.00*43.00	Hoz	Y	
1473	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.9T1/1 43*49 TG=150±5	HUA ZHENG H150LF	150	0.9	49.00*43.00	1oz	Y	
1474	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.9T1/1 41*49 TG=150±5	HUA ZHENG H150LF	150	0.9	49.00*41.00	1oz	Y	
1475	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.9T H/H 43*49 TG=150±5	HUA ZHENG H150LF	150	0.9	49.00*43.00	Hoz	Y	
1476	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.40T1/1 43*49 TG=150±5	HUA ZHENG H150LF	150	0.4	49.00*43.00	1oz	Y	
1477	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.60T 43*49 1/1 TG=150±5	HUA ZHENG H150LF	150	1.6	49.00*43.00	1oz	Y	
1478	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.60T 41*49 1/1 TG=150±5	HUA ZHENG H150LF	150	1.6	49.00*41.00	1oz	Y	
1479	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.60T 37*49 2/0 TG≥150°C	HUA ZHENG H150LF	150	1.6	49.00*37.00	2oz	Y	
1480	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.20T 86*49 1/1 TG=150 7628*6	HUA ZHENG H150LF	150	1.2	49.00*86.00	1oz	Y	
1481	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.20T 41*49.3 1/1 TG=150±5	HUA ZHENG H150LF	150	1.2	49.30*41.00	1oz	Y	
1482	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.00T 41*49.3 1/1 TG=150 7628*5	HUA ZHENG H150LF	150	1	49.00*41.00	1oz	Y	
1483	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.00T 37*49 1/1 TG=150±5	HUA ZHENG H150LF	150	1	49.00*37.00	1oz	Y	
1484	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.9T 1/1 43*49 TG=150±5	HUA ZHENG H150LF	150	0.9	49.00*43.00	1oz	N	
1485	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.8T H/H 37*49 TG=150±5	HUA ZHENG H150LF	150	0.8	49.00*37.00	Hoz	N	
1486	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.71 T1/1 43*49 TG=150±5	HUA ZHENG H150LF	150	0.71	49.00*43.00	1oz	N	
1487	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.71 T1/1 41*49 TG=150±5	HUA ZHENG H150LF	150	0.71	49.00*41.00	1oz	N	
1488	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.71 T1/1 37*49 TG=150±5	HUA ZHENG H150LF	150	0.71	49.00*37.00	1oz	N	
1489	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.5 T1/1 43*49 TG=150±5	HUA ZHENG H150LF	150	0.5	49.00*43.00	1oz	N	
1490	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.5 T1/1 41*49 TG=150±5	HUA ZHENG H150LF	150	0.5	49.00*41.00	1oz	N	
1491	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.4T1/1 43*49 TG=150±5	HUA ZHENG H150LF	150	0.4	49.00*43.00	1oz	N	
1492	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.4T1/1 41*49 TG=150±5	HUA ZHENG H150LF	150	0.4	49.00*41.00	1oz	N	
1493	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.35T1/1 43*49 TG=150±5	HUA ZHENG H150LF	150	0.35	49.00*43.00	1oz	N	
1494	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.35T1/1 37*49 TG=150±5	HUA ZHENG H150LF	150	0.35	49.00*37.00	1oz	N	
1495	ShengYi	ShengYi S1000-2M Yellow FR-4 0.20H/H 43*49 TG170	ShengYi S1000-2M	170	0.2	49.00*43.00	Hoz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu
						Updated Date: 2022-11-08		
1496	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.15T 1/1 43*49 TG=150±5	HUA ZHENG H150LF	150	0.15	49.00*43.00	1oz	N
1497	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.15T 1/1 41*49 TG=150±5	HUA ZHENG H150LF	150	0.15	49.00*41.00	1oz	N
1498	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.15T 1/1 37*49 TG=150±5	HUA ZHENG H150LF	150	0.15	49.00*37.00	1oz	N
1499	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.13T 1/1 41*49 TG=150±5	HUA ZHENG H150LF	150	0.13	49.00*41.00	1oz	N
1500	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.076T H/H 37*49 TG=150±5	HUA ZHENG H150LF	150	0.076	49.00*37.00	Hoz	N
1501	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.076 T 1/1 43*49 TG=150±5	HUA ZHENG H150LF	150	0.076	49.00*43.00	1oz	N
1502	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 1.60T 41*49.3 1/1 TG=150±5	HUA ZHENG H150LF	150	1.6	49.30*43.00	1oz	N
1503	HUA ZHENG	HUA ZHENG H150LF Yellow FR-4 0.46T 1/1 37*49 TG=150 7628*2+2116*1	HUA ZHENG H150LF	150	0.46	49.00*37.00	1oz	N
1504	HUA ZHENG	HUA ZHENG H140A Yellow FR-4 1.20T 43*49.3 1/1 TG=140±5	HUA ZHENG H140A	140	1.2	49.30*43.00	1oz	Y
1505	HUA ZHENG	HUA ZHENG H140A Yellow FR-4 1.20T 41*49.3 1/1 TG=140±5	HUA ZHENG H140A	140	1.2	49.30*41.00	1oz	Y
1506	HUA ZHENG	HUA ZHENG H140A Yellow FR-4 1.20T 41*49 H/H TG=135±5	HUA ZHENG H140A	135	1.2	49.00*41.00	Hoz	Y
1507	HUA ZHENG	HUA ZHENG H140A Yellow FR-4 1.20T 37*49.3 1/1 TG=140±5	HUA ZHENG H140A	140	1.2	49.30*37.00	1oz	Y
1508	HUA ZHENG	HUA ZHENG H140A Yellow FR-4 1.10T 43*49 1/1 TG=135±5	HUA ZHENG H140A	135	1.1	49.00*43.00	1oz	Y
1509	HUA ZHENG	HUA ZHENG H140A Yellow FR-4 1.20T 41*49.3 1/1 TG=140±5	HUA ZHENG H140A	140	1.2	49.30*41.00	1oz	N
1510	HUA ZHENG	HUA ZHENG H140A Yellow FR-4 0.71 T1/1 43*49.3TG=130±5	HUA ZHENG H140A	130	0.71	49.30*43.00	1oz	N
1511	HUA ZHENG	HUA ZHENG H140A Yellow FR-4 0.1T H/H 41*49 TG=130±5	HUA ZHENG H140A	130	0.1	49.00*41.00	Hoz	N
1512	HUA ZHENG	HUA ZHENG H1170 (BLACK) FR-4 0.076T 43*49 2/2 TG170	HUA ZHENG H1170	170	0.076	49.00*43.00	2oz	N
1513	HUA ZHENG	HUA ZHENG H1150LF Yellow FR-4 0.6T H/H 41*49 TG=150±5	HUA ZHENG H1150LF	150	0.6	49.00*41.00	Hoz	N
1514	He Zheng	He Zheng UPH-001 Yellow FR-4 0.9T 41*49.3 Z/Z TG≥130°C	He Zheng UPH-001	130	0.9	49.30*41.00	Joz	Y
1515	He Zheng	He Zheng UPH-001 Yellow FR-4 0.9T 37*49.3 Z/Z TG≥130°C	He Zheng UPH-001	130	0.9	49.30*37.00	Joz	Y
1516	He Zheng	He Zheng UP-150TL Yellow FR-4 1.6T 41*49.3 1/1TG≥150°C	He Zheng UP-150TL	150	1.6	49.30*41.00	1oz	Y
1517	He Zheng	He Zheng UP-150TL Yellow FR-4 1.6T 43*49 1/1 TG≥150°C	He Zheng UP-150TL	150	1.6	49.00*43.00	1oz	N
1518	Mitsubishi	Mitsubishi CCL BT halogen-free HL832NXA-HS-U 0.06T T/T 415*515MM TG200	Mitsubishi HL832NXA-HS-	200	0.06	515.00*415.00	1/3oz	N
1519	ShengYi	ShengYi S1000-2M Yellow FR-4 0.20H/H 37*49 TG170	ShengYi S1000-2M	170	0.2	49.00*37.00	Hoz	N
1520	Mitsubishi	Mitsubishi CCL BT halogen-free HL832NXA 0.10T T/T 515*415MM TG200	Mitsubishi HL832NXA	200	0.1	515.00*415.00	1/3oz	N
1521	IFISTOR	IFISTOR FSD440TH Yellow Hydrocarbon material halogen-free 0.508T 42*48 1/1 TG280°C 7628*2+1080*1 RTF	IFISTOR FSD440TH	280	0.508	48.00*42.00	1oz	N
1522	IFISTOR	IFISTOR FSD440TH Yellow Hydrocarbon material halogen-free 0.508T 40*48 1/1 TG280°C 7628*2+1080*1 RTF	IFISTOR FSD440TH	280	0.508	48.00*40.00	1oz	N
1523	DOOSAN	DOOSAN DS7402LC Yellow FR-4 halogen-free 0.80T 41*49 H/H TG150°C 2116*8	DOOSAN DS7402LC	150	0.8	49.00*41.00	Hoz	Y
1524	DOOSAN	DOOSAN DS7402 Yellow FR-4 halogen-free 0.15T 41*49 H/H TG 150°C	DOOSAN DS7402	150	0.15	49.00*41.00	Hoz	N
1525	DOOSAN	DOOSAN DS7402 Yellow FR-4 halogen-free 1.2T H/H 37*49 TG≥150°C 7628*6	DOOSAN DS7402	150	1.2	49.00*37.00	Hoz	Y
1526	ISOLA	ISOLA I-Tera MT40 Yellow FR-4 0.13T 37*49 H/H TG≥180°C 1067*2 RTF	ISOLA I-Tera MT40	180	0.13	49.00*37.00	1oz	N
1527	ISOLA	ISOLA I-Tera MT40 Yellow RTF FR-4 halogen-free 0.152T 37*49 H/H TG≥180°C	ISOLA I-Tera MT40	180	0.152	49.00*37.00	Hoz	N
1528	ISOLA	ISOLA FR408HR Yellow FR-4 0.71T 37*49 1/1 TG≥200°C	ISOLA 408HR	200	0.71	49.00*37.00	1oz	N
1529	ISOLA	ISOLA FR408HR Yellow FR-4 0.10T 41*49 H/H TG≥200°C	ISOLA 408HR	200	0.1	49.00*41.00	Hoz	N



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu
						Updated Date: 2022-11-08		
1530	ISOLA	ISOLA FR408HR Yellow FR-4 0.076T 37*49 H/1 TG≥190°C 1080*1	ISOLA 408HR	190	0.076	49.00*37.00	Hoz	N
1531	ISOLA	ISOLA 370HR Yellow FR-4 0.80T 41*49 H/H TG≥180°C	ISOLA 370HR	180	0.8	49.00*41.00	Hoz	Y
1532	ISOLA	ISOLA 370HR Yellow FR-4 0.61T 37*49 H/H TG≥180°C	ISOLA 370HR	180	0.61	49.00*37.00	Hoz	N
1533	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.20T 86*49 1/1 TG≥150°C	ShengYi S1150G	150	0.2	49.00*86.00	1oz	N
1534	ISOLA	ISOLA 370HR Yellow FR-4 0.13T 37*49 H/H TG≥180°C	ISOLA 370HR	180	0.13	49.00*37.00	Hoz	N
1535	ISOLA	ISOLA 370HR Yellow FR-4 0.10T 41*49 H/H TG≥180°C	ISOLA 370HR	170	0.1	49.00*41.00	Hoz	N
1536	ISOLA	ISOLA 370HR Yellow FR-4 0.076T 37*49 1/1 TG≥180°C	ISOLA 370HR	180	0.076	49.00*37.00	1oz	N
1537	ISOLA	ISOLA 370HR Yellow FR-4 0.064T 41*49 H/H TG≥180°C 1080*1 RTF	ISOLA 370HR	180	0.064	49.00*41.00	Hoz	N
1538	ISOLA	ISOLA 185HR Yellow FR-4 0.178T 41*49 H/H TG≥180°C 1*7628 RTF Copper foil	ISOLA 185HR	180	0.178	49.00*41.00	Hoz	N
1539	ISOLA	ISOLA I-Speed Yellow FR-4 1.5T 37*49 1/1 TG≥180°C	ISOLA I-Speed	180	1.5	49.00*37.00	1oz	N
1540	ISOLA	ISOLA I-Speed Yellow FR-4 0.10T 43*49 1/H TG≥180°C	ISOLA I-Speed	180	0.1	49.00*43.00	1oz	N
1541	ISOLA	ISOLA I-Speed Yellow FR-4 0.10T 43*49 1/2 TG≥180°C	ISOLA I-Speed	180	0.1	49.00*43.00	1oz	N
1542	ShengYi	ShengYi S1150G Yellow FR-4 halogen-free 0.20T 41*49 2/2 TG≥150°C	ShengYi S1150G	150	0.2	49.00*41.00	2oz	N
1543	ShengYi	ShengYi S1141 Yellow FR-4 0.20T 37*49 1/1 TG≥130°C	ShengYi S1141	130	0.2	49.00*37.00	1oz	Y
1544	ShengYi	ShengYi S1000H Yellow FR-4 0.20T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.2	49.00*43.00	1oz	Y
1545	ShengYi	ShengYi S1000H Yellow FR-4 0.2T 41*49 2/2 TG≥150°C	ShengYi S1000H	150	0.2	49.00*41.00	2oz	N
1546	ShengYi	ShengYi S1000H Yellow FR-4 0.25T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.25	49.00*43.00	1oz	N
1547	ShengYi	ShengYi S1000H Yellow FR-4 0.25T 41*49 2/2 TG≥150°C	ShengYi S1000H	150	0.25	49.00*41.00	2oz	N
1548	ShengYi	ShengYi S1000H Yellow FR-4 0.20T 43*49 1/1 TG≥150°C	ShengYi S1000H	150	0.2	49.00*43.00	1oz	N
1549	ShengYi	ShengYi S1000-2M Yellow FR-4 0.20T 43*49 1/1 TG≥170°C	ShengYi S1000-2M	170	0.2	49.00*43.00	1oz	N
1550	ShengYi	ShengYi S1000-2 Yellow FR-4 0.2T 37*49 H/H TG≥170°C	ShengYi S1000-2	170	0.2	49.00*37.00	Hoz	N
1551	ITEQ	ITEQ IT170GRA1 TC Yellow FR-4 halogen-free 0.20T 37*49 H/H TG180 7628*1 RTF	ITEQ IT170GRA1	180	0.2	49.00*37.00	Hoz	N
1552	ITEQ	ITEQ IT-158 TC Yellow FR-4 0.20T 37*49 1/1 TG=150	ITEQ IT158	150	0.2	49.00*37.00	1oz	N
1553	ISOLA	ISOLA 370HR Yellow FR-4 0.25T 37*49 H/H TG≥180°C	ISOLA 370HR	170	0.25	49.00*37.00	Hoz	N
1554	TUC	TUC TU-768 Yellow FR-4 3313*1 0.102T 43*49 1/1 TG170°C	TUC TU-768	170	0.102	49.00*43.00	1oz	N
1555	TUC	TUC TU-768 Yellow FR-4 0.127T 37*49 1/1 TG170°C	TUC TU-768	170	0.127	49.00*37.00	1oz	N
1556	Panasonic	Panasonic MEG4S R-5725S Yellow FR-4 1.00T 37*49 H/H TG≥210°C 7628*5 RTF	Panasonic MEG4S R-	210	1	49.00*37.00	Hoz	N
1557	Panasonic	Panasonic MEG4S R-5725S Yellow FR-4 0.15T 37*49 1/1 TG≥210°C 1078*2 RTF	Panasonic MEG4S R-	210	0.15	49.00*37.00	1oz	N
1558	Panasonic	Panasonic MEG4S R-5725S Yellow FR-4 0.13T 37*49 1/1 TG≥210°C 2116*1 RTF	Panasonic MEG4S R-	210	0.13	49.00*37.00	1oz	N
1559	Panasonic	Panasonic MEG 4S R-5725S Yellow FR-4 0.15T 37*49 1/1 TG≥210°C 1078*2 RTF	Panasonic MEG4S R-	210	0.15	49.00*37.00	1oz	N
1560	Panasonic	Panasonic M6G R-5775G Yellow FR-4 0.13T 41*49 1/1 TG≥210°C	Panasonic M6G R-5775G	210	0.13	49.00*41.00	1oz	N
1561	Panasonic	Panasonic M6G R-5775G Yellow FR-4 0.075T 41*49 H/H TG≥210°C 1078*1 HVLP	Panasonic M6G R-5775G	210	0.075	49.00*41.00	Hoz	N
1562	Panasonic	Panasonic M6G R-5775G Yellow 2116*5 HVLP FR-4 0.625T 41*49 1/1 TG≥210°C	Panasonic M6G R-5775G	210	0.625	49.00*41.00	1oz	N
1563	Panasonic	Panasonic M6G R-5775G Yellow 2116*5 HVLP FR-4 0.625T 37*49 1/1 TG≥210°C	Panasonic M6G R-5775G	210	0.625	49.00*37.00	1oz	N



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
1564	Panasonic	Panasonic M6G R-5775G HVLP Yellow FR-4 0.1T 41*49 1/H TG210°C 3313*1	Panasonic M6G R-5775G	210	0.1	49.00*41.00	1oz	N	
1565	Panasonic	Panasonic M6G R-5775G HVLP Yellow FR-4 0.1T 41*49 1/1 TG210°C 3313*1	Panasonic M6G R-5775G	210	0.1	49.00*41.00	1oz	N	
1566	Panasonic	Panasonic M6G R-5775G Yellow 2116*4 HVLP FR-4 0.50T 37*49 1/1 TG210°C	Panasonic M6G R-5775G	210	0.5	49.00*37.00	1oz	N	
1567	Panasonic	Panasonic M6G R-5775G Yellow 3313*1 FR-4 0.10T 41*49 1/H TG≥210°C	Panasonic M6G R-5775G	210	0.1	49.00*41.00	1oz	N	
1568	Panasonic	Panasonic M6G R-5775G Yellow 1078*2 HVLP FR-4 0.127T 41*49 1/1 TG≥210°C	Panasonic M6G R-5775G	210	0.127	49.00*41.00	1oz	N	
1569	Panasonic	Panasonic M6G R-5775G Yellow FR-4 0.15T 41*49 1/H TG≥210°C 1080*2 HVLP	Panasonic M6G R-5775G	210	0.15	49.00*41.00	1oz	N	
1570	Panasonic	Panasonic M6G R-5775G Yellow FR-4 0.13T 41*49 H/H TG≥210°C 1080*2 RTF	Panasonic M6G R-5775G	210	0.13	49.00*41.00	Hoz	N	
1571	Panasonic	Panasonic M6G R-5775G Yellow 3313*1 FR-4 0.1T 37*49 1/H TG210°C	Panasonic M6G R-5775G	210	0.1	49.00*37.00	1oz	N	
1572	Panasonic	Panasonic M6G R-5775G Yellow 3313*1 FR-4 0.1T 37*49 1/1 TG210°C	Panasonic M6G R-5775G	210	0.1	49.00*37.00	1oz	N	
1573	Panasonic	Panasonic M6 R-5775G yellow RTF FR-4 0.075T 41*49 H/1 TG≥210°C	Panasonic M6 R-5775G	210	0.075	49.00*41.00	Hoz	N	
1574	Rogers	Rogers RO4350B Hydrocarbon compound 0.508mm 1/1 OZ 18*24 TG≥280°C (ED)	Rogers RO4350B	280	0.508	24.00*18.00	1oz	N	
1575	DUPONT	PI	AP8515R	/	1mil		0.50Z	N	
1576	DUPONT	PI	AP9111R	/	1mil		10Z	N	
1577	DUPONT	PI	AP9212R	/	1mil		20Z	N	
1578	DUPONT	PI	AP8525R	/	2mil		0.50Z	N	
1579	DUPONT	PI	AP9121R	/	2mil		10Z	N	
1580	DUPONT	PI	AP9222R	/	2mil		20Z	N	
1581	DUPONT	PI	AP8535R	/	3mil		0.50Z	N	
1582	DUPONT	PI	AP9131R	/	3mil		10Z	N	
1583	DUPONT	PI	AP9232R	/	3mil		20Z	N	
1584	DUPONT	PI	AP8545R	/	4mil		0.50Z	N	
1585	DUPONT	PI	AP9141R	/	4mil		10Z	N	
1586	DUPONT	PI	AP9242R	/	4mil		20Z	N	
1587	Panasonic	PI	35-100-35(ED)	/	4mil		10Z	N	
1588	Panasonic	PI	18-100-18(RA)	/	4mil		0.50Z	N	
1589	Panasonic	PI	35-100-35(RA)	/	4mil		10Z	N	
1590	Panasonic	PI (without glue)	18-75-18(ED)	/	3mil		0.50Z	N	
1591	Panasonic	PI (without glue)	18-75-18(RA)	/	3mil		0.50Z	N	
1592	Panasonic	PI (without glue)	35-25-35(ED)	/	1mil		10Z	N	
1593	Panasonic	PI (without glue)	35-25-35(RA)	/	1mil		10Z	N	
1594	Panasonic	PI (without glue)	35-75-35(ED)	/	3mil		10Z	N	
1595	Panasonic	PI (without glue)	35-75-35(RA)	/	3mil		10Z	N	
1596	Panasonic	PI (without glue)	18-50-18(ED)	/	2mil		0.5oz	N	
1597	Panasonic	PI (without glue)	18-50-18(RA)	/	2mil		0.5oz	N	



Q&D Multilayer PCB co., Limited

Base Material List With All Kinds Of Types

							Updated Date: 2022-11-08		
No:	Brand	Raw Material details	Type	TG	PCB Thickness(MM)	Sheet Size(INCH)	Base Copper	Includes Cu	
1598	Panasonic	PI (without glue)	18-100-18(ED)	/	4mil		0.5oz	N	
1599	Panasonic	PI (without glue)	18-100-18(RA)	/	4mil		0.5oz	N	
1600	ShengYi	PI	SF302 101820SR	/	1mil		0.5oz	N	
1601	ShengYi	PI	SF302 101820DR	/	1mil		0.5oz	N	
1602	ShengYi	PI	SF302 101820SE	/	1mil		0.5oz	N	
1603	ShengYi	PI	SF302 101820DE	/	1mil		0.5oz	N	
1604	ShengYi	PI	SF302 103520SR	/	1mil		1oz	N	
1605	ShengYi	PI	SF302 103520SE	/	1mil		1oz	N	
1606	ShengYi	PI	SF302 103520DR	/	1mil		1oz	N	
1607	ShengYi	PI	SF302 103520DE	/	1mil		1oz	N	
1608	ShengYi	PI	SF302 203520SR	/	2mil		1oz	N	
1609	ShengYi	PI	SF302 203520SE	/	2mil		1oz	N	
1610	Thin Flex	PI (without glue)	A-1005RD	/	1mil		0.5oz	N	
1611	Thin Flex	PI (without glue)	A-2005RD	/	2mil		0.5oz	N	
1612	Thin Flex	PI (without glue)	W-1005ED	/	1mil		0.5oz	N	
1613	TaiFlex	PI (without glue)	THKS100520	/	1mil		0.5oz	N	
1614	TaiFlex	PI (without glue)	THKS101020	/	1mil		1oz	N	
1615	TaiFlex	PI	THKD100520	/	1mil		18	N	
1616	TaiFlex	PI	THKD101020	/	1mil		1oz	N	
1617	DUPONT	Coverlay	FR0110	/	1mil	610mm*76m	/	/	
1618	DUPONT	Coverlay	FR0120	/	2mil	610mm*76m	/	/	
1619	DUPONT	Coverlay	FR0130	/	3mil	610mm*76m	/	/	
1620	DUPONT	Coverlay	FR0150	/	5mil	610mm*76m	/	/	
1621	DUPONT	Coverlay	FR0210	/	1mil	610mm*76m	/	/	
1622	DUPONT	Coverlay	FR0220	/	2mil	610mm*76m	/	/	
1623	DUPONT	Coverlay	FR0230	/	3mil	610mm*76m	/	/	
1624	DUPONT	Coverlay	FR0250	/	5mil	610mm*76m	/	/	
1625	DUPONT	Coverlay	FR0310	/	1mil	610mm*76m	/	/	
1626	DUPONT	Coverlay	FR7001	/	0.5mil	610mm*76m	/	/	
1627	DUPONT	Coverlay	FR7013	/	0.5mil	610mm*76m	/	/	
1628	DUPONT	Coverlay	FR7082	/	0.5mil	610mm*76m	/	/	
1629	DUPONT	Coverlay	FR1510	/	1mil	610mm*76m	/	/	
1630	DUPONT	Coverlay	FR7332	/	0.5mil	610mm*76m	/	/	
1631	ShengYi	Coverlay	SF302C 0515	/	0.5mil	610mm*76m	/	/	

